

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. This product has been formulated to aid in the reduction of cross-contamination in these areas.

This product is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal, fungicidal and inhibits the growth of mold and mildew and their odors when used as directed.

This product is an effective one-step sanitizer-cleaner for use on non-food contact surfaces. When used as directed, this product will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

### cautionary Statements

### Hazard to Humans and Domestic Animals

## DANGER

Keep Out of Reach of Children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed or absorbed through skin. Avoid contamination of food.

### Storage and Disposal

- Do not contaminate water, food, or feed by storage disposal.
- Do not store on side.
- Avoid creasing or impacting of side walls.

### PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

(If container is 1 gallon or less, use this container disposal statement.)

Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

For Industrial and Institutional Use Only

## HUSKY 805 Germicidal Cleaner

Disinfectant-Cleaner-Sanitizer-Fungicide  
Mildewstat-Virucide-Deodorizer  
for Hospitals, Institutional and Industrial Use

Effective in hard water up to 400 ppm hardness  
(calculated as CaCO<sub>3</sub>) in the presence of 5% serum  
contamination

### Active Ingredients

Octyl decyl dimethyl ammonium chloride	3.255%
Dioctyl dimethyl ammonium chloride	1.628%
Didecyl dimethyl ammonium chloride	1.628%
Alkyl (C <sub>12</sub> , 50%; C <sub>12</sub> , 40%; C <sub>16</sub> , 10%) dimethyl benzyl ammonium chloride	4.340%

### Inert Ingredients

89.149%  
100.000%

KEEP OUT OF REACH OF CHILDREN

## DANGER

### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of egg whites, plain solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

### SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 8155-15

EPA Establishment No. 8155-OH-1

### Net Contents

MANUFACTURED BY

Canberra Corporation  
Toledo, OH 43615

### DIRECTION FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is a proven "one-step" disinfectant-cleaner-sanitizer-fungicide-mildewstat-virucide which is effective in water up to 400 ppm hardness in the presence of 5% serum contamination.

Apply to walls, floors and other hard (inert) non-porous surfaces such as tables, chairs, countertops, sinks, tile, porcelain, and bedframes with a cloth, mop or mechanical spray device as well as thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

Disinfection - To disinfect 1, non-porous surfaces, add 1 oz. per gallon of water. Treated surfaces must remain wet for 10 minutes. The activity of this product has been evaluated in the presence of 5% serum and 400 ppm hard water by the ADAC use dilution test and found to be effective against a broad spectrum of gram negative and gram positive organisms as represented by:

<i>Pseudomonas aeruginosa</i>	<i>Enterobacter aerogenes</i>
<i>Staphylococcus aureus</i>	<i>Salmonella choleraesuis</i>
<i>Salmonella choleraesuis</i>	<i>Streptococcus faecalis</i>
<i>Escherichia coli</i>	<i>Shigella dysenteriae</i>
<i>Streptococcus pyogenes</i>	<i>Brevibacterium ammoniagenes</i>
<i>Klebsiella pneumoniae</i>	<i>Salmonella typhi</i>
	<i>Serratia marcescens</i>

### Fungicidal Control -

This product is an effective fungicide against *Trichophyton mentagrophytes* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities at 1 oz./gallon.

### Mold and Mildew Control -

At 1 oz./gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Sanitizing Non-Food Contact Surfaces (such as floors, walls, tables, etc.) At 1 oz. per 5 1/2 gallon use-level.

This product is an effective sanitizer against *Staphylococcus aureus* and *Klebsiella pneumoniae* on hard porous and non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.

Useful Information: A 60 sec. (30 sec.) contact time of 10 minutes is necessary for the following viruses listed on treatment labels.

HSV-1 (Aids Virus)  
Hepatitis Types 1 and 2

CELLS INVOLVED IN THE CLEANED ENVIRONMENT SHOULD BE DISINFECTED WITH AN APPROPRIATE DISINFECTANT TO PREVENT THE SPREAD OF BLOOD-BORNE PATHOGENS AND TO PREVENT THE SPREAD OF BLOOD-BORNE PATHOGENS AND TO PREVENT THE SPREAD OF BLOOD-BORNE PATHOGENS.

SPECIAL INSTRUCTIONS FOR CLEANING UP OF SURFACES/RESIDUAL FLUIDS:

PERSONAL PROTECTION: Specific to be used when handling these fluids, are disposable latex gloves.

CLEANING PROCEDURE: Blood and thoroughly cleaned from surface. Application of the disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS: Fluids should be collected in a federal, state and local waste disposal.

CONTACT TIME: Treated surfaces must remain wet for 60 seconds.

ACCEPT

JUN 27 1990

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered under the pesticide registration number 8155.

BEST AVAILABLE COPY