

Reg # 8155-18

PM-31

184


US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 8155-18	DATE OF ISSUANCE OCT 10 1991
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	TERM OF ISSUANCE NAME OF PESTICIDE PRODUCT No. 600 Husky Germicidal Cleaner	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
Canberra Corporation 3616 Holland Sylvania Road Toledo, OH 43615		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:		
1. Submit/cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.		
2. Make the labeling changes listed below before you release the product for shipment:		
a. Add the phrase "EPA Registration No. 8155-18."		
Revise:		
Trichophyton interdigitale		
to read:		
Trichophyton mentagrophytes		
BEST AVAILABLE COPY		
<input checked="" type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE

294

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.


John H. Lee
Product Manager (31)
Antimicrobial Program Branch
Registration Division (H7505C)

Enclosure

483

A concentrated, multi-purpose germicidal detergent and deodorant effective in hard waters up to 400 ppm hard water (calculated as CaCO₃) plus 5% organic serum. Disinfects, cleans, and deodorizes in one labor saving step. Recommended for use in hospitals, nursing homes, schools, colleges, veterinary clinics, animal life science laboratories, federally inspected meat and poultry establishments, equine farms, tack shops, pet shops, airports, kennels, hotels & motels, poultry & turkey farms, dairy farms & hog farms, breeding & grooming establishments.

Bactericidal at 1:64 dilution (2 ounces per gallon of water) against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, and *Salmonella choleraesuis* according to the current AOAC Use-Dilution Test method, modified in the presence of 400 ppm synthetic hard water (calculated as CaCO₃) plus 5% organic serum.

Fungicidal against *Trichophyton interdigitale* and *Candida albicans* according to the AOAC fungicidal test, modified in the presence of 400 ppm hard water (calculated as CaCO₃) plus 5% organic serum at a 1:64 dilution.

Virucidal against HIV-1 (AIDS virus), Influenza A/Hong Kong, Herpes simplex Type 1, Herpes simplex type 2, Vaccinia, Rubella, Adenovirus type 4, Canine parvovirus, Canine distemper, Feline panleukopenia, Feline picornavirus, Feline leukemia, Rabies, Porcine parvovirus, Pseudorabies, Infectious bovine rhinotracheitis, and Infectious bronchitis (Avian IBV) according to the virucidal qualification, modified in the presence of 400 ppm hard water plus 5% organic serum at a 1:64 dilution. (2 ounces per gallon of water)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL USE DIRECTIONS FOR DISINFECTING:

For use on hard non-porous surfaces such as floors, walls, metal surfaces, stainless steel surfaces, porcelain, and plastic surfaces. Remove gross filth and heavy soil deposits then thoroughly wet surfaces. Use 2 ounces per gallon of water for a minimum contact time of 10 minutes in a single application. Can be applied with a mop, sponge, or cloth as well as spraying or soaking. The use solution is prepared fresh for each use then discarded. Rinsing is not necessary unless floors are to be waxed or polished.

For use in federally inspected meat and poultry plants as a general cleaning agent on all surfaces, or for use with steam or mechanical cleaning device in all departments. Before use of this compound, food products and packaging materials must be removed from the room or carefully protected. After use of this compound, all surfaces in the area must be thoroughly rinsed with potable water.

MILDEWSTATIC INSTRUCTIONS:

Will effectively control the growth of mold and mildew plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors, and table tops. Apply solution (2 ounces per gallon of water) with cloth, mop, sponge, or spray making sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

No. 800 Husky Germicidal Cleaner

GERMICIDAL DETERGENT AND DEODORANT

Pseudomonacidal Staphylocidal Salmonellacidal
Fungicidal Virucidal

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride 2.31%
n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%) dimethyl benzyl ammonium chloride 1.54%
INERT INGREDIENTS: 96.15%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes eye irritation. Avoid contact with eyes. Wash thoroughly after handling.

CLEANSING AND SANITIZATION OF BODY SURFACES AND BODY ORIFICES OF HUMAN REMAINS:

To cleanse away skin secretions and accompanying malodor, to insure the removal of all soil and blood stains, and to remove and reduce surface contamination, apply 2 ounces to a gallon of water, to the surface and body openings, natural or artificial. Allow a 10 minute contact time optimal results. Bathe the entire body, using a sponge or washcloth. A soft handbrush may be employed on surfaces other than the face. Prepare a fresh solution for application of each remains.

Effective against the following pathogenic bacteria according to the AOAC Use-Dilution, current edition, modified in the presence of 400 ppm synthetic hard water (calculated as CaCO₃) plus 5% organic serum:

<i>Pseudomonas aeruginosa</i>	<i>Proteus mirabilis</i>
<i>Staphylococcus aureus</i>	<i>Proteus vulgaris</i>
<i>Salmonella choleraesuis</i>	<i>Salmonella typhi</i>
<i>Bordetella bronchiseptica</i>	<i>Salmonella typhimurium</i>
<i>Chlamydia psittaci</i>	<i>Serratia marcescens</i>
<i>E. coli</i>	<i>Shigella flexneri</i>
<i>E. coli</i> (antibiotic resistant)	<i>Shigella sonnei</i>
<i>Enterobacter aerogenes</i>	<i>Staphylococcus aureus</i>
<i>Enterobacter cloacae</i>	(antibiotic resistant)
<i>Fusobacterium necrophorum</i>	<i>Staphylococcus epidermidis</i>
<i>Klebsiella pneumoniae</i>	(antibiotic resistant)
<i>Klebsiella pneumoniae</i>	<i>Streptococcus faecalis</i>
(antibiotic resistant)	(antibiotic resistant)
<i>Pasteurella multocida</i>	<i>Streptococcus faecalis</i>
<i>Pseudomonas aeruginosa</i>	<i>Streptococcus pyogenes</i>
(antibiotic resistant)	

EPA Reg. No. 8155- EPA Est. No. 8155-04-1
NET CONTENTS _____

Canberra Corporation
Toledo, Ohio 43615

*Kills HIV-1 (AIDS virus) on pre-cleaned environmental faces/objects previously soiled with blood/body fluid in healthcare settings or other settings in which there is expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable latex or vinyl gloves, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

Contact Time: Effective against HIV-1 (AIDS virus) on non-porous surfaces in the presence of a moderate amount of organic soil (5% blood serum) when used at a 1:64 dilution (providing 600 ppm of active quaternary) in 400 ppm Ca hard water for a contact time of 4 minutes at room temperature (20-25°C). Use a ten (10) minute contact time for disinfection against all other bacteria, fungi, and viruses claimed (list on labeling).

Disposal Of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

STORAGE AND DISPOSAL PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty containers.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

PLASTIC CONTAINERS

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, incineration, or if allowed by state and local authorities burning. If burned, stay out of smoke.

GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

No. 800 Husky Germicidal Cleaner

GERMICIDAL DETERGENT AND DEODORANT

Pseudomonacidal Staphylocidal Salmonellacidal
Fungicidal Virucidal

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride 2.31%
n-Alkyl (C14 50%, C12 40%, C16 10%) dimethyl benzyl
ammonium chloride 1.54%
INERT INGREDIENTS: 96.15%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes eye irritation. Avoid contact with eyes. Wash thoroughly after handling.

CLEANSING AND SANITIZATION OF BODY SURFACES AND BODY ORIFICES OF HUMAN REMAINS:

To cleanse away skin secretions and accompanying malodor, to insure the removal of all soil and blood stains, and to remove and reduce surface contamination, apply 2 ounces to a gallon of water, to the surface and body openings, natural or artificial. Allow a 10 minute contact time optimal results. Bathe the entire body, using a sponge or washcloth. A soft handbrush may be employed on surfaces other than the face. Prepare a fresh solution for application of each remains.

Effective against the following pathogenic bacteria according to the AOAC Use-Dilution, current edition, modified in the presence of 400 ppm synthetic hard water (calculated as CaCO₃) plus 5% organic serum:

<i>Pseudomonas aeruginosa</i>	<i>Proteus mirabilis</i>
<i>Staphylococcus aureus</i>	<i>Proteus vulgaris</i>
<i>Salmonella choleraesuis</i>	<i>Salmonella typhi</i>
<i>Bordetella bronchiseptica</i>	<i>Salmonella typhimurium</i>
<i>Chlamydia psittaci</i>	<i>Serratia marcescens</i>
<i>E. coli</i>	<i>Shigella flexneri</i>
<i>E. coli</i> (antibiotic resistant)	<i>Shigella sonnei</i>
<i>Enterobacter aerogenes</i>	<i>Staphylococcus aureus</i>
<i>Enterobacter cloacae</i>	(antibiotic resistant)
<i>Fusobacterium necrophorum</i>	<i>Staphylococcus epidermidis</i>
<i>Klebsiella pneumoniae</i>	(antibiotic resistant)
<i>Klebsiella pneumoniae</i>	<i>Streptococcus faecalis</i>
(antibiotic resistant)	(antibiotic resistant)
<i>Pasteurella multocida</i>	<i>Streptococcus faecalis</i>
<i>Pseudomonas aeruginosa</i>	<i>Streptococcus pyogenes</i>
(antibiotic resistant)	

EPA Reg. No. 8155- EPA Est. No. 8155-01-1

NET CONTENTS

Canberra Corporation
Toledo, Ohio 43615

*Kills HIV-1 (AIDS virus) on precleaned environmental surfaces/objects previously soiled with blood/body fluids in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1)(associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

Contact Time: Effective against HIV-1 (AIDS virus) on hard non-porous surfaces in the presence of a moderate amount of organic soil (5% blood serum) when used at a 1:64 dilution (providing 600 ppm of active quaternary) in 400 ppm CaCO₃ hard water for a contact time of 4 minutes at room temperature (20-25°C). Use a ten (10) minute contact time for disinfection against all other bacteria, fungi, and viruses claimed (listed on labeling).

Disposal Of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

PLASTIC CONTAINERS

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

112690-FH

FOR POULTRY HOUSE AND FARM PREMISE DISINFECTION

Remove all poultry, animals and feeds from premises, vehicles, coops, crates and enclosures. Remove all litter, droppings, and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals or poultry.

Empty all troughs, racks, and other feeding and watering appliances.

Thoroughly clean all surfaces with soap or detergent and rinse with water.

Saturate surfaces with the recommended disinfecting solution for a period of 10 minutes.

Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.

Ventilate buildings, coops, cars, boats and other closed spaces. Do not house poultry, livestock or employ equipment until treatment has been absorbed, set or dried.

Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

ACCEPTED
with COMMENTS
in EPA Letter Dated

OCT 10 1991

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

8155-18