DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner Inconsistent with its labeling. Husky 415 '0/S Disinfectant is a proven "one step" disinfectant-cleaner-mildevistat-deodorant, effective in water up to 400 ppm hardness in the presence of 5% serum contamination at 4 oz. Husky 415 '0/S remove hard water deposits and limesoap buildups when used as directed.

Apply use dilution to porcelain and ceramic tiles, bathlubs, shower stalls, sinks, urinals, toilet bowl surfaces, related fixtures and other hard inanimate non-porous surfaces with a cloth, mon, or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution dally or when use-solution becomes visibly dirty. Surfaces must remain wet for len minutes. Rinse with clean water.

HARD WATER DISINFECTION: At 4 oz. per gallon use-level when evaluated by the AOAC Use Dilution test. Husky 415 *0/S is effective in the presence of 5% blood serum and 400 ppm hard water against:

Pseudomonas aeruginosa Staphylococcus aureus Salmonella choleraesuls

DISINFECTION; At 3 oz. per gallon use level, 415 *0/\$ was evaluated by the AOAC Use-Dilution test in the presence of 5% blood serum and found to be effective against broad spectrum of gram negative and gram positive organisms as represented by:

Pseudomonas aeruginosa Enterobacter aerogenes Staphylococcus aureus -Staphylococcus aureus-Methicillin Resistant Salmonella choleraesuis Escherichia coli

Streptococcus pyogenes

Proteus mirabilis Klebsiella oneumoniae

Shigella dysenteriae Brevibacterium ammonizoenes Salmonella typhi Serratia marcescens

Manufactured By:

CANBERRA CORPORATION 3610 Holland-Sylvania Rd. Toledo, Ohio 43615

MOLD AND MILDEW CONTROL: At 3 oz. / gallon

Husky 415 '0/S will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

*SANITIZING NON-FOOD CONTACT SURFACES (such as floors, walls, tables, etc.); At 0.75 oz. per gallon use-level

is an effective sanitizer against Staphylococcus aureus and Klebsiella pneumoniae on hard porous and non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds. Air dry. HEAVY DUTY CLEANING: For heavy duty cleaning of stubborn rust stains, hard water deposits or lime soap build-ups, dilute 1 part cleaner to 3 parts water (32 Fl. oz. / gallon). Apply with brush, mop or cloth and allow to work 1-2 minutes. Agitate with brush, if necessary. Then rinse thoroughly with water. PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive , Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear gongles or face shield when handling. Do not breathe spray mist. Harmful or fatal if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

- -Do not confaminate water, food, or feed by storage or disposal.
- -Do not store on side
- -Avoid creasing or impacting of sidewalls PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess posticide, spray or mixture of rinsale is a violation of Federal Law. If these wastes cannot be disposed of by use according to label Instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Wastes representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

EPA REG. NO. 8155-20 EPA EST. 8155-0H-1

415

CLEANER, *SANITIZER, MILDEWSTAT, DEODORIZER, FOR HOSPITAL, INSTITUTIONAL, INDUSTRIAL USE

REMOVES HARD WATER DEPOSITS AND LIME SOAP BUILDUPS

ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride	0.750%
Dioctyl dimethyl ammonium chloride	0.300%
Didecyl dimethyl ammonium chloride	0.450%
Alkyl (C.,, 50% C.,, 40% C.,, 10%)	1000
dimethyl benzyl ammonium chloride	1.000%
INERT INCREDIENTS	
1	TOTAL 100 000%

Keep Out of Reach of Children DANGER: 3

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. NOTE TO PHYSICIAN: Probable mucosal damage may contraindictate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Net Contents: One Gallon

ACCEPTED

APR 17 1996

Rodenticide Act, as amended, for the pesticide registered varder EPA Reg. No.