WITED STAL	0	NMENTAL PROTECTION ffice of Pesticide Programs	-	EPA Reg. Number:	Date of Issuance:
		gistration Division (H7505C 401 "M" St., S.W. Washington, D.C. 20460)	8155-22	APB 3 0 1997
TRANCE PROTECTION	NOTICE OF 1	ESTICIDE:		Term of Issuance: C	onditional
nder FIFRA, as amended)	<u> </u>	Registration Reregistrati	on	Name of Pesticide Prod 805 C/D	^{uct:} Husky
ame and Address of Regist	rant (include ZIP Code):			<u> </u>	
anberra Cor 610 Holland oledo, Ohio	-Sylvania				
ivision prior to use of the f	abel in commerce. In an	y correspondence on this p	uduct always refer to the	above EPA registration r	epted by the Registration umber I Insecticide, Fungicide and
egistration is in no way to l e Administrator, on his mo	tion, may at any time su	spend or cancel the registra	ion of a pesticide in acco	rdance with the Act. The	health and the environment, acceptance of any name in the name or to its use if it
		onditionally provided the		ed in accord	lance with
eregistrati gency requi lata; and su	on of your res all re bmit accep		der FIFRA s E similar p nses requir	sec. 3(c)(5 products to	
2. Mak	e the foll	owing label	changes:		• .
a. Io. ". 8155-	·22	· · · · · · · · · · · · · · · · · · ·			d, "EPA Reg.
abel for th		two copies	of the rev	ised final	printed
vill be subj	ect to can for shipm	ns are not cellation i ent o the p	n accordanc	e with FIF	gistration RA sec.6(e). ceptance of
A stamp	ed copy of	the label	is enclosed	l for your	records.
		,	. · ·		÷
	·	·	·	<u> </u>	•
		f Official:		Date:	1 O 1997

in. E L

HUSKY 805 C/D

Disinfectant-Cleaner-Sanitizer-Fungicide Mildewstat-Virucide*-Deodorizer for Hospitals,Institutional and Industrial Use Effective in hard water up to 400 ppm hardness (Calculated as CaCO3) in the presence of 5% serum contamination.

Active Ingredients	
Didecyldimethyl ammonium chloride	15.36%
Inert Ingredients	84.64%

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautionary statements. EPA Reg. No. EPA Est. No. 8155-OH-1

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ACCEPTED with COMMENTS In EPA Letter Dated: APB 3 D 1997

Tinder the Federal Insecticide. Insecticide, and Rodenticide Act an emended, for the pesticide insected under EPA Reg. No XIXX-23

NET CONTENTS: One Gallon

Manufactured by: Canberra Corporation Toledo, OH 43615 RECD EPA/UPP/DPD

ଞ୍ଚ

岛

A9

ப்

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Store in original container in areas inaccessible to children. Do notreuse empty container.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Wrap and discard in trash.

Cross-contamination is of major housekeeping concern, not only in hospitals, but in schools, institutions and industry. This product has been formulated to aid in the reduction of cross-contamination in these areas. It is a one-step disinfectant-cleaner, that is effective against a broad spectrum of bacteria. It is virucidal*(including HIV-1), fungicidal, and inhibits the growth of mold and mildew and their odors, when used as directed. It is an effective one-step sanitizer-cleaner for use on non-food contact surfaces. When used as directed, it will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors. It is an effective fungicide against Trichophyton mentagrophytes,(the athelete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, and exercise facilities.

This product is recommended for use in hospitals, medical and dental offices, nursing homes, public rest rooms, institutions, schools, colleges, atheletic facilities, food processing plants, food storage areas, kitchens, restaurants and bars, airports, transportation terminals, hotels and motels. This product contains no phosphorous. It is a no-rinse, neutral pH disinfectant-cleaner that disinfects, cleans and deodorizes in one labor saving step. It can be used with a mop and bucket, trigger sprayers, sponge, or by soaking.

This product provides effective cleaning strength that will not dull most metal-interlock floor finishes, and does not require a rinse prior to recoat:

NPB 3 0 1937

An EPA Loter Dates

Under the Parteral Insecticide, Fungiciae, what insecticide Act 59 amended, for the pesticide registered under EFA Rog. No. 8/55-22 This product is a neutral pH multi-surface cleaner, deodorizer and disinfectant. Use it on the multi-touch surfaces responsible for cross-contamination. Use it on finished flooors, conductive flooring, tables, chairs, bathroom bowls, basins, countertops, door knobs and handles.

This product is a hospital-use disinfectant at 0.5 ounces per gallon, modified in the presence of 250 ppm hard water, and at 2/3 ounces per gallon, modified in the presence of 400ppm hard water. It is bactericidal according to the AOAC Use-Dilution Test method, Virucidal* according to the virucidal gualification on hard inanimate surfaces, Fungicidal according to the AOAC Fungicidal Test, modified in the presence of 5% organic serum against:

r -- Staphylococcus aureus(Methicillin resistant-MRSA) Proteus vulgaris

Staphylococcus aureus
Pseudomonas aeruginosa
Salmonella choleraesuis
Brevibacterium ammoniagenes
- Chlamydia psittaci
Enterobacter aerogenes
Enterobacter cloacae
Escherichia coli
Escherichia coli(Methicillin resistant)
Enterococcus faecalis(Methicillin resistant)
Klebsiella pneumoniae(Methicillin resistant)

Salmonella typhi Salmonella schottmuelleri Salmonella typhimurium Serratia marcescens Shigella dysenteriae Shigella flexneri Shigella sonnei Staphylococcus epidermidis Klebsiella pneumoniae Enterococcus faecalis Streptococcus pyogenes

Aspergilis niger Trichophyton mentagrophytes

HIV-1(AIDS Virus) Herpes simplex Type 1 Herpes simplex Type 2 Candida albicans

Rubella Vaccinia InfluenzaA/PR

This product is a sanitizer for hard non-porous non-food contact surfaces at 1/2-2/3 ounces per gallon against:

Enterobacter aerogenes Staphylococcus aureus This product has been tested and found effective as a disinfectant at 0.5 ounce per gallon of water, modified in the presence of 250ppm hard water and 5% soil load against Enterococcus faecalis-Vancomycin Resistant(VRE).

ECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Preparation of use-solution:

For water hardness up to 250ppm, add 0.5 ounces per gallon of water, for water hardness up to 400ppm, add 2/3 ounces per gallon of water to disinfect hard, non-porous surfaces.

> -APR-3'0 1997 Bedr De Pedand Jone 1816 Forgation, and comparade det co amended, for the pesticide Appliated under EPA Reg. Co.

For heavy duty use, add 2 ounces per gallon of water to disinfect hard non-porous surfaces.

Disinfection/Virucidal*/Mold and Mildew Control directions:

Apply use-solution to hard(inanimate), non-porous surfaces, thoroughly wetting surfaces as recommended and required, with a cloth, mop, sponge or sprayer.

For heavily soiled areas, a preliminary cleaning is required.

For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Rub with brush, sponge or cloth. Do not breathe spray mist.

Disinfection/Virucidal* directions:

Add 0.5 ounces per gallon of water, to disinfect hard non-porous surfaces. Treated surfaces must remain wet for 10 minutes(2 minutes for disinfection against all viruses claimed). Prepare a fresh solution daily or when use solution becomes diluted or soiled. **Mold and Mildew directions:**

Add 0.5 ounces per gallon of water to control the growth of mold and mildew and their odors on hard non-porous surfaces. Thoroughly wet all surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappear.

Sanitizing Non-Food Contact Surface directions:

Add 0.5 ounces per gallon of water to sanitize hard non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.

*KILLS HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1(HIV-1)(associated with AIDS).

"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS." Personal Protection: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection. Cleaning Procedure: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this disinfectant. Contact Time: Leave surface wet for 2 minutes with 2 ounce per gallon use-solution. Use a 10 minute contact time for disinfection against all other virus, bacteria and fungi claimed. Disposal of Contaminated Material: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

XJURPERO with COMMENTS in TPA Letter Dators APR 3 0 1897 Under the start of suspectation, Sungicide, and Itoricaticide Act D moenied, for the pesticide Sucres under EPA Reg. No.