FRONT PANEL HUSKY 805 C/D

ANTIBACTERIAL, ANTI-MICROBIAL
DISINFECTANT-CLEANER-SANITIZER-FUNGICIDE-MILDEWSTAT-VIRUCIDE*
DEODORIZER FOR HOSPITALS, INSTITUTIONAL AND INDUSTRIAL USE

EFFECTIVE IN HARD WATER UP TO 400 PPM HARDNESS(Calculated as CaCO₃) IN THE PRESENCE OF 5% SERUM CONTAMINATION

PICTOGRAM

ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for additional precautionary statements.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric layage.

EPA REG. NO. 8155-22

EPA EST. NO. 8155-OH-1

NET CONTENTS: ONE GALLON

MANUFACTURED BY: CANBERRA CORPORATION TOLEDO, OHIO 43615



BACK PANEL

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER. Keep out of reach of children. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. May be fatal if swallowed. Harmful if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

Cross-contamination is of major housekeeping concern, not only in hospitals, but in schools, institutions and industry. This product has been formulated to aid in the reduction of cross-contamination in these areas. It is a one-step disinfectant-cleaner, that is effective against a broad spectrum of bacteria. It is virucidal*(including HIV-1), fungicidal and inhibits the growth of mold and mildew and their odors, when used as directed. It is an effective one-step sanitizer-cleaner for use on non-food contact surfaces. When used as directed, it will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors. It is an effective fungicide against Trichophyton mentagrophytes, (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

This product is recommended for use in hospitals, medical and dental offices, nursing homes, public rest rooms, institutions, schools, colleges, athletic facilities, food processing plants, food storage areas, kitchens, restaurants and bars, tanning salons, massage parlors, tattoo parlors, spas, airports, boats, ships, cruise lines, transportation terminals, hotels and motels. This product contains no phosphorous. It is a no-rinse, neutral pH disinfectant-cleaner that disinfects, cleans and deodorizes in one labor saving step. It can be used with mop and bucket, trigger sprayers, sponge or by soaking. This product provides effective cleaning strength that will not dull most metal-interlock floor finishes, and does not require a rinse prior to recoat.

This product is a neutral pH multi-surface cleaner, deodorizer and disinfectant. Use it on the multi-touch surfaces responsible for cross-contamination. Use it on finished floors, conductive flooring, tables, chairs, bathroom bowls, basins, countertops, door knobs and handles.

This product has been tested and found effective as a disinfectant at 0.5 ounce per gallon of water, modified in the presence of 250 ppm hard water and 5% soil load against Enterococcus faecalis-Vancomycin Resistant(VRE). This product is a hospital-use disinfectant at 0.5 ounce per gallon, modified in the presence of 250 ppm hard water and at 2/3 ounce per gallon, modified in the presence of 400 ppm hard water. It is bactericidal according to the AOAC Use-Dilution Test Method, virucidal* according to the Virucidal Qualification on hard inanimate surfaces, fungicidal according to the AOAC Fungicidal Test, and modified in the presence of 5% organic serum against:

Staphylococcus aureus(Methicillin Resistant-MRSA)

Staphylococcus aureus Pseudomonas aeruginosa Salmonella choleraesuis Brevibacterium ammoniagenes

Chlamydia psittaci Enterobacter aerogenes Enterobacter cloacae

Escherichia coli(Methicillin Resistant)
Enterococcus faecalis(Methicillin Resistant)
Klebsiella pneumoniae(Methicillin Resistant)

Aspergillis niger Trichophyton mentagrophytes

*HIV-1(AIDS Virus)

*Herpes simplex Type 1


*Herpes simplex Type 2

Salmonella typhi Salmonella schottmuelleri Salmonella typhimurium Serratia marcescens Shigella dysenteriae Shigella flexneri Shigella sonnei

Proteus vulgaris

Klebsiella pneumoniae Enterococcus faecalis Streptococcus pyogenes

Candida albicans



*Rubella

*Vaccinia

*Influenza A/PR

This product is a sanitizer for hard non-porous non-food contact surfaces at 2/3 ounce per gallon against: Enterobacter aerogenes

Staphylococcus aureus

.

DIRECTION FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Preparation of use solution:

For water hardness up to 250 ppm, add 0.5 ounce per gallon of water; for water hardness up to 400 ppm, add 2/3 ounce per gallon of water, to disinfect hard non-porous surfaces. For heavy duty use, add 2 ounces per gallon of water to disinfect hard non-porous surfaces.

Disinfection/Virucidal* Directions:

For heavily soiled areas, a preliminary cleaning is required. Add 0.5 ounce per gallon of water, to disinfect hard, non-porous surfaces. Thoroughly wet surfaces with cloth, mop, sponge or sprayer. Treated surfaces must remain wet for 10 minutes (For killing viruses ONLY, treated surfaces must remain wet for 2 minutes). Allow surface to air dry. Prepare a fresh solution daily or when use solution becomes diluted or soiled.

For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Do not breathe spray mist. For food contact surfaces such as counters, tables and appliances, thoroughly rinse surfaces with potable water. Do not use on dishes, glasses and utensils.

Mold and Mildew Directions:

Add 0.5 ounce per gallon of water to control the growth of mold and mildew and their odors on hard, non-porous surfaces. Thoroughly wet all surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappear.

Sanitizing Non-Food Contact Surface Directions:

Add 2/3 ounce per gallon of water to sanitize hard, non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.

*KILLS HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1(HIV-1)(associated with AIDS). "SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS."

Personal Protection: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection. Cleaning Procedure: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this disinfectant. Contact Time: Leave surface wet for 2 minutes with 0.5 ounce per gallon use-solution. Use a 10 minute contact time for disinfection against all other virus, bacteria and fungi claimed. Disposal of Contaminated Material: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste material.

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children and persons unfamiliar with the product. Do not reuse container. Discard in the trash.

FOR CONTAINERS OVER 1 GALLON:

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in areas inaccessible to children and persons unfamiliar with the product.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not reuse container. Triple rinse(or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or if allowed by state and local authorities, by burning. If

burned, stay out of smoke.



FOR CONTAINERS OVER 5 GALLONS:

Environmental Hazard

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System(NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

