

UNDER THE PEDERNI INVESTIGATION OF THE PEDERN

USE DIRECTIONS

FOR CLEANING

Lightly soiled areas — surfaces to be cleaned should be mopped or brushed with a solution containing 3 ounces of NO. THIRTY per gallon of water. Rinse cleaned area with fresh water.

Heavily soiled areas — mop or brush soiled surface with a solution containing 5—6 ounces of NO. THIRTY per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 3½ ounces of NO. THIRTY per gallon of water. Surfaces that are heavily soiled should be cleaned with 2 ounces of NO. THIRTY per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality.

To disinfect locker rooms, shower stalls, walkways around pools and other areas where fungicidal action is required, mop area with a solution containing 2 ounces per gallon of water. This solution will destroy Trichophyton interdigitale, a causative agent of athlete's foot.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 51/2 ounces of NO. THIRTY per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 51/2 ounces per gallon of water.

S'VITIZATION

sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing 3 ounces of NO. THIRTY per gallon of water. If surface is

NUMBER THIRT

DISINFECTANT—CLEANER—SANITIZER FUNGICIDE—DEODORANT

ACTIVE INGREDIENTS

Sodium metasilicate	. 3.0%
INERT INGREDIENTS	95.5%

EPA Reg. No. 8157-54

WARNING: KEEP OUT OF THE REACH OF CHILDRE


See side panel for additional precautionary handling instructions.

Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

NET CUNTENTS

GALLONS





IMBER THIRTY

NFECTANT-CLEANER-SANITIZER FUNGICIDE-DEODORANT

REDIENTS

ilicate C ₁₄ , 40%	C ₁₂ ,	10%	C ₁₆)	dimethy	l benzy	lammonium	chloride	••	• •	• •	• •	• •	• •	• •	. 3.0%
EDIENTS						~								•	95.5%

EPA Reg. No. 8157-54

NING: KEEP OUT OF THE REACH OF CHILDREN

panel for additional precautionary handling instructions.

Disposal: When empty, rinse container thoroughly with water and destroy it by crushing in a safe place.

NET CUNTENTS

GALLONS

heavily soiled, use NO. THIRTY at a rate of 5-6 ounces per gallon to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 2 ounces of NO. THIRTY per gallon of water. No rinse required after sanitization.

DEODORIZATION

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 7 ounces of NO. THIRTY per gallon of water.

NO. THIRTY is an effective anti-bacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, NO. THIRTY will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial-antifungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired. See left panel for use directions.

WARNING

KEEP OUT OF REACH OF CHILDREN

Causes severe eye irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes then get medical attention promptly. In case of skin contact, flush skin with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before reuse. If swallowed, do NOT induce vomiting, drink large quantities of fluids and get medical attention immediately.

PRINTED IN U.S.A.





