


Protective Contingents --- Sanitary Chemicals

2137 Sunset Road, Des Moines, Iowa 50303

Mailing Address: P.O. Box 685, Telephone Area Code 515 288-0231



Comment

USE FEATURES

KENNEL PAL is especially designed and formulated as a highly concentrated multi-purpose cleaner for Veterinarians, Dog Pounds, Kennel Owners, and Dog Breeders.

KENNEL PAL when used regularly will help destroy odors and sanitize work areas of your establishment: kennel floors, walls, pens, grooming floors, grooming tables and waste containers.

KENNEL PAL may also be used in your washer for kennel blankets and other washables. It will help destroy urine and other odors. It will restore washables to a clean odor free condition.

KENNEL PAL assures effective cleaning, helps promote environmental sanitation through microbial control and controlled environmental odor counteraction.

NOTICE

KENNEL PAL is only available from your.....

..... Representative. He is especially trained in odor and cleanliness control for your animals and kennel environment. Contact your Representative if you have any unusual odor control problems for fast complete assistance.

KP

U.S.D.A. Registration Number 8170-6, 12/68

DIRECTIONS

For Cleaning, Deodorizing, Sanitizing, and Disinfecting hard surfaces. Use 3 ounces (720 PPM) per gallon of water. If heavy soil or organic matter is present, rinse all surfaces and repeat this process.

For kennel blankets and other soft surfaces, hand or machine washing, use 3 ounces (720 PPM) per gallon of water. Do not use your regular or any laundry soap or detergent when using this product. Do not use any additive to your wash water, softeners, bleach, pre-soaking agents, when using this product.

CAUTION:

A concentrated product, and should be diluted before using. Do not allow to come in contact with food. Avoid skin contact with concentrate. Should not be mixed with other detergents or sanitizers as it may not be compatible.

Contains its own detergents among the inert ingredients. Avoid getting concentrate in eyes. In case of eye contact, wash eyes thoroughly with water. If irritation persists, get medical attention.

Printed in U.S.A.

ACCEPTED WITH COMMENTS

SANITATE 70

USE DIRECTIONS:

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use this product with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quaternary to 200 ppm. (2.8 ounces per 5 gallons). Potable Water Rinse is required.


For heavy soil or organic matter, a precleaning step is recommended.

PHENOL COEFFICIENTS:

Guaranteed	Minimum
<i>S. aureus</i>	42
<i>S. typhosa</i>	27

Rinse empty container thoroughly with water and discard.

EPA Reg. No. 8170-7
EPA Est. No. 8170-1A-1



NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed

**CLEANER
DEODORIZER**

**DISINFECTANT
FUNGICIDE**

- Designed for Hospital and Institutional Use

ACTIVE INGREDIENTS:


- n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)
dimethyl benzyl ammonium chlorides 2.25%
- n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl
ethylbenzyl ammonium chlorides 2.25%
- Sodium Carbonate 3.00%

INERT INGREDIENTS: 92.50%
100.00%

NET CONTENTS _____ **GALLON(s)** _____

DANGER

Keep Out of Reach of Children. See first aid and additional precautionary statements on right panel.



BASIC CHEMICALS INCORPORATED
2137 Sunset Road • P.O. Box 685
Des Moines, Iowa 50303
Phone: Area Code 515 288-0231

ACCEPTED WITH COMMENTS

This is a cleaner, designed for institutional use. Its use in nursing homes keeping will be of the hazard of cross-contamination. It can be used on floors, walls, sink rest rooms, bed pans, etc. It is effective against *Staphylococcus aureus* and *Shigella* interdigitale.

When used for sanitization of food contact items and food equipment, limit the level of active quaternary to 200 ppm. Potable Water Rinse is required.

Keep Out of Reach of Children. Causes eye damage. Do not get in eyes, nose, or mouth. If swallowed, do not induce vomiting. Call a physician.

In case of contact with skin, wash with plenty of water. For eye contact, flush with water and wash all contact lenses. If swallowed, drink large quantities of water. Call a physician.

SANITATE 70

**CLEANER
DEODORIZER**

**DISINFECTANT
FUNGICIDE**

Designed for Hospital and Institutional Use

ACTIVE INGREDIENTS:


n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl	
ethylbenzyl ammonium chlorides	2.25%
Sodium Carbonate	3.00%

INERT INGREDIENTS: 92.50%
100.00%

NET CONTENTS _____ **GALLON(s)** _____

DANGER

Keep Out of Reach of Children. See first aid and additional precautionary statements on right panel.



BASIC CHEMICALS INCORPORATED
2137 Sunset Road • P.O. Box 685
Des Moines, Iowa 50303
Phone: Area Code 515 288-0231

This is a cleaner, disinfectant, and sanitizer designed for institutional use such as HOSPITALS, NURSING HOMES, and SCHOOLS where house-keeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. It can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

When used for sanitization of food processing equipment and food contact items, limit active quaternary to 200 ppm. Potable Water Rinse is required.

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician immediately.

PRINTED IN U.S.A.

on. This product will be
on as aeruginosa PRD-10
een substantiated by the
firmation Test. At this
pidal against pathogenic

product with a cloth or
floors and other hard sur-


food equipment or food
level of active quaternary
per 5 gallons). Potable

atter, a precleaning step

Minimum

42
27

oroughly with water and



IAN

ge may con-
astric lavage.
atory shock,
nd convul-