

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

WARNING: Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, give patient doses of powdered charcoal immediately or all he can swallow of raw egg white, milk, gruel, or flour and water. Then induce vomiting with salt, soap, or mustard in warm water. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

**PREMIER No. 141
MICROBIOCIDICIDE**

ACTIVE INGREDIENTS:

Sodium cyanodithioimidocarbonate 4.90%
Potassium N-methyldithiocarbamate 6.76%

INERT INGREDIENTS

88.34%

TOTAL

100.00%

This product contains 1.03 lb. of active ingredients per gallon and weighs 8.88 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

**SEE ADDITIONAL PRECAUTIONS AND
FIRST AID ON LEFT SIDE PANEL**

Manufactured by:
**HERBERT-VERKAMP-CALVERT CHEMICAL CO.
300 MURRAY ROAD
CINCINNATI, OH 45217**

EPA REG. No. 8176-16
EPA EST. No. 8176-OH-1

NET CONTENTS _____

ACCEPTED

19 MAR 1980

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROSENICIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. 8176-16

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PREMIER No. 141 MICROBIOCIDICIDE is used to control algae and fungi in recirculating commercial and industrial water cooling systems. To its use systems must be cleaned to remove algal growth, scale, and other deposits. An initial slug addition of 1.7 fluid ounces of **PREMIER No. 141 MICROBIOCIDICIDE** per 1000 gallons of water is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.7 to 10.2 fluid ounces of **MICROBIOCIDICIDE** per 1000 gallons of water should be made every 5 days, or as needed. The frequency of addition depends on the amount of bleedoff and the severity of the microbiological problem. Additions should be made in the sump of water cooling system.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse should be chemically reprocessed or disposed of in a safe place away from water.

CONTAINER DISPOSAL: Containers under 30-gallon capacity should be triple rinsed and disposed of in a landfill approved for pesticide containers or buried in a landfill. Containers over 30-gallon capacity should be triple rinsed (or equivalent) and offered for recycling, or disposal in an approved landfill, or buried in a landfill.

GENERAL: Consult Federal, State, or Local disposal authority for alternative procedures.

ACCEPTED

19 MAR 1980

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 8176-16

PREMIER No. 141 MICROBIOCIDICIDE

ACTIVE INGREDIENTS:

Disodium cyanodithioimidocarbonate 4.90%
Potassium N-methyldithiocarbamate 6.76%

INERT INGREDIENTS

TOTAL 88.34%
100.00%

This product contains 1.03 lb. of active ingredients per gallon and weighs 8.88 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

**SEE ADDITIONAL PRECAUTIONS AND
FIRST AID ON LEFT SIDE PANEL**

Manufactured by:
**HERBERT-VERKAMP-CALVERT CHEMICAL CO.
300 MURRAY ROAD
CINCINNATI, OH 45217**

EPA REG. No. 8176-16
EPA EST. No. 8176-OH-1

NET CONTENTS _____

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PREMIER No. 141 MICROBIOCIDICIDE is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 5.1 to 10.2 fluid ounces of **PREMIER No. 141 MICROBIOCIDICIDE** per 1000 gallons of water is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.7 to 10.2 fluid ounces of **PREMIER No. 141 MICROBIOCIDICIDE** per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Containers under 30-gallon capacity must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for pesticide containers or buried in a safe place. Containers over 30-gallon capacity should be resealed and offered for reconditioning or triple rinse (or equivalent) and offered for recycling, reconditioning, or disposal in an approved landfill, or buried in a safe place.

GENERAL: Consult Federal, State, or Local disposal authorities for approved alternative procedures.

STATEMENTS HUMANS AND ANIMALS

Damage and skin irritation on skin, or on clothing, and rubber gloves when swallowed. Avoid con-

Immediately flush eyes for at least 15 minutes. Remove and wash contaminated clothing. If swallowed, give patient immediately or all he milk, gruel, or flour and with salt, soap, or mustard. Call physician immediately.

This pesticide is toxic to lakes, streams, ponds, or in accordance with an NPDES contact your Regional Office of

M

20