



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (H7505C)
 401 "M" St., S.W.
 Washington, D.C. 20460

EPA Reg. Number:

8177-84

Date of Issuance:

NOV 19 1996

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

65A2002 Blue Seamate
 HB33 Anti-Fouling

Name and Address of Registrant (include ZIP Code):

The Valspar Corporation
 1101 Third Street Soth
 Minneapolis, MN 55415

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. "8177-84".
- b. The heading "Storage and Disposal" must be the same minimum type size as the child hazard warning statement.

Signature of Approving Official:

Marion Johnson
 Marion Johnson, PM 31/APB/RD

Date:

NOV 19 1996

2/4


3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.


If you have any questions concerning this letter please contact Marshall Swindell at 703-305-6908.

Sincerely yours,



Marion Johnson
Product Manager 31
Antimicrobial Programs Branch
Registration Division (7505C)

WARNING




Children can fall into bucket and drown.
Keep children away from buckets with even a small amount of water.



HEALTH
FLAMMABILITY

REACTIVITY

PROTECTIVE EQUIPMENT



JOTUN VALSPAI MARINE COATINGS

STORAGE AND DISPOSAL
Storage: Keep container closed when not in use. In case of spillage, absorb with inert material and dispose of in accordance with applicable regulations.
Pesticide Disposal: (1) Paint chips, spent abrasives, and any other waste materials from removal of old paint must be disposed of in a sanitary landfill (or if required by Federal, State or local regulations, handled as a hazardous waste). (2) If possible, use all of the contents by application according to label instructions. Manage excess paint, rinsate, and other application wastes in accordance with Federal, State, and local requirements. Consult your state pesticide or Environmental control agency, nearest EPA Regional Office, or the RCRA/Superfund Hotline (800) 424-9346 for waste disposal guidance.
Container Disposal: Triple rinse container if intended for recycling or reconditioning. Empty paint containers with small amounts of dried residue must be disposed of in a sanitary landfill (or if required by Federal, State or local regulations, handled as a hazardous waste).

UN1263
PAINT

ACCEPTED
with COMMENTS
in EPA Letter Dated:
NOV 19 1996
Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.
8177-84

BEST AVAILABLE COPY

RESTRICTED USE PESTICIDE

Due to Toxicity to Aquatic Organisms, including shellfish. For sale only to certified commercial applicators and for use only by certified commercial applicators or by persons under the direct supervision of an on-site (at the work site) certified commercial applicator.

65A2002 BLUE SEAMATE HB33 ANTI-FOULING

ACTIVE INGREDIENT: Tributyltin Methacrylate (as part of Polymer)	11.70%
ACTIVE INGREDIENT: Cuprous Oxide	33.46%
INERT INGREDIENTS:	54.84%
	100.00%
Total Tin Content:	3.71%

CONTAINS PETROLEUM DISTILLATES
KEEP OUT OF REACH OF CHILDREN

DANGER

See back panel for additional precautionary statements.

NET CONTENTS 5 Gal. (18.927 Liters)



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

DANGER

Corrosive. Causes skin burns. Wear protective clothing such as gloves long-sleeved cotton shirt, long pants, and hat. Causes eye irritation. May be fatal if swallowed. Harmful if absorbed through skin or inhaled. This product may be a dermal sensitizer. Avoid contact with skin, eyes or clothing. Avoid breathing vapor, spray mist, dust or chips from sanding. Wash thoroughly with soap and water after handling and before eating or smoking. Use with adequate ventilation.

While spraying paint or sanding boat surface, wear a respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health.

PHYSICAL OR CHEMICAL HAZARDS: Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. It is unlawful to use this product on non-aluminum hulled vessels less than 82 feet (25 meters) in length (on deck), except for the outboard motor or lower drive unit of such vessel.

Users must comply with all applicable OSHA requirements.

Seamate HB33 is an anti-fouling paint of the self polishing variety. It may be applied by brush, roller or spray to steel vessels operating in fresh and/or salt water and subject to attack by barnacles, algae, tube worms and other fouling organisms.

Surface Preparation: Clean surface thoroughly of grease, oil, loose paint, dirt, mildew, rust scale or any other foreign material.

The VOC of this paint is
389 grams/liter (3.3 lbs./gal.)

06 - 65A2002

E.P.A. Reg. No. 8177-IU
E.P.A. Est. No. 8177-TX-2

Medical Emergency No.
1-800-228-5635

The Valspar Corporation
MAINTENANCE & MARINE COATINGS DEPARTMENT
MINNEAPOLIS, MN 55415

STATEMENT OF PRACTICAL TREATMENT: If swallowed, drink promptly a large quantity of water. Avoid alcohol. Get medical attention. If in eyes: flush with plenty of water. Get medical attention. If on skin: wash with plenty of soap and water. Get medical attention if irritation persists. If inhaled: remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to aquatic organisms including fish and shellfish. Do not apply directly to water. Do not allow chips and dust generated during paint removal to enter water.

PRIMING: A Jotun/Valspar primer must be applied to bare newly sandblasted, or porous surfaces before painting.

Always apply paint to a dry surface.

Stir paint thoroughly from the bottom.

"For Further Use and Directions, See the Technical Data Bulletin."

IMPORTANT: If it is necessary to paint under unusual conditions, call your Jotun/Valspar representative for technical service.


D.O.T. SHIPPING NAME: PAINT
D.O.T. HAZARD CLASS: FLAMMABLE LIQUID
D.O.T. HAZARD IDENTIFICATION NUMBER: UN 1263

For Industrial Use Only. Do Not Use in or Around a Household or Dwelling. Not for Residential Use.

Not Sold for Use in Air Pollution Regulation Areas.

Photochemically Reactive Per Rule 102:

AVISO



Niños pueden caer adentro de el balde y ahogarse

Retire los niños de los baldes aunque solamente tengan un poco agua

ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOV 19 1996

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

8177-84

BEST AVAILABLE COPY

b/p