PRECAUTIONARY STATEMENTS *1

HAZARDS TO HUMANS

WARNING *2 Causes eye irritation. Harmful *3 if absorbed through skin. Avoid contact with skin, eyes or clothing. Wear protective clothing such as gloves, long-sleeved cotton shirt, long pants, and hat. May be fatal if swallowed or inhaled. Do not breathe spray mist. Wear a mask or respirator jointly approved by the Mining Enforcement & Safety Administration & the National Institute for Occupational Safety & Health. Remove contaminated clothing & wash before reuse. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS in is material is toxic to fish. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill.

PHYSICAL OR CHEMICAL HAZARDS (Flammable) Keep away from heat & open flame. DIRECTIONS FOR USE It is a violation of federal law to use this product in a manner inconsistent with its labeling. STORAGE & DISPOSAL*4 __.orage: Temperature 40°-110°F (4-43°C) Humidity: 0-100% Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture & dispose of in a sanitary landfill, or by other approved state & local procedures. Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to federal or approved state procedures under Subtitle C of the Resource

Conservation & Recovery Act.

EPA/Anti-Fouling AD1023 jas/120782


CARBOLINE TROPICAL ANTI-FOULING AD1023 For Commercial Use Only

Active Ingredient:	
Cuprous oxide	26.50%
Copper (metallic)	0.50%
Inert Ingredients	73.00%
Total	100.0%
Contains Petroleum Distillates	

KEEP OUT OF REACH OF CHILDREN WARNING*4 STATEMENT OF PRACTICAL TREATMENT [*5 IF SWALLOWED: Drink promptly a large quantity of milk, egg jwhites, gelatin solution or if these are not available, drink |large quantities of water. Avoid | alcohol. Get Medical Attention. |IF IN EYES: Flush with plenty of | water. Get Medical Attention. |IF ON SKIN: Wash with plenty of soap and water. Get Medical Attention. |IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get [Medical Attention. Mfg. By: Carboline Company

(Address as appropriate) EPA Est. No. (As appropriate) EPA Reg. No. 8186-3

Net Contents: 5 Gallons or 18.9 Liters




FOR GENERAL USE

Carboline AD1023 is a fast drying anti-fouling which offers long term protection from marine organisms & slime in salt water when applied over properly primed wood or steel bottoms. Metal surfaces should be primed with non-conductive anticorrosive coatings before application; wood should be clean, dry and free of loose paint. Spray application is recommended, however, application by roller is acceptable. When spraying, applicators must be adequately covered to preclude the possibility of eye or skin contact or inhalation of the spray mist. A full face, air supplied respirator is recommended. Similar precautions should be taken during mixing & for other workers within a 25 foot radius of the application. See Product Data Sheet for further details.

WARRANTY STATEMENT: Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

*1 6 pt. type *2 8 pt. type *3 6 pt. type *4 12 pt. type *5 8 pt. type

L0756RD-1/83



020 17 1982

Mr. Dunchn H. Stewart Carboline Co. 350 Hanley Industrial Court 5t. Louis, MD 63144

Dear Mr. Stewart:

-

1

S

Subject: Antifouling Paint Label Improvement Program Carboline Marine Corporation Polyclad Tropical Anti-Fouling Red 1240-3 EFA Registration No. 8186-1 Carboline Tropical Anti-Fouling Red AD 1023 EFA Registration No. 6186-3 Polyclad Tropical Anti-Fouling Red 1240-2 EFA Registration No. 8186-4 Polyclad Anti-Fouling Ped 1240-19 EFA Registration No. 8186-5 Your Submissions of December 5, 1982

She emendment referred to above, submitted in connection with registration under FIFRA sec. $3(c)(7)(\lambda)$, is acceptable, provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFFA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- a. Change rinse water to rinsate.
- b. If the Precautionary Statements section appears on a side panel, add to the front panel the following statement:

See side panel for additional precautionary statements.

c. Delete "For General Use." This is inconsistent with the statement "For Commercial Use Only."

• .

3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to concellation in accordance with FIFRA sec. t(e). Your release for shirtent of the product bearing the anended labeling constitutes acceptance of these conditions.

-2-

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Richard P. Hountfort VFM Product Hanager (23) Fungicido-Berbicide Branch Registration Division (45-767)

11

Enclosure

¢

:

.

é e s

RD:MOUNTFORT:DCR-04176:WANG-1666C:pjb:Raven:479-2013:12/16/82

-•

``

_ **:•**

_

•

.

٦

1