# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

Caution: Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water, if irritation persists, get medical attention. Wear long-sleeved shirt and pants; chemical resistant gloves; shoes and socks for protection when handling.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, Do not contaminate water when disposing of equipment wash water.

# STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a dry place in original container.

Disposal: Completely empty container into application (mixer/feeder) equipment. Then dispose of empty bag in a sanitary fandfill or by incineration or if allowed, by State and local authorities by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Allow free choice to cattle. Cattle should consume an average of 5 oz. of the mineral per 100 lbs. of body weight per month. This will supply the recommended average daily intake of 70 mg. RABON® Oral Larvicide per hundred pounds body weight. Animals should not be starved for minerals before initiation of the RABON Cattle Mineral Mix program but OMIT all salt from other feed after the program is started. Do not feed other free choice sources of salt or mineral containing salt in any form. Allow one ruineral feeder for each 15-20 head, and place near watering and loafing areas. Put out no more than one month's supply at a time, and protect from rain.

If consumption of WESTERN FLY-TROL Mineral Mix is above 5 oz. per 100 lbs. of body weight per month, reduce the number of feeding locations or relocate. If consumption is below 5 oz. per 100 lbs. of body weight per month, increase the number of feeding locations. Start feeding WESTERN FLY-TROL Mineral Mix early in the spring before flies begin to appear, and continue feeding throughout the summer and into fall. WESTERN FLY-TROL Mineral Mix may be fed up to slaughter and to lactating dairy cows.

WESTERN FLY-TROL Mineral Mix prevents the development of horn files, face files, house files and stable files in the manure of treated cattle but is not effective against existing adult files. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult files.

Supplementality control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or sliage on the premises.

In order to achieve optimum fly control, WESTERN FLY-TROL Mineral Mix should be used in conjunction with other good management and sanitation practices.

ACCEPTED
OCT 27 1989

Under the Federal Intercticide, Functicide, and Redented to Act, as amended, for the profit of profitted under LFA key like. 8188 - 3

20-384M

100.0%

# WESTERN FLY-TROL

# Mineral Mix For Self Feeding

# (With RABON® Oral Larvicide)

To prevent the development of Hor lies, Face Flies, House Flies, and Stable Flies in the manure of treated cattle.

ACTIVE INGREDIENT	BY WEIGHT
Tetrachilorvinphos: 2-chloro-1-(2,4,5-trichlorophenyi) vinyi dimethyi phosphate	1.5%*
INEDT INCDEDIENTS	00 604 **

<sup>\*</sup>RABON Insecticide -- Contains 6.81 grams of RABON per pound.

#### **GUARANTEED ANALYSIS**

Phosphorus (P), min		
Calcium (Ca)	min. 8.0%	9.6%
lodine, min		0.02%
Salt	min. 25.0%	,
Vitamin A, min		100,000 USP Units/lb.

## **FEED INGREDIENTS**

Dicalcium Phosphate, Monocalcium Phosphate, Ground Limestone, Satt, Sodium Bentonite, Grain Products, Dried Yeast Culture, Cane Molasses, Manganous Oxide, Cobalt Carbonate, Copper Oxide, Ferrous Carbonjate, Ethylenediamine Dihydriodide, Sodium Selenite. Magnesium Oxide, Zinc Oxide, Iron Oxide, Calcium Iodate, Vitamin A Supplement (supplied in proved), Natural and Artificial Flavors.

# DIRECTIONS FOR USE ON REVERSE SIDE KEEP OUT OF REACH OF CHILDREN CAUTION

See reverse of tag for additional precautionary statements.

EPA Reg. No. 8188-3

EPA Estab. No. 8188-NB-1

Manufactured By

# WESTERN RANCH PRODUCTS, INC.

780 Rundell Road

P. O. Box 533

Gering, Nebraska 69341-0533 Telephone (308) 436-3156 Net Weight 50 lbs.

<sup>&</sup>quot;"Refers only to ingredients which are not larvicidal.