**NET WEIGHT 3 oz** 



## AGROX'3-MAY

# TRIPLE PURPOSE INSECTICIDE — FUNGICIDE SEED TREATMENT (with graphite)

For the protection of germinating seeds and seedlings against
Damping-off, Seed Decay, Seedling Blights; also against Seed Corn
Beetle (Corn, Beans), Seed Corn Maggots (Corn, Soybeans, Beans and
Peas), and wireworms (Corn, Soybeans, Beans and Sorghum).
CORN, SORGHUM, SOYBEANS, BEANS AND PEAS

Active ingredients	*
Captan (N (ttrichloromethyl) thiol 4 cyclohexene 1,2 dicarbonimida)	31 68
Related dorivatives	1.82
*0, 0 diathyl 0 (2 isopropyl -6 mathyl 4 pyranidinyl; phosphorothicale	11.00
Lindano (gamnia isomer of benzene haxachloride)	18 60
Inort Ingredients (contains graphite)	38 90
Total	
*DIAZINON (Registered trademark of Ciba Grigy Chemical Corporation)	

### KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautionary statements

EPA Fixt 8203 CN-1 EPA Reg No 8203-2 AGROX is a registered trademark of Chipmen Inc., Carada

116

PRECAUTIONARY STATEMENTS: Hezerds to Humans and Domestic Animals

CAUTION: Treat outdoors or in a well ventilated place. May be harmful if swallowed or absorbed through skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling. Wash clothing and decontaminate shoes before reuse. Avoid contamination of feed and foodstuffs. Do not use treated seeds for food, feed or oil purposes. Apply this product only as specified on the label.

#### FIRST AID:

If swallowed — Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear, Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person, If inhaled — Remove victim to fresh air. Apply artificial respiration if indicated. If on skin — Remova contaminated clothing and wash affected areas with soap and water. If in eyes — Flush eyes for at least 15 minutes with water. Call a physician immediately.

ENVIRONMENTAL HAZARDS his product is toxic to fish, birds and other wildown. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burief sway from bodies of water. Birds feeding on treated r eas may be killed. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of water.

PRODUCT INFORMATION: AGROX 3-way Triple Purpose Seed Treatment is a specially formulated combination of DIAZINON for protection against Seed Corn Beetles and Seed Corn Maggets and lindene for protection against wireworms and captan for protection against fungus diseases of seeds and seedlings. Treatment supplies an extra amount of captan which is beneficial, especially under stress conditions.

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Planter box application: Use AGROX 3 way at a rate of 3 oz /bust 1 (1 pouch/bushelt, Mix thoroughly with secul in the planter trox as follows — Fill the planter box one half full of

seed then treat with one-half amount of product and mix well by stirring with a stick or paddle until color is imparted to all seed. Add remaining seed to the planter box and cover with balance of product. Mix thoroughly as above. Use only at the recommended rate, Lower amounts may not give desired control. Excessive amounts may cause seed injury.

Note — Do not use on seed already treated with an insecticide other than malathion or methoxyclor (for control of stored grain insects). Seed within one month of treatment. Regularly inspect planter plates and clean as required, if the seed treatment increases the friction between seeds sufficient to reduce the rate of delivery through a grain drill, 1 ounce of graphite per bushel of seed should be added as a drill fubricant. Adjust the seed drill to give the required rate of seed delivery with the treated seed.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time.

#### STORAGE AND DISPOSAL

Storage — Protect from excessive heat. Stora in a cool dry place away from water, food and feed. Disposal — Do not contaminate water, food, or feed by disposal. Open dumping is prohibited. Dispose of empty containers in an incinerator or landfill approved for pesticide containers or bury in a safe place.

NOTICE TO BUYER: Seller's guerantee shall be limited to the terms set out on the label and subject thereto the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

1080

Manufactured by CHIPMAN INC. P.O. Box 9100 Stoney Creek, Ontario L8G 321 Canada

CONTA LIBERTO CONTENTS MADE CANALIA 117