

AGROX^R 3-WAY
TRIPLE PURPOSE
INSECTICIDE-FUNGICIDE
SEED TREATMENT

For the Protection of Germinating Seeds and Seedlings of
CORN, SORGHUM, SOYBEANS, BEANS AND PEAS
against Damping Off, Seed Decay, Seedling Blights; also against Seed
Corn Beetle (Corn, beans), Seed Corn Maggots (corn, soybeans, beans
and peas), and Wireworms (corn, soybeans, beans and sorghum).

ACTIVE INGREDIENTS	%
Captan (N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide)	31.68
Related derivatives	1.82
*O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl)phosphorothioate	11.00
Lindane (gamma isomer of benzene hexachloride)	16.60
INERT INGREDIENTS (contains graphite)	38.90
TOTAL	100.00

*DIAZINON (Registered trademark of Ciba-Giegy Chemical Corporation)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary statements

EPA Est 8203-CN-1

EPA Reg No. 8203 - 2

AGROX is a registered trade mark of Chipman Inc., Canada

Net Wt. 3 oz

ACCEPTED
FOR REGISTRATION
IN U.S.A.

MAR 2 1964

Under U.S. Patent No. 2,811,111
Fungicide registered under U.S. Patent No. 2,811,111
as amended
registered under U.S. Patent No. 2,811,111

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Treat outdoors or in a well ventilated place. May be harmful if swallowed or absorbed through skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. Applicators who apply this product manually or without the use of a closed-system treatment procedure must wear the following protective clothing during the application process: long-sleeved shirt, long pants, gloves, and a disposable, paper dust mask which covers at least one-third of the face.

Wash thoroughly with soap and water after handling and before eating or smoking. Wash clothing and decontaminate shoes before reuse. Avoid contamination of feed and foodstuffs. Do not use treated seeds for food, feed or oil purposes. Apply this product only as specified on the label.

FIRST AID: **If swallowed** - Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clean. Call physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person. **If inhaled** - Remove victim to fresh air. Apply artificial respiration if indicated. **If on skin** - Remove contaminated clothing and wash affected areas with soap and water. **If in eyes** - Flush eyes for at least 15 minutes with water. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of water.

PRODUCT INFORMATION

AGROX 3-WAY Triple Purpose Seed Treatment is a specially formulated combination of DIAZINON for protection against seed corn beetles and seed corn maggots and lindane for protection against wireworms and captan for protection against fungus diseases of seeds and seedlings. Treatment supplies an extra amount of captan which is beneficial, especially under stress conditions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Planter box application: Use AGROX 3-WAY at a rate of 3 oz/bushel (1 pouch per bushel). Mix thoroughly with seed in the planter box as follows - Fill the planter box one-half full of seed then treat with one-half amount of product and mix well by stirring with a stick or paddle until color is imparted to all seed. Add remaining seed to the planter box and cover with balance of product. Mix thoroughly as above.

Use only at the recommended rate. Lower amounts may not give desired control. Excessive amounts may cause seed injury.

Note - Do not use on seed already treated with an insecticide other than malathion or methoxychlor (for control of stored grain insects). Seed within one month of treatment. Regularly inspect planter plates and clean as required. If the seed treatment increases the friction between seeds sufficient to reduce the rate of delivery through a grain drill, 1 ounce of graphite per bushel of seed should be added as a drill lubricant. Adjust the seed drill to give the required rate of seed delivery with the treated seed.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time.

STORAGE AND DISPOSAL

Storage: Protect from excessive heat. Store in a cool dry place away from water, food and feed.

Disposal: Do not contaminate water, food, or feed by disposal. Open dumping is prohibited. Dispose of empty containers in an incinerator or landfill approved for pesticide containers or bury in a safe place.

NOTICE TO BUYER

Seller's guarantee should be limited to the terms set out on the label and subject thereto the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

1183

Chipman Inc.

Stoney Creek, Ontario, Canada

L8G 3Z1

CONTENTS AND CONTAINER MADE IN CANADA



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PESTICIDES AND TOXIC SUBSTANCES

Mr. F. Bruce Jones
Chipman Inc.
c/o ICI Americas Inc.
Registration Section, Ag. Chem Div.
Wilmington, DE 198897

Dear Mr. Jones:

Subject: Lindane RPAR
Agrox 3-Way Triple Purpose Insecticide-Fungicide Seed Treatment
EPA Reg. No.: 8203-2
Appl. Date: November 15, 1983

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Delete "Call a physician immediately." from your FIRST AID statement and insert as the first sentence of the "If swallowed" statement:
"Call a physician or Poison Control Center immediately."
2. On page 3 of the draft labeling, under "Note" change "Seed within one month..." to "Use seed within one month..."
3. Revise your "STORAGE AND DISPOSAL" statement in accordance with PR Notices 83-3 and 84-1. ~~Note: due to the small package size of this product, you may use the homeowner statement.~~
4. Be sure to note the type size requirements.

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

If you hold a Federal registration, a supplemental registration, or a Special Local Needs registration, you may continue to produce new stocks of such products, using current labeling, until April 1, 1984. After that date, all remaining inventories of affected products will fall under the Existing Stocks provisions stated in our letter of October 28, 1983.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure