

# AGROX<sup>®</sup>

## 2-WAY



**DUAL PURPOSE**  
**INSECTICIDE FUNGICIDE**  
**SEED TREATMENT**

For the Protection of Germinating Seeds and Seedlings of  
**CORN, SOYBEANS, BEANS AND PEAS**  
against SEED CORN BEETLES, SEED CORN MAGGOTS,  
DAMPING OFF, SEED DECAY AND SEEDLING BLIGHTS

**Active Ingredients:**

+ N [(trichloromethyl) thio]-4-cyclohexene-1, 2-dicarboximide. 37.5%  
+ + O, O-diethyl O-(2-isopropyl-4-methyl-6-pyrimidinyl)  
phosphorothioate. 25.0%

Inert Ingredients. 37.5%  
100.0%

**CONTAINS GRAPHITE**

+ Captan  
+ + Diazinon

**WARNING!**

**KEEP OUT OF THE REACH OF CHILDREN**

(See additional precautionary statements on back panel)

**8 OZ. NET WEIGHT**

### AGROX 2-WAY DIRECTIONS

One-ounce Measuring Scoop Enclosed

**PRODUCT INFORMATION:**

2-WAY\* DUAL PURPOSE SEED TREATMENT is a specially formulated Planter Box combination of diazinon for protection against seed corn beetles and seed corn maggots and captan for protection against fungus diseases of seeds and seedlings.

**RECOMMENDATIONS:**

Planter box application: Use on seed by mixing with the seed in the planter box at a rate of 2 ozs./bushel.

Size of Planter Box	No. of 1 oz. Scoops/Planter Box
½ bushel	1 heaping scoop (2 oz./bus.)
1 bushel	2 heaping scoops (2 oz./bus.)

8 ounce container — treats 4 bushels

For seed corn beetles — While the above rate will provide some protection against seed corn beetles, preliminary results indicate that 4 to 6 oz./bu. (4 to 6 scoops) may be more effective for protection against the seed corn beetles.

**NOTICE TO BUYER:**

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

U.S.D.A. Registration No. 8203-10

47

46

8203-10

6-15-1971

1/3

## AGROX 2-WAY INFORMATION

READ DIRECTIONS — HEED CAUTIONS

### WARNING!

May be fatal or harmful if swallowed. May be absorbed through skin. Protect from excessive heat. Store in cool, dry place.

Do not breathe dust, vapor or fumes. Do not get in eyes or on skin or clothing. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water. For eyes, get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing. If swallowed, give raw white of egg or milk. Produce vomiting with a mixture of salt, soap or mustard in warm water. Call a physician. Do not contaminate feed or food.

Toxic to fish and wildlife. Do not contaminate any water by cleaning of equipment or disposal of waste. Treated seed on the soil surface will be hazardous to birds and other wildlife.

Destroy empty container — crush, bury, dispose of wastes by burying in non-crop lands away from water supplies. Never re-use.

Do not use treated seed for food, feed or oil purposes.

### NOTE:

Do not use on seed already treated with an insecticide other than Malathion or Methoxychlor (for control of stored grain insects). Seed within one month of treatment. Regularly inspect planter plates and clean as required. If the seed treatment increases the friction between seeds, sufficient to reduce the rate of delivery through a grain drill, 1 ounce of graphite per bushel of seed should be added as a drill lubricant. Adjust the seed drill to give the required rate of seed delivery with the treated seed.



Distributed by:

ICI America Inc.

Container Made in U.S.A.

STAMFORD, CONN. 06904

Contents Made in Canada

ACCEPTED

JUN 15 1971

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC PESTS REGISTER-  
ED UNDER NO. 28 / SUBJECT  
TO ATTACHED COMMENTS.