

AGROX^R 2-WAY
DUAL PURPOSE
INSECTICIDE-FUNGICIDE
SEED TREATMENT

AGRICULTURAL USE ONLY

For the Protection of Germinating Seeds and Seedlings of
CORN; SOYBEANS, BEANS AND PEAS
against SEED CORN BEETLES, SEED CORN MAGGOTS,
DAMPING OFF, SEED DECAY AND SEEDLING BLIGHTS

ACTIVE INGREDIENTS:	By Wt.
*Captan	36.67%
Related Derivatives	0.83%
**Diazinon	25.00%
INERT INGREDIENTS (contains graphite)	37.50%
*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide	
**0,0-Diethyl 0-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate	
TOTAL	100.00%

per self center
DEC 3 1987
8203-10

This product contains the toxic inert rhodamine B

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Drink promptly large quantities of water. Avoid alcohol. Then induce vomiting by touching the back of the throat with finger. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. If not breathing give artificial respiration preferably by mouth-to-mouth. Get medical attention.

If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush with plenty of water. Call a physician.

See side panel for additional precautionary statements

Manufactured by:
CHIPMAN, A Business Unit of C-I-L Inc.
Stoney Creek, Ontario L8G 3Z1
EPA Est 8203-CN-1
EPA Reg No 8203-10

OCT 23 1987

AGROX is a registered trademark of C-I-L Inc., Canada

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

DANGER

Causes irreversible eye damage. May be fatal if swallowed. Harmful if swallowed inhaled. May be absorbed through skin. May cause allergic skin reactions. Do not breathe dust, vapor or fumes. Do not get in eyes. Avoid contact with skin and clothing. Treat outdoors in a well ventilated place. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling and before eating or smoking. Remove and separately launder clothing before reuse. Do not contaminate feed or food. Do not use treated seeds for food, feed or oil purposes.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds, and other wildlife. Exposed treated seeds may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil. Dispose of all excess treated seeds by burial away from bodies of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

ENDANGERED SPECIES RESTRICTIONS

Before using this pesticide on corn and soybeans in the counties listed below, you must obtain the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES for the county in which the product is to be used. The bulletin is available from your County Extension Agent, State Fish and Game Office, or your pesticide dealer. Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal laws.

ALABAMA - Colbert, Greene, Jackson, Lamar, Lauderdale, Limestone, Madison, Marshall, Morgan, Pickens and Sumter : ARIZONA - Graham, Maricopa, Mohave, Pima, Pinal, and Santa Cruz : ARKANSAS - Benton, Clay, Clark, Cross, Lawrence, Lee, Poinsette, Polk, Randolph, Sharpe and St. Francis : GEORGIA - Brantley, Byran, Bullock, Burke, Camden, Candler, Charlton, Chatham, Effingham, Emanuel, Evans, Glascock, Glynn, Jefferson, Jenkins, Johnson, Liberty, Long, McIntosh, Pierce, Richmond, Screven, Ware, Washington and Wayne : KANSAS : Clark, Comanche, Meade and Stafford:

KENTUCKY - Ballard, Butler, Edmundson, Green, Hart, Jackson, Laurel, Livingston, Marshall, McCracken, McCreary, Pulaski, Rockcastle, Taylor, Warren and Wayne : MISSISSIPPI - Claiborne, Copiah, Hinds, Itawamba, Lowndes, Monroe and Noxubee : MISSOURI - Barry, Benton, Camden, Christian, Dallas, Greene, Hickory, Jasper, Lawrence, Miller, Newton, Osage, Polk, St. Clair, Stone and Webster : MONTANA Garfield, McCone, Sheridan and Valley : NEBRASKA - Boyd, Brown, Buffalo, Butler, Cass, Cedar, Colfax, Dawson, Dodge, Douglas, Hall, Hamilton, Holt, Howard, Kearney, Keya Paha, Knox, Merrick, Nance, Phelps, Platte, Polk, Rock, Sarpy and Saunders : NEVADA - Clark : NEW MEXICO - Chaves, DeBaca and Eddy : NORTH CAROLINA - Edgecombe, Nash and Pitt : NORTH DAKOTA Banson, Bottineau, Burke, Burleigh, Divide, Dunn, Eddy, Emmons, Foster, Kidder, Logan, McHenry, McIntosh, McKenzie, McLean, Mercer, Morton, Mountrail, Nelson, Oliver, Pierce, Ramsey, Ranville, Rolette, Sheridan, Sioux, Stutsman, Towner, Ward, Wells and Williams : OHIO - Pickaway : OKLAHOMA - Delaware, McCurtain and Pushmataha : OREGON - Lake : SOUTH CAROLINA Aiken, Barnwell, Beaufort, Berkely, Charleston, Colleton, Dorchester, Georgetown, Hampton, Horry, Jasper and Marion : SOUTH DAKOTA - Clay, Haakon, Hughs, Potter, Stanley, Sully, Union, Walworth, Yankton and Ziebach : TENNESSEE - Bedford, Blount, Claiborne, Decatur, Franklin, Hancock, Hardin, Hawkins, Hickman, Knox, Lawrence, Lincoln, Loudon, Marshall, Maury, Meigs, Monroe, Rhea, Roane, Scott, Seouatchie, Smith, Sullivan, Trousdale and Wayne : TEXAS - Arkansas, Austin, Bastrop, Burleson, Cameron, Colorado, Comal, Fort Bend, Goliad, Harris, Hays, Jeff Davis, Pecos, Reeves, Refugio and Victoria : UTAH - Utah and Washington : VIRGINIA - Lee, Russell, Scott, Smyth, Tazewell, Washington and Wise.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Recommendations - Planter box application: Use on seed by mixing with the seed in the planter box at a rate of 2 oz/bushel (one pouch per bushel).

For seed corn beetles - While the above rate will provide some protection against seed corn beetles, preliminary results indicate that 4 to 6 oz/bushel (2 to 3 pouches per bushel) may be more effective for protection against the seed corn beetles.

Note - When starting with an empty planter box, place enough treated seed in the planter box to cover the bottom. Treat this seed in a separate container that can be destroyed. Add the remaining seed to the planter box and treat by thoroughly stirring with a paddle so that the seed is coated with seed treatment.

Note - Do not use on seed already treated with an insecticide other than malathion or methoxychlor (for control of stored grain insects). Seed within one month of treatment. Regularly inspect planter plates and clean as required. If the seed treatment increases the friction between seeds sufficient to reduce the rate of delivery through a grain drill, 1 ounce of graphite per bushel of seed should be added as a drill lubricant. Adjust the seed drill to give the required rate of seed delivery with the treated seed.

Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil.

OCT 23 1987

A dust mask must be worn when mixing and loading this product.

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water.

Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Protect from excessive heat. Store in a cool, dry place away from water, food and feed.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of in a sanitary landfill or by incineration.

WARRANTY STATEMENT:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

CONTENTS AND CONTAINER MADE IN CANADA