

50 Lbs. Net Wt.

# AGROSOL S

ACCEPTED

## SEED TREATMENT

A Combination of Fungicides

For the Control of Seed-borne and Soil-borne Diseases

Including Damping-off, Seed Decay Organisms and

Seedling Blight

on

Wheat, Oats, Sorghum, Barley, Rye, Corn, Peas, Beans, Soybeans & Plants

Active Ingredients	
Manganese Ethylenebis (dithiocarbamate)	60.00%
Captan (N-trichloromethyl-4-cyclohexene-1-thiol-2-sulfenamide)	40.00%
Total	100.00%

E.P.A. Registration No. F203-

WARNING

**HARMFUL IF SWALLOWED. MAY CAUSE IRRITATION TO NOSE AND THROAT. MAY BE ABSORBED THROUGH SKIN.**

Avoid contact with dust, wear respirator and goggles. Wash with soap and water after handling. Avoid contact with food and feed.

Store in a ventilated place away from drafts.

Avoid contamination of feed and foodstuffs. Do not allow to become wet during storage. Manganese becomes wet in storage, its fungicidal effectiveness may be reduced and it may also produce fumes which may be flammable. Keep away from flames or sparks. Toxic to fish. Keep out of any body of water.

Container should be disposed of by crushing and burying with wastes.

**IMPORTANT:** Treated seed should not be used for human consumption nor as animal feed. Treated seed should be handled as follows: **TREATED SEED — DO NOT USE FOR FOOD.** **SEED FOR PLANTS**

### PRODUCT INFORMATION

AGROSOL S is a contact seed treatment fungicide. For information on fungicide resistance, contact your local agricultural agent.

### DIRECTIONS FOR USE

Apply AGROSOL S to peanut seed at 5 to 7 oz. per 100 lbs.

Wheat, oats, sorghum, barley, corn, peas, beans & soybeans. At 100 lbs. per 100 lbs.

Seed may be wet, dried and stored before use.

Avoid very deep seeding and sowing very early sowing under poor soil conditions for maximum results.

Use only recommended rates. Lower amounts may not give the desired results. Higher amounts may cause seed injury.

AGROSOL S may be used in any dry seed treating equipment such as commercial mechanical treaters, horizontal rotary drums or for planter box application. Thoroughly mix treatment with the seed in the planter box.

Slurry treatment: Mix 1 lb. of AGROSOL S with 100 lbs. of slurry and adjust machine to apply 8 to 10 lbs. of slurry respectively per bushel of seed. Do not use slurry treatment on peanuts.

Wear a properly designed dust mask and goggles and change filters frequently. When treating seed and handling treated seed, prevent insecticide dusts from being inhaled. Avoid contact with eyes. If contact of planters state equipment with seed occurs, clean thoroughly with all amounts of benzene or kerosene to facilitate uniform application.

### NOTICE TO BUYER

Seller's warranty shall be void in the event of the label and that the buyer assumes any loss to arise or property arising out of any injury and accepts the product as shown.

CHIPMAN CHEMICALS LIMITED