

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS  
WARNING**

Hazardous if swallowed, inhaled or absorbed through skin. Do not breathe dust. Do not get in eyes, on face or on clothing. The use of rubber gloves is recommended. Wear goggles, also a mask over the mouth and nose while handling. Wash thoroughly after handling. Do not treat seed indoors unless there is through ventilation. Avoid contamination of feed and food.

Treated seed must not be used for or mixed with food or animal feed, or processed for use. Seed commercially treated with GRANOL P-C must be labeled in accordance with applicable requirements of the Federal Seed Act. Treat only those seeds needed for immediate use minimizing the interval between treatment and planting. Do not store excess treated seed beyond planting time.

**FIRST AID**

**If swallowed** Call a physician or Poison Control Centre immediately. Drink one or two glasses of water and induce vomiting by forcing the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**If inhaled** Remove victim to fresh air. Apply artificial respiration if indicated.

**If on skin** Remove contaminated clothing and wash affected areas with soap and water.

**If in eyes** Flush eyes with plenty of water. Call a physician immediately.

**CHEMICAL AND PHYSICAL HAZARDS**

Do not allow to become wet during storage. If Maneb becomes wet in storage, its fungicidal effectiveness may be reduced and it may also produce vapors which may be flammable. Keep away from flames or sparks.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of excess treated seeds by burial away from bodies of water. Clean up and bury any spillage immediately. Do not contaminate any body of water by cleaning of equipment or disposal of waste.

**PRODUCT INFORMATION**

GRANOL P-C is a special dry seed treatment formulation of lindane and a combination of fungicides which when used at the recommended dosage rate, protects peanuts against seed and soil-borne diseases, and for temporary protection of seeds and seedlings against wireworms and other soil-inhabiting insects.

ACCEPTED

JUL 17 1981

Under the Federal Insecticide Fungicide and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. \_\_\_\_\_



NET WEIGHT 50 lb

**GRANOL<sup>®</sup>  
P-C**

**PEANUT SEED  
FUNGICIDE AND INSECTICIDE**

**A Dual Purpose Combination of Fungicides with an Insecticide for  
the Control of Seed-borne and Soil-borne Diseases, including  
Damping-off, Seed Decay Organisms and Seedling Blights, and  
for the Temporary Protection of Seeds and Seedlings  
Against Wireworms and other  
Soil-inhabiting Insects**

**ACTIVE INGREDIENTS**

Maneb (Manganese Ethylenebis (thiocarbamate))	30.00
Captan (N-[1-trichloromethylthio]-4-cyclohexene-1,2-dicarboximide)	28.37
Related derivatives	1.63
Lindane (gamma isomer of benzene hexachloride)	5.00
<b>INERT INGREDIENTS</b>	<b>35.00</b>
<b>TOTAL</b>	<b>100.00</b>

**KEEP OUT OF REACH OF CHILDREN  
WARNING**  
See side panel for additional precautionary statements

EPA Reg. No. 101-1147  
EPA Reg. No. 101-112

GRANOL is a registered trade mark of Chipman Inc., Canada

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply GRANOL P-C to peanut seed at 5 to 7 lbs. per 100 lbs. Seed must be well coated and cleaned before treating. Avoid very deep seeding and exceptionally early sowing under poor growing conditions for maximum benefits. Use only recommended rates. Lower amounts may not give the desired control. Higher amounts may cause seed injury.

GRANOL P-C may be used in any dry seed treating equipment, such as commercial mechanical treaters, farm-made rotary drums or flat plate box applicators. Thoroughly mix treatment with the seed in the planter box.

Wear a properly designed dust mask and goggles and change filters frequently while treating seed and handling treated seed. Keep away or upwind from any dust that may arise.

Regularly inspect planter plates of seed drill and clean as required. If coating of planter plate occurs under conditions of high humidity, add an amount of fine meal or graphite to facilitate uniform coating.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.  
**Storage** - Keep container tightly closed when not in use. Store in a ventilated place away from foodstuffs.  
**Pesticide Disposal** - Pesticide that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.  
**Container Disposal** - Dispose of liners according to approved Federal, State or local procedures under the Resource Conservation and Recovery Act. Do not reuse container; dispose of in a sanitary landfill or by other method permitted by State and local authorities.

**NOTICE TO BUYER**

Seller's guarantee shall be limited to the terms set forth on the label and subject to the limitations of the applicable laws of the jurisdiction in which the product is sold and accepts the product on that condition.

Made in Canada  
**CHIPMAN INC.**  
P.O. Box 101  
Stoney Creek, Ontario L8G 3Z1  
Canada  
**CONTAINER AND CONTENTS  
MADE IN CANADA**