

Net Weight 50 lbs.

GRANOX<sup>R</sup> P-F-M  
PEANUT AND SOYBEAN  
SEED FUNGICIDE

A Combination of Fungicides

For the Control of Seed-borne and Soil-borne Diseases  
Including Damping-off, Seed Decay Organisms and  
Seedling Blight. Also contains Molybdenum.

This product contains 0.465% molybdenum from sodium molybdate.

ACTIVE INGREDIENTS	By Wt.
*Maneb .....	30.0%
**Captan .....	29.3%
Related Derivatives .....	0.7%
INERT INGREDIENTS .....	40.0%
*Manganese ethylenebisdithiocarbamate	
**N-Trichloromethylthio-4-cyclohexene-1,2-dicarboxamide	
TOTAL	100.0%

This product contains the toxic inert ingredient rhodamine B.

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol.

If in eyes, flush with plenty of water; call a physician.

If on skin, wash with plenty of soap and water. Get medical attention if irritation persists.

If inhaled, remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

See side panel for additional precautionary information.

Chipman, A Business Unit of C-I-L Inc.

Stoney Creek, Ontario, Canada L8G 3Z1

EPA Est 8203-CN-1

EPA Reg No 8203-13

GRANOX is a registered trademark of C-I-L Inc., Canada

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. May cause irritation to the nose and throat. Treat seed in a well ventilated place. May be absorbed through the skin. Protective clothing (long pants, long sleeve shirt, gloves, hat and boots) must be worn during application of GRANOX P-F-M. Wash thoroughly with soap and water after handling. Remove and separately launder clothing before reuse.

Avoid contamination of feed, food and foodstuffs.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Seed commercially treated with GRANOX P-F-M must be labelled in accordance with all applicable requirements of the Federal Seed Act.

Treated seed should be labelled: 'Treated seed, do not use for food, feed or oil purposes.'

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Exposed treated seeds may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil. Dispose of all excess treated seeds by burial away from bodies of water.

ENDANGERED SPECIES RESTRICTIONS

Before using this pesticide on soybeans in the counties listed below, you must obtain the PESTICIDE USE BULLETIN FOR PROTECTION OF

2065

ENDANGERED SPECIES for the county in which the product is to be used. The bulletin is available from your County Extension Agent, State Fish and Game Office, or your pesticide dealer. Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal laws.

ALABAMA - Lauderdale, Limestone and Madison : ARIZONA - Graham, Maricopa, Mohave, Pima, Pinal, and Santa Cruz : ARKANSAS - Benton and Polk : MISSISSIPPI - Claiborne, Copiah and Hinds : MISSOURI - Barry, Benton, Camden, Christian, Dallas, Greene, Hickory, Jasper, Lawrence, Miller, Newton, Osage, Polk, St. Clair, Stone and Webster : NEVADA - Clark : NEW MEXICO - Chaves, DeBaca and Eddy : OHIO - Pickaway : OKLAHOMA - Delaware, McCurtain and Pushmataha : OREGON - Lake : TENNESSEE - Lawrence and Wayne : TEXAS - Bastrop, Burleson, Comal, Harris, Hays, Jeff Davis, Pecos and Reeves : UTAH - Utah and Washington.

#### PHYSICAL AND CHEMICAL HAZARDS

Do not allow to become wet during storage. If maneb becomes wet in storage, its fungicidal effectiveness may be reduced and it may also produce vapors which may be flammable. Keep away from flames or sparks.

#### PRODUCT INFORMATION

GRANOX P-F-M is a special seed treatment formulation of a combination of fungicides which, when used at the correct dosage rate, protects peanuts and soybeans against seed and soil-borne diseases. GRANOX P-F-M provides essential molybdenum for plant growth where soils are found to be deficient in available molybdenum.

# DIRECTIONS FOR USE

A dust mask must be worn when mixing and loading this product.

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

PEANUTS: Apply GRANOX P-F-M to peanut seed at 5 oz. to 7 oz. per 100 lbs.

GRANOX P-F-M may be used in any dry treating equipment such as commercial mechanical treaters, homemade rotary drums or for planter box application. Thoroughly mix treatments with seed in the planter box.

SOYBEANS: Apply GRANOX P-F-M to soybean seed at 2 to 3 oz. per bushel.

GRANOX P-F-M may be applied as a planter box application, or by the use of any dry treating equipment.

Seed must be well cured and cleaned before treating.

Thoroughly mix seed treatment with the seed in the planter box.

Use only recommended rates. Lower amounts may not give the desired control.

Higher amounts may cause seed injury.

Avoid very deep seeding and exceptionally early sowing under poor growing conditions for maximum benefits.

Regularly inspect planter plates of seed drill and clean as required. If coating of planter plate occurs (i.e. under conditions of high humidity), add small amounts of bone meal or graphite to facilitate uniform seeding.

A dust mask must be worn when mixing and loading this product.

Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Keep container tightly closed when not in use. Store seed in a ventilated place away from water, food and feed.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill, or, by incineration if allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

#### WARRANTY STATEMENT

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

CONTAINER AND CONTENTS MADE IN CANADA