

ACCEPTED
 NOV 18 1985
 U.S. Environmental Protection Agency
 Fungicide and Insecticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 8203-26

NET CONTENTS
 2½ GALLONS



GRANOL® FLOWABLE

Seed Treatment

INSECTICIDE - FUNGICIDE

A dual purpose, ready-to-use, liquid formulation for control of smuts, seed decay and seedling blight and for temporary protection of seeds and seedlings against wireworms.


For on-the-farm treatment of seeds.
WHEAT - OATS - BARLEY - RYE

**KEEP OUT OF REACH
 OF CHILDREN
 WARNING**
 See side panel for additional
 precautionary information.

ACTIVE INGREDIENTS	%
Maneb (manganese ethylenebisdithiocarbamate) . . .	21.0
Lindane (gamma isomer of benzene hexachloride)	10.5
INERT INGREDIENTS	68.5
TOTAL	100.0

EPA Est 8203-CN-1
 GRANOL is a registered trade mark of Chipman Inc., Canada

EPA Reg No 8203-26-44742



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust when handling treated seed. Avoid contact with skin. Protective clothing (long pants, long sleeve shirt, gloves, hat, boots and a pesticide respirator jointly approved by MSHA (Mine Safety and Health Administration) and NIOSH (National Institute for Occupational Safety and Health) under the provisions of 30 CFR, PART 11 must be worn during mixing and loading. Wear rubber gloves while treating seed and handling treated seed. Avoid contact with eyes by wearing goggles while treating seed. Treat outdoors or only in a well ventilated place. Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

If **swallowed**, call a physician and/or the Poison Control Centre immediately. *Drink one or two glasses of water and induce vomiting* by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If **inhaled**, remove victim to fresh air. Apply artificial respiration if indicated.

If **on skin**, remove contaminated clothing and wash affected areas with soap and water.

If **in eyes**, flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZARDS

Product is toxic to fish, birds and other wildlife. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water. Do not contaminate any body of water by cleaning of equipment, disposal of waste and container. Do not apply directly to water. Apply this product only as specified on this label.

PRODUCT INFORMATION

GRANOL Flowable is a special seed treatment formulation of mancoz and lindane, which when used at the correct dosage rates, protects crops against seed borne diseases such as stinking smut (bunt) of wheat, oat smuts, covered and false loose smuts of barley and bunt of rye. It also protects cereal crops against certain seed and soil borne diseases such as root rot and seedling blight and for temporary protection of seeds and seedlings against wireworms. GRANOL Flowable is especially designed for on-the-farm treatment using a seed treater suitable for metering and mixing flowable seed treatments.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

GRANOL Flowable is a ready-to-use seed treatment for on-the-farm use in suitable seed treating equipment at the following rate:

Wheat, Oats, Barley and Rye
3 fl. oz. per bushel

Use only the recommended rate - lower amounts may not give the desired control. Higher amounts may cause seed injury. Seed should be well cured, dry and cleaned before treatment. For maximum benefits, avoid deep seeding and exceptionally early sowing under poor growing conditions.

Wear a pesticide respirator jointly approved by MSHA (Mine Safety and Health Administration) and NIOSH (National Institute for Occupational Safety and Health) under provisions of 30 CFR Part 11 while treating seed. Keep away or upwind from any dust that may arise. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Treated seed must not be used for or mixed with food or animal feed, or processed for oil.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store above 32° F.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse, and dispose of in a sanitary landfill or by incineration if permitted by State and local authorities.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms of the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

1183
R2183

Manufactured by
CHIPMAN INC.
P.O. Box 9100

Stoney Creek, Ontario L4G 3Z1
CANADA

Container and Contents Made in Canada