

AGROX^R D-L PLUS

INSECTICIDE-FUNGICIDE SEED TREATMENT

AGRICULTURAL USE ONLY

For the Protection of Germinating Seeds and Seedlings of
CORN, SOYBEANS, BEANS AND PEAS

Against Damping Off, Seed Decay, Seedling Blights; also against Seed
Corn Beetle (Corn, beans), Seed Corn Maggots (corn, soybeans, beans
and peas), and Wireworms (corn, soybeans and beans).

ACTIVE INGREDIENTS	By Wt
*Captan	14.67%
Related derivatives	0.33%
**Diazinon	
phosphorothioate	15.00%
***Lindane	25.00%
INERT INGREDIENTS (contains graphite)	<u>45.00%</u>
*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide	
**O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl)	
***Gamma isomer of benzene hexachloride	
TOTAL	100.00%

This product contains the toxic inert rhodamine B

Handwritten: 8203-28
Poison Control

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

If **swallowed**, call a physician and/or the Poison Control Centre immediately. Drink promptly large quantities of water. Avoid alcohol. Then induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If **inhaled**, remove victim to fresh air. If not breathing apply artificial respiration, preferably by mouth-to-mouth. Get medical attention.

If on **skin**, wash with plenty of soap and water. Get medical attention.

If in **eyes**, flush with plenty of water. Call a physician.

See side panel for additional precautionary statements

Manufactured by
CHIPMAN, A Business Unit of C-I-L Inc.
Stoney Creek, Ontario L8G 3Z1
EPA Est 8203-CN-1
EPA Reg. No. 8203-28

AGROX is a registered trademark of C-I-L Inc., Canada

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER

Causes irreversible eye damage. May be fatal if swallowed or absorbed through skin. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Treat outdoors or in a well ventilated place. Applicators who apply this product manually or without the use of a closed-system treatment procedure must wear the following protective clothing during the application process: long-sleeved shirt; long pants; gloves; and a disposable, paper dust mask which covers at least one-third of the face. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling and before eating or smoking. Remove and separately wash clothing and decontaminate shoes before reuse. Avoid contamination of feed and foodstuffs. Do not use treated seeds for food, feed or oil purposes.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds and other wildlife. Exposed treated seeds may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil. Dispose of all excess treated seeds by burial away from bodies of water. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

ENDANGERED SPECIES RESTRICTIONS

Before using this pesticide on corn and soybeans in the counties listed below, you must obtain the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES for the county in which the product is to be used. The bulletin is available from your County Extension Agent, State Fish and Game Office, or your pesticide dealer. Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal laws.

- ALABAMA** - Colbert, Greene, Jackson, Lamar, Lauderdale, Limestone, Madison, Marshall, Morgan, Pickens and Sumter :
- ARIZONA** - Graham, Maricopa, Mohave, Pima, Pinal, and Santa Cruz :
- ARKANSAS** - Benton Clay, Clark, Cross, Lawrence, Lee, Poinsette, Polk, Randolph, Sharpe and St. Francis :
- GEORGIA** - Brantley, Byran, Bullock, Burke, Camden, Candler, Charlton, Chatham, Effingham, Emanuel, Evans, Glascock, Glynn, Jefferson, Jenkins, Johnson, Liberty, Long, McIntosh, Pierce, Richmond, Screven, Ware, Washington and Wayne :
- KANSAS** : Clark, Comanche, Meade and Stafford:
- KENTUCKY** - Ballard, Butler, Edmundson, Green, Hart, Jackson, Laurel, Livingston, Marshall, McCracken, McCreary, Pulaski, Rockcastle, Taylor, Warren and Wayne :
- MISSISSIPPI** - Claiborne, Copiah, Hinds, Itawamba, Lowndes, Monroe and Noxubee :
- MISSOURI** - Barry, Benton, Camden, Christian, Dallas, Greene, Hickory, Jasper, Lawrence, Miller, Newton, Osage, Polk, St. Clair, Stone and Webster :
- MONTANA** Garfield, McCone, Sheridan and Valley :
- NEBRASKA** - Boyd, Brown, Buffalo, Butler, Cass, Cedar, Colfax, Dawson, Dodge, Douglas, Hall, Hamilton, Holt, Howard, Kearney, Keya Paha, Knox, Merrick, Nance, Phelps, Platte, Polk, Rock, Sarpy and Saunders :
- NEVADA** - Clark :
- NEW MEXICO** - Chaves, DeBaca and Eddy :
- NORTH CAROLINA** - Edgecombe, Nash and Pitt :
- NORTH DAKOTA** Banson, Bottineau,

Burke, Burleigh, Divide, Dunn, Eddy, Emmons, Foster, Kidder, Logan, McHenry, McIntosh, McKenzie, McLean, Mercer, Morton, Mountrail, Nelson, Oliver, Pierce, Ramsey, Ranville, Rolette, Sheridan, Sioux, Stutsman, Towner, Ward, Wells and Williams : OHIO - Pickaway : OKLAHOMA - Delaware, McCurtain and Pushmataha : OREGON - Lake : SOUTH CAROLINA Aiken, Barnwell, Beaufort, Berkeley, Charleston, Colleton, Dorchester, Georgetown, Hampton, Horry, Jasper and Marion : SOUTH DAKOTA - Clay, Haakon, Hughs, Potter, Stanley, Sully, Union, Walworth, Yankton and Ziebach : TENNESSEE - Bedford, Blount, Claiborne, Decatur, Franklin, Hancock, Hardin, Hawkins, Hickman, Knox, Lawrence, Lincoln, Loudon, Marshall, Maury, Meigs, Monroe, Rhea, Roane, Scott, Seouatchie, Smith, Sullivan, Trousdale and Wayne : TEXAS - Arkansas, Austin, Bastrop, Burleson, Cameron, Colorado, Comal, Fort Bend, Goliad, Harris, Hays, Jeff Davis, Pecos, Reeves, Refugio and Victoria : UTAH - Utah and Washington : VIRGINIA - Lee, Russell, Scott, Smyth, Tazewell, Washington and Wise.

PRODUCT INFORMATION

AGROX D-L Plus is specially formulated for use on seed previously treated with captan or thiram. Do not use on seed previously treated with an insecticide other than malathion or methoxychlor. Do not use on foundation seed stock. AGROX D-L Plus is a combination of diazinon for protection against seed corn beetles and seed corn maggots and lindane for protection against wireworms and captan for protection against fungus diseases of seed and seedlings. Treatment supplies additional captan fungicide to the fungicide already on the seed from storage or other treatment.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling.

Planter Box Application: Use AGROX D-L Plus at a rate of 2 oz. per bushel (2 scoops per bushel). Mix thoroughly with seed in the planter box as follows:

(1) For Conventional Plate Planters and John Deere MAX-EMERGE^R

Plateless Planter - Pour one bushel of seed into each planter box. Pour enough AGROX D-L Plus on top of seed to treat one bushel. Mix thoroughly with an axe handle or paddle, until all seed is uniformly coated.

(2) For All International Harvester Air Planters - Pour five bushels of seed into planter box. Pour enough AGROX D-L Plus on top of the seed to treat five bushels. Mix thoroughly with an axe handle or paddle, until all seed is uniformly covered.

Use only at the recommended rate. Lower amounts may not give desired control. Excessive amounts may cause seed injury.

Note - Do not use on foundation on seed stock. Do not use on seed already treated with an insecticide other than malathion or methoxychlor (for control of stored grain insects). Regularly inspect planter plates and seeds sufficient to reduce the rate of delivery through a grain drill, 1 ounce of graphite per bushel of seed should be added as a drill lubricant. Adjust the seed drill to give the required rate of seed delivery with the treated seed.

Clean-up for Electric Eye Population Monitors: At the end of each day of use, clean out the electric-eye monitors with brushes provided by the planter manufacturers, according to their directions.

Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil.

A dust mask must be worn when mixing this and loading this product.

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Protect from excessive heat. Store in a cool, dry place away from water, food and feed.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of bag in a sanitary landfill or by incineration.

WARRANTY STATEMENT

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

CONTENTS AND CONTAINER MADE IN CANADA

0887