


NET WEIGHT 10 lb.

GRANOX[®] CHM
SOYBEAN SEED TREATMENT
FUNGICIDE

This product contains 9.5% molybdenum from sodium molybdate

ACTIVE INGREDIENTS	By Wt.
*Captan	48.89%
Related Derivatives	1.11%
INERT INGREDIENTS	50.00%
*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide	
TOTAL	100.0%

This product contains the toxic inert ingredients



KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

If in eyes, flush with plenty water. Call a physician.

If on skin, wash with plenty of soap and water.

If inhaled, remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

See side panel for additional precautionary information

Chipman, A Business Unit of C-I-L Inc.
Stoney Creek, Ontario, Canada L8G 3Z1
EPA Est 8203-CN-1
EPA Reg No 8203-32

GRANOX is a registered trademark of C-I-L Inc., Canada

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER


Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse. Wash with soap and water after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Exposed treated seeds may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil. Dispose of all excess treated seeds by burial away from bodies of water.

ENDANGERED SPECIES RESTRICTIONS

Before using this pesticide on soybeans in the counties listed below, you must obtain the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES for the county in which the product is to be used. The bulletin is available from your County Extension Agent, State Fish and Game Office, or your pesticide dealer. Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal laws.



ALABAMA - Lauderdale, Limestone and Madison : ARIZONA - Graham, Maricopa, Mohave, Pima, Pinal, and Santa Cruz : ARKANSAS - Benton and Polk : MISSISSIPPI - Claiborne, Copiah and Hinds : MISSOURI - Barry, Benton, Camden, Christian, Dallas, Greene, Hickory, Jasper, Lawrence, Miller, Newton, Osage, Polk, St. Clair, Stone and Webster : NEVADA - Clark : NEW MEXICO - Chaves, DeBaca and Eddy : OHIO - Pickaway : OKLAHOMA - Delaware, McCurtain and Pushmataha : OREGON - Lake : TENNESSEE - Lawrence and Wayne : TEXAS - Bastrop, Burleson, Comal, Harris, Hays, Jeff Davis, Pecos and Reeves : UTAH - Utah and Washington.

PRODUCT INFORMATION

GRANOX CHM, when used at the correct rate, protects seeds from soil and seed borne diseases that cause damping-off, seed decay, and seedling blights. GRANOX CHM provides essential molybdenum for plant growth where soils are found to be deficient in available molybdenum.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Planter box application: Use GRANOX CHM at a rate of 2 oz/bushel (one scoop per bushel). Mix thoroughly with seed in the planter box as follows:

For Conventional Plate Planters and MAX-EMERGE^R Plateless Planters by John Deere - Pour one bushel of seed into each planter box. Pour enough GRANOX CHM on top of the seed to treat one bushel. Stir thoroughly with an axe handle (purchased and used for this purpose only), wooden lath or stick, until all the seed is uniformly coated. (MAX-EMERGE^R is a registered trademark of Deere and Co.)

NOTE: Avoid very deep seeding and exceptionally early sowing under poor growing conditions for maximum benefits. Use only recommended rates. Lower amounts may not give the desired control. Regularly inspect planter plates of seed drill and clean as required. If coating of planter plate occurs (i.e. under conditions of high humidity), add small amounts of graphite to facilitate uniform seeding.

Clean-up for Electric Eye Population Monitors: At the end of each day of use, clean out the electric-eye monitors with brushes provided by the planter manufacturers, according to their directions.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time.

A dust mask must be worn when mixing and loading this product.

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

Avoid contamination of feed, food and foodstuffs. Do not use treated seed for food or feed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep container tightly closed when not in use. Store treated seed in a ventilated place away from water, food and feed.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration.

WARRANTY STATEMENT

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

CONTENTS AND CONTAINER MADE IN CANADA

0787