

8203-34

PM21

1 of 4

Net Contents: 2.5 gallons

30 gallons

5 gallons

AGROSOLTM Flowable

Systemic Soybean Seed Treatment Fungicide

Contains MERTECT^R

ACTIVE INGREDIENTS

	By Wt.
*Captan	29.37%
**Related derivatives	0.63%
Thiabendazole	0.53%
INERT INGREDIENTS	69.47%

*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide

**2-(4-Thiazolyl) benzimidazole

TOTAL:

100.00%

This product contains: 2.77 lb captan per gallon

0.06 lb related derivatives per gallon

0.05 lb thiabendazole per gallon

This product contains the toxic inert Rhodamine B

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT:

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention. Note To Physician: This product contains a petroleum distillate.

If in eyes, flush with plenty of water. Call a physician.

If on skin, wash with plenty of soap and water.

See side panel for additional precautionary information

CHIPMAN, A Business Unit of C-I-L Inc.

Stoney Creek, Ontario, Canada L8G 3Z1

EPA Est 8203-CN-1

EPA Reg. No 8203-34

AGROSOL is a trademark of C-I-L Inc., Canada

MERTECT is a registered trademark of Merck & Co., Inc.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse.

Wash with soap and water after handling and before eating, drinking or smoking.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Exposed treated seeds may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil. Dispose of all excess treated seeds by burial away from bodies of water.


PRODUCT INFORMATION: AGROSOL Flowable is a ready-to-use seed treatment formulation prepared for commercial seed treaters. When used at the correct dosage rate, AGROSOL Flowable will protect seeds from soil and seed borne diseases that cause damping-off, seed decay, seedling blights and pod and stem blight (Phomopsis spp.) during germination and early seedling stages.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

SHAKE OR STIR WELL BEFORE USING. Use at temperatures above 40°F.

Use AGROSOL Flowable in liquid and slurry treaters at the rate of 1.5 fl. oz. per bushel of soybean seed (2.5 fl. oz. per 100 lbs. of soybean seed).



- 3 -

Avoid contamination of feed, food and foodstuffs.

Do not graze or cut soybean forage for feed.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Seed commercially treated with AGROSOL Flowable must be labelled in accord with all applicable requirements of the Federal Seed Act.

Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store above 32°F. Product stored at a lower temperature will reconstitute to satisfactory utility if warmed to approximately 70°F and thoroughly shaken or stirred before use. Store treated seed in a ventilated place away from water, food and feed.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous.

Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse, (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

CONTENTS AND CONTAINER MADE IN CANADA

0887

