

1005

NET WEIGHT 10 lb.

GRANOX[®] Plus
Cereal Seed Treatment Fungicide
Contains MERTECT[®]

WHEAT

ACTIVE INGREDIENTS:

Maneb (manganese ethylenebisdithiocarbamate)
Thiabendazole (2-(4-thiazolyl) benzimidazole)

INERT INGREDIENTS:

TOTAL

	%
ACCEPTED with COMMENTS in EPA Letter 10/2/84	50
	2
JUN 7 1984	48
<small>For use only in accordance with the label. This product is registered under the Act of 1972 (91 Stat. 2510) and the amendments thereto.</small>	100
<u>8203-38</u>	

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary information

EPA Est 8203-CN-1

EPA Reg. No. 8203-

GRANOX is a registered trademark of Chipman Inc., Canada

MERTECT is a registered trademark of Merck & Co., Inc.

5202-3A

- 2 -

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMAN AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. May cause irritation of nose, throat, eyes, and skin. Protective clothing (long pants, long sleeve shirt, gloves, hat and boots) must be worn during mixing and loading. Avoid inhalation of dust. Stand upwind while treating seed. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and by the National Institute for Occupational Safety and Health under provisions of 30CFR Part II. Avoid contact with eyes by wearing goggles while treating seed or handling treated seed. Wash thoroughly with soap and water after handling and before eating or smoking. Do not treat indoors unless there is thorough ventilation. Avoid contamination of feed, food and foodstuffs. Do not graze or cut green forage for livestock feed from fields planted with treated seed.

REST DOCUMENT AVAILABLE

STATEMENT OF PRACTICAL TREATMENT: If swallowed, induce vomiting by drinking 1 or 2 large glasses of water and then touch back of throat with finger. Repeat until vomit fluid is clear. Get medical attention. If in eyes, flush with clean water for at least 15 minutes and then get medical attention. If on skin, wash with soap and water.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Exposed treated seed may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water.

8203-38

- 3 -

PHYSICAL AND CHEMICAL HAZARDS: Keep away from fire and sparks. Store in a dry place. Do not allow to become wet or overheated in storage. This may bring on chemical changes which will impair the fungicidal effectiveness of the product and may also produce flammable vapours.

PRODUCT INFORMATION: GRANOX Plus is a special seed treatment formulation of maneb and thiabendazole fungicides which, when used at the correct dosage rate, protects wheat against the seed-borne disease Stinking Smut (Bunt) of Wheat. It also protects wheat crops against certain seed and soil-borne diseases causing Seedling Blight. GRANOX Plus is specially designed for on-the-farm treatment for drill or planter box application to be mixed directly with the seed in the box, either as it is run into the box or by spreading the treatment in a layer over the leveled seed and thoroughly mixing the treatment.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labelling.

Wheat - 1 oz. per Bushel

Use only recommended rate - lower amounts may not give the desired control. Seed should be well cured, dry and cleaned before treatment. Mix GRANOX Plus thoroughly into seed until the powder uniformly coats the seed.

BEST DOCUMENT AVAILABLE

1. Use an automatic seed treater that meters the proper amount of GRANOX Plus and uniformly mixes it as seed is augered from the grain box into the planter or drill box.
2. Place and level one-half of the seed in the drill or planter box, then uniformly sprinkle over the seed one-half of the total GRANOX Plus required for the full planter box. Mix thoroughly with an axe handle (purchased and used for this purpose only), then fill the box with seed and sprinkle the remaining one-half of the powder over the seed and again mix until all streaking of the powder has disappeared and coloring of the seed appears to be uniform.
3. Dribble required amount of GRANOX Plus into each bushel of cereal seed as it is poured into the drill box. Thoroughly mix with an axe handle (purchased and used for this purpose only) when the drill box is one-half full and again when full until all streaking of the powder has disappeared and coloring of the seed appears to be uniform.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time.

U.S. GOVERNMENT PRINTING OFFICE

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep container tightly closed when not in use. Store in a dry, ventilated place away from water, food or feed. Do not allow to become wet or overheated in storage.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container and tap sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms of the label and subject thereto, buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

1183

BEST DOCUMENT AVAILABLE

CHIPMAN INC.

Stoney Creek, Ontario

L8G 3Z1

Canada

CONTENTS AND CONTAINER MADE IN CANADA

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended)</i>	NAME OF PESTICIDE PRODUCT	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
11/65/71		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
BEST DOCUMENT AVAILABLE		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE