


DRAFT

0986

AGROSOL™ T Flowable

Systemic Soybean Seed Treatment Fungicide

Contains MERTECT^R

ACTIVE INGREDIENTS:	By Wt.
Thiram (tetramethyl thiuram disulfide)	12.62%
Thiabendazole	0.35%
INERT INGREDIENTS:	87.03%
TOTAL:	100.00%

This product contains: 1.081b thiram per gallon.

0.031b thiabendazole per gallon

KEEP OUT OF REACH OF CHILDREN**CAUTION****STATEMENT OF PRACTICAL TREATMENT**

If **swallowed**, induce vomiting by drinking 1 or 2 large glasses of water and then touch back of throat with finger. Get medical attention.

If **in eyes**, flush with clean water for at least 15 minutes and then get medical attention.

If **on skin**, wash with soap and water. Get medical attention if skin irritation persists.

See side panel for additional precautionary information

EPA Est 8203-CN-1

EPA Reg No. 8203-41

AGROSOL is a trademark of C-I-L Inc., Canada
MERTECT is a registered trademark of Merck & Co., Inc.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes eye and skin irritation. Harmful if swallowed, inhaled, or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid inhaling of dust.

During commercial exposure in seed treatment and loading operations, wear goggles, clean rubber gloves, protective clothing, and a pesticide respirator jointly approved by the Mine Safety and Health Administration (formerly the U.S. Bureau of Mines) and by the National Institute of Occupational Safety and Health under provisions of 30 CFR, Part 11. Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work. Wash all clothing with soap and hot water before reusing.

Do not use or store near food or feed.

Consumption of alcoholic beverages increases toxic effects of thiram. Treated seed must not be used for or mixed with food or animal feed, or processed oil. Seed commercially treated with AGROSOL Pour-on must be labelled in accord with all applicable requirements of the Federal Seed Act.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate any body of water by cleaning of equipment and disposal of wastes and containers. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seed by burial away from bodies of water.

PRODUCT INFORMATION:

AGROSOL Pour-^Ton when used at the correct rate protects seeds from soil and seed borne diseases that cause damping-off, seed decay, seedling blights, and pod and stem blight (*Phomopsis* spp) during germination and early seedling stages. ~~AGROSOL Pour-on provides essential molybdenum for plant growth where soils are found to be efficient in available molybdenum.~~ *see Registrant letter 11/6/86 (L.M.)*

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling.

STIR WELL BEFORE USING. Use at temperature above 40°F. Use AGROSOL Pour-^Ton in liquid and slurry treaters at a rate of 4 fl. oz. per bushel of soybean seed (6.6 fl. oz. per 100 lbs. of soybean seed).

NOTE: The purchaser of this product is responsible for insuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or for animals. Refer to 21CFR, Part 2.25. Any dye added must be cleared for use under 40 CFR, PART 180.1001.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store above 32°F. Product stored at a lower temperature will reconstitute to satisfactory utility if warmed to approximately 70°F and thoroughly shaken or stirred before use. Keep container tightly closed when not in use. Store away from water, food and feed.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse, then puncture and dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

The figure consists of a 4x4 grid of 16 small diagrams, each showing a 2D lattice of particles. The rows and columns are labeled 1 through 4. The diagrams illustrate the evolution of a cluster of particles over time. The particles are represented by small circles. The diagrams show the cluster growing from a single particle in the top-left corner, moving and branching out as it grows. The diagrams are arranged in a grid with rows and columns labeled 1 through 4. The diagrams show the cluster growing from a single particle in the top-left corner, moving and branching out as it grows. The diagrams are arranged in a grid with rows and columns labeled 1 through 4. The diagrams show the cluster growing from a single particle in the top-left corner, moving and branching out as it grows.