



CAUTION: Harmful if swallowed. Avoid contact with skin and eyes. In case of contact flush with plenty of water. If irritation persists, get medical attention. Avoid contamination of food.

KEEP OUT OF REACH OF CHILDREN

SWIMMING POOLS:

For algae control use one gallon of ALGACIDE to each 50,000 gallons of pool water (1 oz. per 390 gallons of water). After first application, add one quart of ALGACIDE to each 50,000 gallons (1 1/4 oz. per 390 gallons) of water every 5 to 7 days depending on weather. During sunny and humid periods more frequent additions may be required.

Pour the ALGACIDE into the water from various locations around the pool. ALGACIDE will distribute itself. Best results are obtained when pool is cleaned and filled with fresh water after using ALGACIDE.

Where algae is observed add four gallons of ALGACIDE to each 50,000 gallons of pool water. Let stand overnight. The precipitated algae should be removed (by vacuuming), fresh water added to replace the water spent during cleaning and desedimentation and the pool again treated with ALGACIDE by the addition of one gallon to each 50,000 gallons of water every 5 to 7 days. ALGACIDE, in concentrations recommended for swimming pools, will control algae and is intended to supplement, not replace chlorination.

EPA Reg. No. 8219-1

DANGER
KEEP OUT OF REACH OF CHILDREN.
See back panel for additional warning statements.

RAMELLI

ECONOMICAL

Algaecide

ENDS ALGAE PROBLEMS!

KEEP POOLS CLEAN, CLEAR, ODOR-FREE!

ACTIVE INGREDIENTS - 10%

Alkyl¹ Dimethyl Benzyl Ammonium Chlorides

C¹² - 61% C¹⁴ - 23% C¹⁶ - 11%

C¹² - 61% C¹⁴ - 23% C¹⁶ - 11%

other related alkyl groups from C⁸ to C¹⁸ - 5%

INERT INGREDIENTS - 90%

MANUFACTURED FOR

RUDOLPH RAMELLI, INC.

New Orleans, La.—Shreveport, La.—Baton Rouge, La.—Jackson, Miss.—Mobile, Ala.

NET 12.8 OZ. (1 GAL.)

DANGER:

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink PROMPTLY a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

FISH AND/OR WILDLIFE CAUTIONS

This product is toxic to fish. Do not discharge treated effluent where it will drain into lakes, streams or ponds.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

ACCEPTED WITH COMMENTS