



## BOTTLE LABEL

# Flea and Tick Shield for Cats

KILLS FLEAS AND TICKS FOR 16 DAYS.

**TO USE:** Remove child's start cap and replace with pump sprayer. Replace child's start cap when not using product.

#### Active Ingredients

Pyrethrins

Permethrin Butoxide (Technical)

Inert Ingredients

100% inert to 0.80% Butylacrylate

80% inert to 0.20% Piperonyl ether and 0.20%

Axyl compounds

**DIRECTIONS FOR USE:** This is a violation of Federal law to use this product in a manner inconsistent with its labeling. Only use when labeled.

This product coats every hair shaft with a fine, clear, invisible film. This film keeps working up to 16 days for maximum flea and tick control. Product should be applied as follows:

1. Apply to clean, dry coat. Shampooing and drying prior to application is suggested. Application can be repeated as needed.

2. The coat should be thoroughly wetted down to the skin with water. Spray against the lay of the hair, lifting the coat as you spray. Cats: Be sure to wet neck, chest, abdomen and legs thoroughly. Use wetted sponge or cloth to apply to bottoms and genitalia. Do not spray face.

3. Allow hair to air dry or blow dry. Do not towel dry as this will strip off some of the product. The coat will be dry to the touch within 15-20 minutes. When dry, any excess film will disappear.

4. When dry, comb or brush hair as usual. The coat will be hair-like to the touch with no stiffness or stickiness.

5. Wash hands before touching eyes.

RECOMMENDED FOR USE ON ADULT TICKS AND AFASIS - PUPAE

KEEP OUT OF REACH OF CHILDREN

WARNING: See back panel for additional precautionary statements.

Manufactured for Carter Wallace, Inc.

Lambert Kay Division, Cranbury, NJ 08512-1001

EPA Reg. No. 4720-45

EPA Est. 1066-DE-1

4-1-82 (237) ML

EPA Reg. No. 4720-45

EPA Est. 1066-DE-1

© Carter Wallace, Inc. 1982

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### WARNING

**HAZARDS TO HUMANS:** May cause eye injury. Wear protective eyewear. Harmful if swallowed or inhaled. Do not get in eyes. Avoid contact with skin and clothing. Wash hands with soap and water after use. Remove contaminated clothing and wash before reuse. Avoid contamination of food.

**HAZARDS TO ANIMALS:** Do not use on nursing kittens and puppies or kittens and pups under 6 weeks of age. Do not spray around head, eyes, or genitalia. In the event cat exhibits an adverse reaction, this polymer spray can be readily removed with soap and water.

Not a cholinesterase inhibitor.

#### PHYSICAL OR CHEMICAL HAZARDS

Flammable, keep away from heat or open flame.

#### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF IN EYES:** Flush with plenty of water. Get medical attention.

**IF ON SKIN:** Wash thoroughly with soap and water. Remove contaminated clothing and wash thoroughly with soap and water.

#### STORAGE AND DISPOSAL

**STORAGE:** Store at room temperature.

**DISPOSAL:** Do not reuse empty container. Wrap bottle and print label.

