

PM 03

8220-45

2-18-98

10/3

Carton  
Front Panel

**SHIELD FLEA AND TICK CONTROL FOR CATS AND DOGS**

Kills Fleas & Ticks for 16 Days

Coats Hairs with an Invisible Polymer Shield

Protects the Entire Cat or Dog

**ACTIVE INGREDIENTS:**

Pyrethrins .....	0.10%
Piperonyl Butoxide, Technical* .....	1.00%
<b>OTHER INGREDIENTS:</b> .....	<del>98.90%</del>
	100.00%

\*Equivalent to 0.80% (butylcarbaryl)  
(6-propylpiperonyl) ether and 0.20%  
related compounds.

**KEEP OUT OF REACH OF CHILDREN**

**WARNING:** See back panel for additional  
precautionary statements.

8 FL. OZ. (237 mL)

**ACCEPTED**  
**FEB 18 1998**  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under  
 EPA Reg. No. 8220-45

**SHIELD FLEA AND TICK CONTROL FOR CATS AND DOGS**

**READ ENTIRE LABEL BEFORE EACH USE  
USE ONLY ON CATS AND DOGS**

**PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND DOMESTIC ANIMALS  
WARNING**

**Hazard to Humans:** Causes substantial but temporary eye injury. Do not get in eyes, on skin or on clothing. Wear protective eyewear (safety glasses). Harmful if absorbed through skin, swallowed or inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Avoid contamination of food.

**Hazard to Animals:** Do not use on kittens or puppies under 12 weeks of age. Do not repeat treatment for 2 weeks. Do not spray around head, eyes or genitalia. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing or medicated animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.  
Not a cholinesterase inhibitor.

**PHYSICAL OR CHEMICAL HAZARD**

Flammable. Keep away from heat and open flame.

**FIRST AID**

**IF IN EYES:** Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

**IF SWALLOWED:** Call a doctor or get medical attention. Do not induce vomiting or give anything by mouth to an unconscious person. Drink promptly a large quantity of milk, eggwhites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

**TO USE:** Remove child-resistant cap and replace with pump dispenser. Replace child-resistant cap when not using product.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Spray in well ventilated area.

**SHIELD** Flea and Tick Control for Cats and Dogs coats every hair shaft with a time-release insecticidal polymer that keeps working up to 16 days. For maximum effectiveness, this product should be applied as follows:

1. Apply to clean, dry coat. Shampooing and drying prior to application are suggested. Application can be repeated every 2 weeks.
2. The coat should be thoroughly wetted down to the skin with **SHIELD** Flea and Tick Control. Spray against the lay of the hair, ruffling the coat on long-haired cats or dogs. Be sure to wet neck, chest, abdomen and legs thoroughly. Use wet sponge or cloth to apply around eyes and genitalia. Do not rinse cat or dog.
3. Allow cat or dog to air dry or blow dry. Do not towel dry as this will tend to remove the product. The coat will air dry quickly . . . usually in 10 to 15 minutes. When dry, any residual odor will disappear.
4. When dry, comb or brush cat or dog as usual. The coat will feel natural to the touch with no stiffness or sticky residue.
5. Wash hands before touching eyes.

**STORAGE AND DISPOSAL**

**STORAGE:** Store at room temperature.

**DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

For information call 1-800-690-6455 (8:30 AM - 4:30 PM Eastern Time, Monday - Friday).

Distributed by  
Carter-Wallace, Inc., Lambert Kay Division  
Cranbury, N.J. 08512-0187

EPA Reg. No. 8220-45  
EPA Est. 11715-TN-1

Product No.  
CT-

Bottle  
Front Panel

Bottle  
Back Panel

## SHIELD FLEA AND TICK CONTROL FOR CATS AND DOGS

Kills Fleas & Ticks for 16 Days

### ACTIVE INGREDIENTS:

Pyrethrins .....	0.10%
Piperonyl Butoxide, Technical* .....	1.00%
OTHER INGREDIENTS: .....	98.90%
	100.00%

\*Equivalent to 0.30% (butylcarbityl)  
(6-propylpiperonyl) ether and 0.20%  
related compounds.

**TO USE:** Remove child-resistant cap and replace with pump dispenser. Replace child-resistant cap when not using product.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
Spray in well ventilated area.

SHIELD Flea and Tick Control for Cats and Dogs coats every hair shaft with a time-release insecticidal polymer that keeps working up to 16 days. For maximum effectiveness, this product should be applied as follows:

1. Apply to clean, dry coat. Shampooing and drying prior to application are suggested. Application can be repeated every 2 weeks.
2. The coat should be thoroughly wetted down to the skin with SHIELD Flea and Tick Control. Spray against the lay of the hair, ruffling the coat on long-haired cats or dogs. Be sure to wet neck, chest, abdomen and legs thoroughly. Use wet sponge or cloth to apply around eyes and genitalia. Do not rinse cat or dog.
3. Allow cat or dog to air dry or blow dry. Do not towel dry as this will tend to remove the product. The coat will air dry quickly . . . usually in 10 to 15 minutes. When dry, any residual odor will disappear.
4. When dry, comb or brush cat or dog as usual. The coat will feel natural to the touch with no stiffness or sticky residue.
5. Wash hands before touching eyes.

### STORAGE AND DISPOSAL

**STORAGE:** Store at room temperature.

**DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

KEEP OUT OF REACH OF CHILDREN

WARNING: See back panel for additional  
precautionary statements.

8 FL. OZ. (237 mL)

## SHIELD FLEA AND TICK CONTROL FOR CATS AND DOGS

READ ENTIRE LABEL BEFORE EACH USE  
USE ONLY ON CATS AND DOGS

### PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS WARNING

**Hazard to Humans:** Causes substantial but temporary eye injury. Do not get in eyes, on skin or on clothing. Wear protective eyewear (safety glasses). Harmful if absorbed through skin, swallowed or inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Avoid contamination of food.

**Hazard to Animals:** Do not use on kittens or puppies under 12 weeks of age. Do not repeat treatment for 2 weeks. Do not spray around head, eyes or genitalia. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing or medicated animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.  
Not a cholinesterase inhibitor.

### PHYSICAL OR CHEMICAL HAZARD

Flammable. Keep away from heat and open flame.

### FIRST AID

**IF IN EYES:** Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

**IF SWALLOWED:** Call a doctor or get medical attention. Do not induce vomiting or give anything by mouth to an unconscious person. Drink promptly a large quantity of milk, eggwhites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

For information call 1-800-690-6455 (8:30 AM - 4:30 PM Eastern Time, Monday - Friday).

Distributed by  
Carter-Wallace, Inc., Lambert Kay Division  
Cranbury, N.J. 08512-0187

EPA Reg. No. 8220-45  
EPA Est. 11715-TN-1

Product No.  
BT-

3/83