

35
FRONT PANEL

SHIELD®
FLEA & TICK CONTROL SPRAY
FOR DOGS



New polymer kills fleas head to tail for 60 days. Coats hairs with an invisible shield. Protects the entire dog.

Active Ingredient:

Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	0.25%
Inert Ingredients	99.75%

DO NOT USE ON CATS

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements

Net Contents 10 Fl. Oz. (296 mL)

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAY 24 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

8220-50



PICTURE OF
COATED HAIR

Shield® Flea & Tick Control Spray For Dogs is a unique new way to protect your dog against fleas and ticks. A unique combination of three polymers (terpolymer) coats hairs with a micro-fine film that bonds to the hair shaft. Shield® Flea & Tick Control Spray For Dogs contains a long lasting insecticide that is released from the micro-fine film at a controlled rate to keep killing fleas for 60 days and ticks for 16 days.

But you can't see or feel Shield® Flea & Tick Control Spray on your dog. The coat looks and feels natural.

Normal wetting won't remove Shield® Flea & Tick Control Spray, but ordinary shampoo will remove it completely.

And your dog will smell great. Shield® Flea & Tick Control Spray leaves a light floral fragrance on the coat...no harsh chemical odors.

For maximum protection against fleas and ticks it is very important that you thoroughly wet the entire coat right down to the skin. See back of box for specific application directions.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS

WARNING

HAZARDS TO HUMANS: Spray in a well ventilated area. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Avoid contamination of food. Wash hands with soap and water after use.

HAZARDS TO ANIMALS: DO NOT USE ON CATS. Do not use on nursing dogs or pups under 16 weeks of age. Avoid spraying in eyes. Do not use on sick or debilitated dogs. Chlorpyrifos is a cholinesterase inhibitor. Do not use this product simultaneously or within 30 days after treating with other cholinesterase inhibiting drugs or insecticides. In the event dog exhibits an adverse reaction from use of this polymer spray, it can be readily removed by bathing with soap and water.

Note to Physician/Veterinarian: Atropine only by injection is antidotal. Use only if symptoms of cholinesterase inhibition are present.

PHYSICAL OR CHEMICAL HAZARDS: Flammable. Contents under pressure. Keep away from heat, sparks or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Flush with plenty of water.

IF ON SKIN: Wash thoroughly with soap and water.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Spray in well ventilated area.

Shield® Flea & Tick Control Spray For Dogs coats every hair shaft with a time release insecticidal polymer that keeps working up to 60 days. For maximum effectiveness Shield® Flea & Tick Control Spray For Dogs should be applied as follows:

1. Apply to a clean, dry coat. Shampooing and drying prior to application are suggested. Do not repeat application for at least 30 days.

((

BACK PANEL (Continued)

2. The coat should be thoroughly wetted down to the skin with Shield® Flea & Tick Control Spray For Dogs. Spray against the lay of the hair ruffling the coat on long-haired dogs. Be sure to wet neck, chest, abdomen and legs thoroughly. Avoid spraying in eyes or on genitalia. Do not rinse dog.
3. Allow dog to air dry or blow dry. Do not towel dry as this will tend to remove the product. The coat will air dry quickly...usually in 10 to 15 minutes. When dry any residual odor will disappear.
4. When dry, comb or brush dog as usual. The coat will feel natural to the touch with no stiffness or sticky residue.
5. Exposure to wetting (i.e. rain/swimming) will reduce effectiveness against fleas and ticks. If thoroughly wet, effectiveness is reduced to 28 days.

STORAGE AND DISPOSAL

- STORAGE: Store at room temperature in a cool, dry area away from heat or open flame.
- DISPOSAL: Do not reuse empty container. Do not incinerate or puncture. Replace cap and securely wrap original container in several layers of newspaper and discard in trash.

Manufactured for Carter-Wallace, Inc.
Lambert Kay Division, Cranbury, NJ 08512

EPA Reg. No. 8220-
EPA Est. 7056-TX-1

Product No. 35221
LB-35221-02

U.S. Patent Pending.