



- e. Add "Do not incinerate or puncture" to the Disposal statement.
- f. Add a street name or P.O. Box Number to the address on the front panel.
- g. Change the "Physical Hazards" heading to "Physical or Chemical Hazards."

4. As required on the data matrix, please submit a Statement of Composition. Provide a complete description of the manufacturing/formulation process. Describe equipment used, mixing time, temperature, etc.

5. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca  
 Product Manager (15)  
 Insecticide-Rodenticide Branch  
 Registration Division (H7505C)

Enclosures

VICTORY INDOOR FOGGER

FLEA AND TICK KILLER

Also Kills Houseflies, Cockroaches, Saw-toothed Grain Beetles, Confused Flour Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins

ONE UNIT (6 OZ.) TREATS UP TO 4,800 CUBIC FEET  
APPROXIMATE ROOM SIZE 8 X 25 X 30

ALTERNATE FOGGER SIZES:

- ( 3 OZ. FOGGER - 2,400 CU. FT.)
- (10 OZ. FOGGER - 8,000 CU. FT.)
- (12 Oz. FOGGER - 9,600 CU. FT.)

ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2 dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate]	0.200%
*Cyano (3-phenoxyphenyl) methyl 4-chloro-alpha-(1-methylethyl) benzeneacetate	0.400%

INERT INGREDIENTS:

99.400%
100.000%

\*Licensed under U. S. Patent No. 4,062,968 of Sumitomo Chemical Company.

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**  
 See Back Panel for Additional Precautionary Statements

- NET WT. 6 OZ. (170 g)  
 3 OZ. ( 85 g)  
 10 OZ. (284 g)  
 12 OZ. (340 g)

ACCEPTED  
 WITH COMMENTS  
 BY EPA Director Date:  
 6/17/72

Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act  
 EPA Reg. No. 261.201-101 Pesticide  
 Registered with EPA Reg. No.

*WMA*  
 8220-53

Precautionary Statements

BACK PANEL

Hazards To Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Do not induce vomiting because of aspiration hazard. Get medical attention.
- IF ON SKIN: Wash off with soap and warm water. Get medical attention if irritation persists.
- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF INHALED: Remove victim to fresh air and call a physician if effects occur.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS:

This product will kill Cockroaches, Houseflies, Confused Flour Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Fleas, Ticks, Pill Bugs, Crickets.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

Storage and Disposal

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Do not re-use empty container. Wrap container and put in trash collection.

Manufactured for  
Carter-Wallace, Inc.  
Lambert Kay Div., Cranbury, NJ 08512-0187