02 JUN 1992

Carcer-Wallace, Inc. Lambert Kay Division P.O. Box 1418 Cranbury, NJ 08512-0187

Attn: Richard K. Fisher, D.V.M.

Subject: Shield X Fogger With X-O-Trol

Insect Growth Regulator

EPA Registration No. 8220-59 Letter dated March 12, 1991

Dear Dr. Fisher:

The proposed amendment to the registration for the product cited above under The Federal Insecticide Fungicide and Rodenticide Act changing the statement "Do not allow children to lie or sleep in treated areas until at least six hours following treatment. "to "Do not allow children to lie or sleep in treated areas until areas are ventilated thoroughly and allowed to dry. "is acceptable subject to the comments listed below.

- 1) The PHYSICAL AND CHEMICAL HAZARDS STATEMENT should read "Extremely Flammable. Contents under preasure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting."
- 2) Submit an updated Confidential Statement of Formula (CSF) which shows the flame extension for the product.

A stampted copy of the draft label is enclosed for your records. Submit two copies of the finished label to complete the file for this product.

A copy of the review of the Acute Inhalation Study is enclosed for your files.

Sincerely,

Richard F. Mountfort
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (H7505C)

1

4

The X-O-TROLTM Fogger kills fleas, ticks, flies, cockroaches, and spiders, and artacks the flea file cycle three ways. 1. PYRETHRINS kill on contact, 2. PERMETHRIN kills for an extended period of time. 3. FENOXYCARB (IGR) prevents immature stages of the flea-eggs, pupae, larvae-from developing into adults for 365 days.

Adult fleas reintroduced into the treated area can be killed with X-O-TROL™ Flea and Tick Housencid Soray The X-O-TROL® Fogger prevents lies reinfestation from developing fless and protects pers and people from adult fleas. It also kills hidden insects and leaves no unpleasant odor.

FENOXYCARB (IGR) is unaffected by sunlight, so it keeps working in areas exposed to the sun Treats up to 10,000 cubic feet of space. (35' x 35' x 8' room)

PRECAUTIONARY STATEMENTS HAZAROS TO HUMANS AND COMESTIC ANIMALS

CAUTION: For use only after area has been vacated by humans and pets. May be harmful if swallowed. Avoid contact with eyes, skin, and clothing. Avoid breathing vacors or spray miss. Keep away from food, feedsbuits, and comestic water supplies. Wash thoroughly after handling. Do not allow children to lie or sleep in treated areas until areas are ventilated thoroughly and allowed to dry. Do not use in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center, Drink 1 or 2 glasses to water and induce visiting by fourthing back of throat with finger. Do not induce vornifing or give anything by mouth to an unconscious person If on Skin; In case of contact, remove contaminated clothing and immediately wash skin with plenty of water

If in Even: Flush eyes with menty of water Get medical attention of irritation persists.

if Inhalad: Remove victim to fresh air. Apply artificial respiration if indicated

PHYSICAL OR CHEMICAL HAZARDS

Extremely flammable, Contents under pressure. Do not use or store near heat or open "tame. Go not but office or indinerate container. Exposure to temperatures above 130° may cause bursting

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labering.

Cover exposed food dishes and food handling equipment, Open cabinets and doors to area to be treated

Shut off tans and air conditioners. Put out all flames except pilot lights. Close doors and windows. Point valve ocening. away from tace and eyes when releasing. Use one unit for each 10 000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and venttate thoroughly before re-entry

Do not use this unit in an area less than 100 cribic feet. Will not stain furniture or fabrics when used as directed

SHAKE WELL BEFORE USING

TO OPERATE VALVE. To lock valve in open position for automatic discharge. press varve button all the way down, hooking the carch. Place logger in center of room with valve locked open, placing several layers of newspaper or pad under logger. Leave building at once and keep building closed for two hours. before airing out. Open all doors and windows and allow to air for 30 minutes. Pepeat fogging in two to four weeks it necessary.

TO KILL FLE F AND TICKS. Remove and destroy old pet bedding. Apply this product as for other insects. Put fresh bedding in per's quarters lifter treatment. Treat dogs and cass with a registered flea and tick control product before allowing them to enter treated wise,

STORNICE Clore in July and dry area civily from heat or open flame

DISPHISAL Hearke cap and discurri container in trach. Do not occherate or 2 Table

GUARANTEE: If not satisfied, send us your purchase receipt and used can for % Frefund

> distributed by Calter-Wallace, Inc. Embert Kay C. vision, Cranbury, New Tersey 66512-0187 \$ 1390 Cuter-Wullace, No. PT 30 LOT NO 36425

E-AREGINO & 3-59

EPAILT (1715-TH-1

CN-36425-01



AND PREVENTS REI FROM DEVELOPING BREAKS FLEA

ACTIVE INGREDIENTS:

Fenoxycarb (Ethyl (244 phenoxyphenox Pennethin

"Piperonyl Burchide, Technical INERT INGREDIENTS:

(3) gheroxyphenyll methyl (w.) cs. trans 3-(2) ethenyll 2.2 damethylcyclopropanecarbonylati non 35% (w.) cs. and max 65% (w.) haps." (busylcarbityl) (6-propylipperoxyl) ether and 0.

KEEP OUT OF REACH OF OAUTION: See back panel for precautionary sta

NET WT. 10 OZ. (2

BEST AVAILAB