	U.S. ENVI	RONMENTAL PROTECTION AGENC Office of Pesticide Programs	Y	EPA Reg. Number:	Date of Issuance:
S. MARCA	1	Registration Division (H7505C) 401 "M" SL, S.W.		`8220-64	2.8 JAN 1998
	•	Washington, D.C. 20460		Term of Issuance:	 Conditional
NOTICE OF PESTICIDE:		PESTICIDE:			CONTRACTORIAL
	_ <u>X_</u>	Registration			· · · · · · · · · · · · · · · · · · ·
	·	Reregistration			^{xduct:} X-O-TROL Tick Fogger
ier FIPRA, as amend	od)	, 		DI LIGU W	TICK TOgget
me and Address of Re	gistrant (include ZIP Cod	e):			
ambert Kay iv Of Cay	Y rter-Wallac	۵			
	B, Half Acr				
	NJ 08512-01	— <u>— </u>			
		om that accepted in connection with this any correspondence on this product alw			
	on furnished by the regist	rant, the above named pesticide is hereby	y registered/reregi	istered under the Fede	ral Insecticide, Pungicide and
denticide Act.					
		forsement or recommendation of this pro suspend or cancel the registration of a p			
	tration of a product under	this Act is not to be construed as giving			
		conditionally reg provided that yo		l in accor	dance with
1. Sı	ubmit and/o	r cite all data r	required	l for regi	stration/
eregistrat	tion of you	r product under H	FIFRA se	ec. 3(c)(5	b) when the
		egistrants of sin ptable responses			
		FIFRA section 4.			
2. Cì	nange the l	abel by revising	the FDA	Pogistra	tion Number
		. 8220-64".		i negiscie	ICION NUMBER
3 0.	ubmit two o	onior of the second	lood fi-	13] nuint-	d labol for
he record.		opies of the revi	isea III	ai printe	eu tapet for
TC LI					
		ons are not compl incellation in acc			
(e). Your	r [°] release f	or shipment of th			
cceptance	of these c	conditions.			
A star	mped copy c	f the label is er	nclosed	for your	records.
nature of Approving (Official:			Date:	-
			1		AN 1996
RPK	Keigwin J	r.		ال و م	an i yyd
KPK ichard P. Form 8370-6	Kergwin, u	a second s			

7

(

素の方

X-O-TROL DT Flea & Tick Fogger Proposed Labeling (p. 1 of 5)

FRONT

A

26

CONTAINER AND CARTON LABELING

- Kills fleas & flea eggs!
- Prevents reinfestation for up to 7 months
- Breaks flea life cycle
- Kills deer ticks that may transmit Lyme Disease

ACCEPTED with CONMENTS In EPA Letter Dated

EIS 3AN 1996

Under the Follow Incompide, Furgicide, incompide, as amonded, to a follow registered under the Ho.

INSECT GROWTH REGULATOR

X-O-TROL® DT

FLEA & TICK FOGGER

ACTIVE INGREDIENTS:

2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.100%
Pyrethrins	0.050%
*N-Octyl bicycloheptene dicarboximide	0.400%
Permethrin [**(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-	
(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate]	0.400%
Related compounds	0.035%
INERT INGREDIENTS	
	100.000%

*MGK® 264, Insecticide Synergist

**Cis-trans isomers ratio: Max. 55% (+ or -) cis and Min. 45% (+ or -) trans NYLAR, MGK® - Registered trademarks of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements

NET WT. 6 oz (170 g)*

*Contents revised for other sizes as follows:

(CONTAINER) Net Wt. 2.5 oz (71 g) (CARTON) 3 x Net Wt. 2.5 oz (7.5 oz) (213 g) (CONTAINER) Net Wt. 10 oz (284 g) X-O-TROL DT Flea & Tick Fogger Proposed Labeling (p. 2 of 5)

BACK PANEL

3

CONTAINER AND CARTON LABELING

X-O-TROL® DT Flea & Tick Fogger kills fleas, ticks, including deer ticks that may transmit Lyme Disease, flies, cockroaches, mosquitoes, wasps and yellowjackets. It also breaks the flea life cycle in three ways: 1. The botanical pyrethrum quickly kills adult fleas on contact. 2. Permethrin kills adult fleas until NYLAR® insect growth regulator (IGR) takes effect. 3. NYLAR IGR prevents flea reproduction, thus providing long-term control.

Adult fleas reintroduced into the treated area can be killed with X-O-TROL® Flea & Tick Household Spray.

X-O-TROL DT Flea & Tick Fogger prevents flea reinfestation from developing fleas and protects pets and people from adult fleas. It also kills hidden insects.

NYLAR IOR works in areas exposed to sun.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepare? foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be X-O-TROL DT Flea & Tick Fogger Proposed Labeling (p. 3 of 5)

covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in USDA Meat and Poultry Plants.

Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED:	Call a physician or Poison Control Center immediately.		
IF IN EYES:	Flush with plenty of water. Get medical attention if irritation		
	persists.		
IF ON SKIN OR			
CLOTHING:	Remove contaminated clothing and wash before reuse.		
	Wash skin with soap and warm water. Get medical attention		
	if irritation persists.		
IF INHALED:	Remove victim to fresh air if effects occur, and call a		
	physician.		

PHYSICAL OR CHEMICAL HAZARD

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

Copy 2 of 5

. . .

6

4

X-O-TROL DT Flea & Tick Fogger Proposed Labeling (p. 4 of 5)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry.

For best results, treat all infested areas. Use one fogger for each 6,000 cubic feet (approximately 27 ft x 27 ft x 8 ft ceiling) of unobstructed area.[†] Use additional units for remote rooms or where the free flow of fog is not assured.

NOTE: Do not use more than one unit per average size room. Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet.

PREPARATION:

Remove or cover exposed food, dishes, utensils, surfaces and food-handling equipment. Shut off fans and air conditioners. Put out all flames and pilot lights. Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets or areas to be treated. Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger. Newspapers may be used.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bay into a sack and dispose of in outside trash. Mop all hard floor surfaces.

†Sentence revised for other sizes as follows:

- (2.5 oz) Use one fogger for each 2500 cubic feet (approximately 20 ft x 15 ft x 8 ft ceiling) of unobstructed area.
- (10 oz) Use one fogger for each 10,000 cubic feet (approximately 35 ft x 35 ft x 8 ft ceiling) of unobstructed area.

6

X-O-TROL DT Flea & Tick Fogger Proposed Labeling (p. 5 of 5)

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

TO START FOGGING: SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set canister in an upright position on a table, stand, etc. up to 30 inches in height in the center of the area and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS. After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of fog is not assured, increase airing-out time accordingly.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame. DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

Distributed by Carter-Wallace, Inc. Lambert Kay Division Cranbury, N.J. 08512-0187

EPA Reg. No. 8220-EPA Est. 11715-TN-1

Product No.		6 - 6 8 5 5 8 1 5	
CN-	-01	4 * - * * * *	
©1996	Carter-Walla		* * *
			· · · · · · ·

4 4 4 4

67

6