

FRONT PANEL:

1 & C

TOMATO BLOSSOM SETTER
(For Setting Tomato Blossoms)

An Aid To: PREVENTING BLOSSOM FALL
INCREASING NUMBER OF TOMATOES
DECREASING SEEDS PER TOMATO

Spray when 3 or 4 tomato flowers in cluster are open. Repeat spray at 10 - 20 day intervals.

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE OTHER CAUTIONS ON BACK.

PRODUCT NO. 14251

Net Contents 13 av. oz.

USA Reg. No. 8222-34

PACKAGED FOR TOWN & COUNTRY ENTERPRISES
BY GENERAL PACKAGING & CHEMICAL CORP., DUNTON CITY, CALIFORNIA

BACK PANEL:

ACTIVE INGREDIENTS:	
Beta-naphthoxyacetic acid	0.004%
INERT INGREDIENTS	99.996%
TOTAL	100.00%

During period of cool nights when temperature gets below 55°F., the tomato blooms are not pollenized and thus will not set fruit.

DIRECTIONS FOR USE

Shake well before using.

Remove cap from aerosol can. Hold can 18 to 20 inches from tomato blooms. Spray backs of flowers in cluster. Avoid getting excessive amount of spray on tomato foliage. Only a small amount of spray need be put on the blooms. About one second of spraying per tomato bloom cluster is sufficient. Apply to each flower cluster once when most of flowers in cluster are open, but not more than three applications per plant per season.

NOTE: Do not apply to tomatoes within 15 days of harvest.

CAUTION: Do not breathe spray mist. May be harmful if swallowed. Wash hands with soap and water after using and before smoking. Keep out of reach of children.

Avoid excessive dosage of spray to tomato flowers or leaves. Do not use on other vegetables or fruits.

NOTICE: Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established practice. The Buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

ACCEPTED