



WARNING: KEEP OUT OF REACH OF CHILDREN. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink large quantities of fluid, and call a physician immediately.

USDA REG. NO. 8238-2



BARCROBE
Germicidal
Detergent
Concentrate

ACTIVE INGREDIENTS:

n-Alkyl (C₁₄ 60%, C₁₆ 30%,
C₁₂ 5%, C₁₈ 5%) dimethyl
benzyl ammonium chlorides - 1.6%
n-Alkyl (C₁₂ 68%, C₁₄ 32%)
dimethyl ethylbenzyl ammo-
nium chlorides ----- 1.6%
Sodium Carbonate ----- 2.0%
INERT INGREDIENTS ----- 94.8%
Contains sodium nitrite 100.0%

WARNING: KEEP OUT OF REACH OF CHILDREN. SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT.

A hard surface disinfectant cleaner and deodorant for use in food and beverage plants, restaurants, farms and all public areas where sanitizing and cleaning are necessary. This product contains biodegradable cleaning agents.

PHENOL COEFFICIENT (A.O.A.C.)

Salmonella typhosa - 18
S. Aureus - 28

USE DILUTION CONFORM. (A.O.A.C.)

Staphylococcus aureus 1:64
Salmonella choleraesuis 1:64
Trichophyton interdigitale 1:64


DIRECTIONS FOR USE

For routine cleaning and disinfection: swab, wipe or rinse surfaces (such as floors, walls, washstands, pails and bathroom fixtures) thoroughly using a 1:64 (2 oz./gal.) solution of BARCROBE. Disinfect small articles by immersion for at least 10 min. Allow surfaces to dry before use.

For heavy cleaning and the cold disinfection of instruments: swab, wipe, rinse or immerse items in a 1:32 (4 oz./gal.) solution of BARCROBE. Remove excessive soil by a separate cleaning and allow a minimum contact time of 10 min. for disinfecting.

For disinfecting eyeglasses and silverware: Immerse these items in a 1:64 (2 oz./gal.) solution of BARCROBE. Follow operation with a potable water rinse.

For cleaning and sanitizing food and beverage plant processing equipment: Immerse, swab, wipe or rinse these items in a 1:64 (2 oz./gal.) solution of BARCROBE. Follow the cleaning and sanitizing operation with a potable water rinse. When disinfecting plastic or rubber surfaces, swab if possible. Limit exposure to the 10 min. period.



5228-2
ACCEPTED
2. 5. 1971
U.S. DEPARTMENT OF AGRICULTURE
OFFICE OF THE FEDERAL INSPECTOR
WASHINGTON, D.C.

MILDEW BARRIER is based on a highly-active TWIN CHAIN quaternary ammonium compound. It prevents musty odors and discolorization on all fabrics due to molds, mildew, and fungi. The mildew inhibition of MILDEW BARRIER lasts at least four weeks when used as directed. It is designed for commercial and institutional laundry use by addition to the final rinse or sour step. Fabric may also be preserved against mildew by soaking in a solution of

MILDEW BARRIER For recommended solution concentration, see Use Directions.

MILDEW BARRIER is economical to use because it is concentrated. It should be handled with care.

DANGER:

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

M I L D E W B A R R I E R

TWIN CHAIN Quaternary
Ammonium Compound Concentrate

Mildew Inhibitor for Commercial
and Institutional Use

Active Ingredient:

Didecyl Dimethyl Ammonium Chloride — — — 50%

Inert Ingredient — — — — — — — — — — 50%
100%

EPA Registration No. 8238 - 26

Net Weight 400 lbs.

Net Volume 55 gals.

BARRIER CHEMICALS, INC.
RT. 515
VERNON, NEW JERSEY 07462

DANGER:

KEEP OUT OF REACH OF CHILDREN. SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

ACCEPTED

February 8, 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. 8238-26

USE DIRECTIONS

For lasting mildew prevention, use MILDEW BARRIER as directed.

---For 2-week protection, use ½ ounce per 100 pounds of fabric (dry weight)

---For 3-week protection, use 1¼ ounces per 100 pounds of fabric (dry weight)

---2¼ ounces per 100 pounds of fabric (dry weight) will give long lasting protection, for 30 days or more, against mildew. Re-treat as necessary.

Dilute the appropriate amount of MILDEW BARRIER in one to two gallons of water; then add to the washwheel in the final or sour rinse.

Retreat fabric after each washing.

Do not reuse empty drum. Return to drum conditioner or rinse well with soap solution and discard. Do not contaminate water by disposal of waste.