

8241-6 1061
 Procedure: PM 12

BEST AVAILABLE COPY

SUPPLEMENT LABEL

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS & DOMESTIC ANIMALS
DANGER

Fatal if swallowed inhaled or absorbed through skin or eyes. Rapidly absorbed through skin or eyes. Do not breathe vapor, fog or spray mist. Do not get in eyes, on skin or on clothing. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health. Wear rubber gloves, protective clothing and goggles or face shield when handling. Remove and wash contaminated clothing before reuse. Wash thoroughly after handling and before eating or smoking.

ENVIRONMENTAL HAZARD
 This pesticide is toxic to wildlife and fish. Keep out of lakes, streams or ponds.

PHYSICAL OR CHEMICAL HAZARD
 Do not incinerate unused or unopened cans.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicators certification.


TEDION® DITHIO
Smoke Generator
GREENHOUSE ORNAMENTAL USE ONLY

ACTIVE INGREDIENTS	
O,O,O-Tetraethyl Dithiopyrophosphate	12.5%
Tetradion p-methoxyphenyl trichlorophenyl sulfone	15.0%
INERT INGREDIENTS	72.5%
	100.0%

STORAGE AND DISPOSAL

Store cans at room temperature away from boilers. Keep away from food or feed. Dispose of container in sanitary landfill in accordance with state and local regulations.

Keep out of reach of children
DANGER: POISON



STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or if available by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: remove to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

IF ON SKIN: immediately wash skin with plenty of soap and water.

IF IN EYES: flush with water for at least 15 minutes. Get medical attention.

NOTE TO PHYSICIAN: O,O,O-Tetraethyl dithiopyrophosphate is an acetylcholinesterase inhibitor. Atropine is antidotal.

See side panel for additional precautionary statements.

Close all doors, windows and ventilators tightly. Plug all holes, cracks or openings in glass. Do not fumigate greenhouse foliage of plants in wet. Turn off all misting systems. Keep humidity as low as possible. Maintain temperature of greenhouse between 70° and 80° F.

Place each smoke generator in the greenhouse up upon a tin, brick, or overturned clay flower pot. Keep generators at least 2 feet away from plants. CAUTION: May cause fires. Do not place near combustible materials like plants, wood shavings, sphagnum, moss, etc.

Shake can vigorously to fluff up or loosen the powder. Puncture both triangular marks as indicated on top side of can, using tool furnished. Tilt can sharply backwards to throw powder away from one of the punctured openings. Light one of the enclosed ignitors at point nearest bare metal used to fit ignitors, being sure ignitor is well lit. Insert burning lighter entirely inside the can through the opening and tilt can forward to level powder. Prompt ignition results. Place can on floor with punctured holes pointing length wise to the wall. Where the greenhouse has fumigants in use, require that generators be placed in more than one walk. It is recommended that one person be assigned to light the generators in each walk starting at the end farthest from the exit, so that the fumigation in each walk may start simultaneously and the persons exit from the house simultaneously.

The smoke generator will commence to smoke immediately and the dose will continue to be effective for several hours. It is recommended that the ventilators of the house be kept closed all night whenever possible, to secure maximum killing effect of this application. Lock or barricade all entrances and post with warning signs to prevent persons or animals from entering during treatment.

It is further recommended that the placards be put on all doors with the following statement: Danger keep away. Area treated with fumigant. For local and state laws for posting of such warning signs consult your state Agricultural Extension Service or Experimental Station.

Ventilate house thoroughly after fumigation for at least 2 hours before permitting work to be done there. Repeat fumigation every three days until greenhouse is absolutely clean and then fumigate as reinfestation appears.

Warranty Statement:

Notice to buyer and user: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. The warranty does not extend to the use of the product contrary to label instructions or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller and Buyer, and User assumes the risk of any such use. Seller disclaims all other warranties expressed or implied including any warranty of fitness or merchantability. Seller shall not be liable for consequential special or indirect damages resulting from the use or handling of this product and Seller's sole liability and Buyer's and User's exclusive remedy shall be limited to the refund of the purchase price.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. For the control of resistant red spider on chrysanthemums, aphids on chrysanthemums, white fly on chrysanthemums, soft brown scale on chrysanthemums. Not to be used on crops used for food directly or indirectly. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of CFR Part 11.


SYMPTOMS OF POISONING: Pupils of eyes or eye shrink to pinpoint size. A sense of tightness in chest. Stomach pains, vomiting and diarrhea. Headaches.

pin

ACCEPTED

JUL 14 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 8241-6

 **PLANT PRODUCTS CORPORATION**
 VERO BEACH, FLORIDA 32980
 EPA REG NO 8241-6 EPA EST NO 8241 FL 1
TREATS 20,000 CUBIC FEET
 Net Weight - 12 oz