


DRAFT

Tool Provided



PRECAUTIONARY STATEMENTS HAZARD TO HUMANS & DOMESTIC ANIMALS DANGER

Fatal if swallowed. Inhaled or absorbed through skin or eyes. Rapidly absorbed through skin or eyes. Do not breathe vapors. Do not get in eyes, on skin or on clothing. Wear a pesticide respirator approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health. Wear rubber gloves, protective clothing and goggles on face shield when handling. Remove and wash contaminated clothing before reuse. Wash thoroughly after handling and before eating or drinking.

ENVIRONMENTAL HAZARD: This pesticide is toxic to wildlife and fish. Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARD: Do not incinerate, crushed or uncrushed cans.

DIRECTIONS FOR USE: This is a variation of Federal law. Use this product in a manner consistent with its labeling. **INSECTS CONTROLLED:** Efficient control of aphids, mealybugs and black fly on most crops, chrysanthemums and house plants. **PRECAUTIONS:** Do not fumigate tender plants. Never use on African Violets. Not to be used on crops used for food directly or indirectly. Wear a pesticide respirator approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of CFR Part II.

SYMPTOMS OF POISONING: Pupils of eyes or eye stings to a pin point size. A sense of tightness in chest. Stomach pains, vomiting and diarrhea. Headaches.

WARRANTY STATEMENT

Notice to buyer and user. Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller and Buyer, and User assumes the risk of any such use. Seller disclaims all other warranties expressed or implied including any warranty of fitness or merchantability. Seller shall not be liable for consequential special or indirect damages resulting from the use or handling of the product and Seller's sole liability and Buyer's and User's exclusive remedy shall be limited to the refund of the purchase price.

RESTRICTED USE PESTICIDE
For sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

NET WEIGHT
17 OZS

**NICOTINE
Smoke Generator**

TREATS
20,000 CU. FT.

EPA REG. NO. 8241-

EPA EST. NO. 8241-FL-1

ACTIVE INGREDIENTS:

Nicotine (Expressed as Alkaloid) 14.0%

INERT INGREDIENTS 86.0%

FOR USE IN COMMERCIAL GREENHOUSES
ON OPNVENTALS ONLY

Keep out of reach of children

DANGER



POISON

STATEMENT OF PRATICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

IF ON SKIN: Immediately wash skin with plenty of soap and water.

IF IN EYES: Flush with water for at least 15 minutes. Get medical attention.

NOTE TO PHYSICIAN: Symptomatic treatment including oxygen and artificial respiration for paralysis of respiratory muscles, and/or hydrocortisone acetate, ephedrine sulfate, 30 mg. I.M. or amphetamine sulfate, 40 mg. I.V. (Reference: Merck Manual, Poisons). See side panel for additional precautionary statements.



PLANT PRODUCTS CORPORATION

P.O. Box 1349, VERO BEACH, FL 32961

Puncture here

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Store cans at room temperature away from bottom. See, away from food or feed.

DISPOSAL: After combustion is completed, allow can to cool naturally; then wrap can in newspaper and discard in nearest landfill. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide is a violation of Federal law. If this material cannot be disposed of by you according to label instructions, contact your State Pesticide or Environmental Control Agency, or the nearest Waste representative of the nearest EPA Regional Office for guidance.

PROCEDURE

Close all doors, windows and ventilators tightly. Plug all holes, cracks or openings in glass. Do not fumigate greenhouse if foliage of plants is wet. Turn off all misting systems. Keep humidity as low as possible. Maintain temperature of greenhouse between 70° and 80° F.

Place each smoke generator in the greenhouse walk upon a tin, brick or overturned clay flower pot. Keep generators at least 2 feet away from plants. **DANGER:** May cause fires. Do not place near combustible materials like plastics, wood shavings, sphagnum moss, etc.

Shake can vigorously to fluff up or loosen the powder. Puncture both triangular marks as indicated on top side of can, using tool furnished. Tilt can sharply backwards to throw powder away from one of the punctured openings. Light one of the enclosed ignitors at point nearest bare metal used to hold ignitors being sure ignitor is well lit. Insert burning lighter entirely inside the can through the opening and tilt can forward to level powder. Prompt ignition results. Place can on floor with punctured holes pointing lengthwise to the walk. Where the greenhouse being fumigated is large enough to require that generators be placed in more than one walk, it is recommended that one person be assigned to light the generators in each walk starting at the end farthest from the exit, so that the fumigation in each walk may start simultaneously and the persons exit from the house simultaneously.

The smoke generator will commence to smoke immediately and the dose will continue to be effective for several hours. It is recommended that the ventilators of the house be kept closed all night wherever possible, to secure maximum killing effect of this application. Lock or barricade all entrances and post with warning sign, to prevent persons or animals from entering during treatment.

It is further recommended that the placards be put on all doors with the following statement: Danger. Keep away. Area treated with fumigant. or local and state laws for posting of such warning signs. Consult your state Agricultural Extension Service or Experimental Station.

Ventilate house thoroughly after fumigation for at least 2 hours before permitting work to be done there. Repeat fumigation every three days until greenhouse is absolutely clean and then fumigate as reinfestation appears.

ACCEPTED

JAN 24 1991

The Florida Department of Agriculture
and Consumer Services
Act, as amended, ch. 88
and under
8241-1