


FRONT PANEL

8-292-16



FRONT

DIP AND DIPS

Will to, please determine by

CAUTION: Keep out of reach of children. See other warnings on back panel.

USA PAT. NO. 3,212,116

BACK PANEL

FRONT AND BACK

See contents of entire package for full directions. Dip or dip as directed to eye first to prevent irritation. Do not use for more than 14 days.

NOTE: A white or pinkish film may appear on the surface of the lens. This is not a defect and may be removed by rubbing with a clean cloth.

CAUTION: Harmful if swallowed. Avoid contact with skin or eye. Wash hands after using or handling. Avoid contact of food and feedstuffs. Keep out of reach of children.

Use. Mix thoroughly before use. Apply as directed. May be applied to eye as required.


Use a light colored lens or disk. Remove lens or disk if it becomes discolored.

Wash thoroughly with soap and water after use. Avoid contact of food and feedstuffs.

Do not use if water is cloudy or contains sediment.

ACTIVE INGREDIENTS: Carbaryl (1-naphthyl-1-thiocarbamate): 60%; Captan (N-trichloromethyl-2-pyridylmethyl-thiourea): 1.0%  
INERT INGREDIENTS: 38.4%

WASH WITH SOAP AND WATER



UNITED STATES DEPARTMENT OF AGRICULTURE

JUN 12 1967  
U.S. FEDERAL BUREAU OF INVESTIGATION  
AND RECORDS ADMINISTRATION  
ECONOMIC POISON REGISTER  
REGISTER NO. 8272-K

**BOLIDEN - CCA**  
**WOOD PRESERVATIVE**  
(For Pressure Plant Use Only)

**ACTIVE INGREDIENTS**

Arsenic Pentoxide 34.0 %  
Copper Oxide 14.5 %  
Chromic Acid 26.5 %

**AS METALS**

As 22.2 %  
Cu 11.8 %  
Cr 13.8 %

**INERT INGREDIENTS**

Water 25.0 %

**WATER SOLUBLE ARSENIC AS METALLIC**

22.2 %

**NET CONTENTS:** 100 Kilograms (220.5 lbs)  
157 lbs., Oxide Basis, Min.



**DANGER-POISON**



**POISONOUS IF SWALLOWED**

May cause rash or external ulcers. Wear goggles or face shield and rubber gloves when handling. Avoid contact with skin, eyes or clothing. In case of contact flush skin or eyes with plenty of water. For eyes get medical attention. Wash thoroughly after using. Wash clothing before re-use. Do not breathe vapour.

All waste pesticide should be removed from this container and empty container decontaminated thoroughly before disposal in any other manner.

**ANTIDOTE**

Give two tablespoons of milk of magnesia or aluminium hydroxide gel suspended in water (the whites of two or three eggs may be used). Follow with an emetic (a tablespoon of mustard or table salt in a glass of warm water). Then give olive oil or mucilaginous drink. Never give anything by mouth to an unconscious person. CALL A PHYSICIAN IMMEDIATELY

**DIRECTIONS FOR DECONTAMINATION**

Empty contents into mixing tank and flush container clean with 500 gallons of water which shall be reused for diluting treating solution.

75-01  
10,000  
Re 39 a

**DANGER KEEP OUT OF REACH OF CHILDREN**

Manufactured in Sweden by  
**BOLIDEN AKTIEBOLAG**  
S-932 00 SKELLEFTEHAMN SWEDEN

Imported by  
Ta Co Corporation  
P.O. Box 2909 Spartanburg  
South Carolina  
E. P. A. Reg. No. 8333-1

