

BEST AVAILABLE COPY

000000000000

SILOX INSECTICIDE CO. • Pasadena, Texas 77506 • (713) 477-6527
P. O. Box 6349

SILOX™ SUPER X QUICK ROACH SHOT

EPA REG. NO. 8244-2
EPA EST. NO. 8244-TX-1

A Desiccant Dust
PROVIDES QUICK CONTROL

**KILLS UP TO 6 MONTHS WHEN LEFT
UNDISTURBED**

**NON-STAINING AND RELATIVELY ODOOR-
LESS.**

**FOR USE IN RESIDENCES, INSTITUTIONS,
FOOD PLANTS AND ON CATS AND DOGS.**

**CONTROLS ANTS, COCKROACHES, SIL-
VERFISH, BEDBUGS, FLEAS, LICE AND
BEES.**

ACTIVE INGREDIENTS: 100%

Pyrethrins	1.0%
*Piperonyl Butoxide, Technical	10.0%
Amorphous Silica Gel	40.0%
Petroleum Hydrocarbons	49.0%
	100.0%

*Equivalent to 8.0% (butylcarbityl) (8-propylpiperonyl) ether and 2.0% related compounds.

**KEEP OUT OF REACH OF
CHILDREN.**

CAUTION

See back panel for additional precautionary
statements.

NET CONTENTS: 5 OZ.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATIONS WITHIN FOOD AREAS:

Food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets, meat and poultry processing plants, hotels, motels, hospitals, and schools.

Limit to Crack and Crevice Treatment Only: Using a bulbous duster apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housings, junction boxes or switch boxes, conduits or hollow equipment legs where cockroaches, ants, silverfish, spiders, bed-elder bugs, and crickets hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

**APPLICATIONS OF THIS PRODUCT IN THE
FOOD AREAS OF FOOD HANDLING ESTAB-
LISHMENTS, OTHER THAN AS A CRACK
AND CREVICE TREATMENT, ARE NOT
PERMITTED.**

NON-FOOD AREAS:

Homes, institutions, hospitals, office build-ings, hotels, motels, theaters, schools, ware-houses, truck trailers and railroad cars: To control crawling insects such as ants, cock-roaches, silverfish, firebrats, spiders, bed-elder bugs, ticks, lice, and fleas in animal quarters, distribute Silox Super X Quick Roach Shot behind cabinets and walls, in crawl spaces and attics at the rate of 18 ounces per 1000 square area. Repeat treat-ment as necessary.

BEES AND WASPS:

It is generally advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Using hand or power duster or other suitable means, with extension tubes if necessary, thoroughly dust nest and entrance and surrounding areas where insects alight. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in, and reseal. For ground wasps, dust entrance and surrounding area. For best results check nests carefully one or two days after treat-

ment to ensure complete kill, then remove and destroy nest to prevent emergence of newly-hatched insects. If removal is not feasible, retreat the nest, if necessary. Do not use this product to treat overhead nests.

BEDBUGS:

Take bed apart. Dust into joints and channels. If hollow, such as square or round tubing, see that the interior or framework is well dusted. Mattresses should be dusted, especially tufts, folds, and edges. Picture frame moldings and all cracks and crevices in the room should be treated.

FLEAS: DOGS AND CATS

Liberaly apply powder to the animal. Rubbing thoroughly to the skin. Begin with the neck and include the underbody, legs, feet and the base of the tail. Repeat as necessary. Surfaces of kennels should be dusted at the rate of one ounce per 50 square feet. Heavily infested lawns, basements and crawl spaces should be dusted at the rate of 18 ounces per 1000 square feet. Repeat as necessary.

SOW BUGS, MILLBUGS, GROUND BEETLES, EARWIGS, MILLIPEDES, CENTIPEDES AND SCORPIONS:

Apply around doors and windows and other places where these pests may enter premises. Treat base boards, storage areas and other locations where these pests are found.

DISPOSAL

Do not reuse container. Place empty container in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Avoid inhalation. Containers larger than one pound may not be used or stored in food handling establishments.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equip-ment or disposal of wastes.

Buyer assumes all the risks of use storage or handling of this product not in strict ac-cordance with directions given herewith.

ACCEPTED

APR 18 1985

244-2

COMPANY
NUMBER 11715-

PRODUCT 43
SERIAL NO. _____

LABEL
APPROVAL 4-18-85
DATE _____

NOT AVAILABLE COPY

SPEER ONE-SHOT HI-PRESSURE INSECTICIDE FOGGER (Industrial Strength)

This "One-Shot" insecticide releases the entire contents of this can. The fog penetrates throughout the entire area.

FOR HOMES, APARTMENTS, RESTAURANTS, KITCHENS, FOOD PROCESSING PLANTS, WAREHOUSES, BOXCARS, TRUCKS, BARNs, KENNELS AND BUILDINGS UP TO 5000 CUBIC FEET.

ACTIVE INGREDIENTS:	
Pyrethrins	0.50%
Piperonyl Butoxide, technical	1.00%
[1H-octyl bicycloheptene dicarboximide]	1.57%
Petroleum distillate	11.93%
INERT INGREDIENTS:	85.00%
	100.00%

* Equivalent to .85% (Butylcarbitol) (6-propylpiperonyl) ether and .20% other related compounds.
1MOK-264, Insecticide Synergist.

KILLS EXPOSED ROACHES, SILVERFISH, CRICKETS, FLEAS, FLIES, MOSQUITOES, GNATS, FRUIT FLIES, SMALL FLYING MOTHS, WASPS AND HORNETS.

CAUTION
KEEP OUT OF REACH OF CHILDREN
See rear panel for additional precautions.

NET WT. 6 OZ.

FOR USE ONLY WHEN BUILDING, BOXCAR, OR TRUCK HAS BEEN TREATED BY HUMAN BEINGS AND PETS.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. See the container for more information. Example: 25' long x 20' wide x 10' high - 5,000 cu. ft. volume - 1000 sq. ft. floor area. For details see the label of this product.

PREPARATION: Remove all food, dishes, and food handling equipment. Wash surfaces of 1000 sq. ft. or more to be treated. Shut off fans and air conditioning. Put out all open flames except pilot lights. Remove pots, pans, and cover fish aquariums before spraying. Close exterior doors and windows. Cover exposed beds, dishes, and food handling equipment.

TO USE: Press Fogger on table, chair or stand, at least an foot from job. Press several thicknesses of newspaper under canister to prevent moving of surface. Hold can at arm's length with top of can pointing away from face and open. Push on arrow (on smaller side of plastic tab) until plastic clip catches on edge of canister top - this will start fogging action. Put canister in upright position on table, etc. and leave building at once. DO NOT RE-ENTER BUILDING FOR 24 HOURS. Then open exterior doors and windows and allow to air for 24 hours before reoccupying area.

PHYSICAL OR CHEMICAL HAZARDS
CAUTION
Harmful if swallowed. Avoid inhalation, eye, skin, and clothing contact; wash thoroughly after using.
Do not contaminate food, water or livestock. Food should be removed or covered during treatment. All food processing surfaces should be covered during use or thoroughly cleaned before using. When using Fogger in these areas, apply only when the facility is not in operation.
Compress under pressure. Do not use near heat or open flame. Do not puncture, incinerate or dispose of container. Exposure to temperatures above 130°F may cause leakage.

Storage: Store in a cool, dry area away from heat or flame.
Disposal: Replace cap and discard container in trash. Do not incinerate or reuse.

EPA REG NO 11715-43 EPA EST NO 1-101
Manufactured by SPEER PRODUCTS, INC., Memphis, TN 38117

ACCEPTED

APR 18 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act