


### A broad spectrum biocide of the quaternary ammonium type



## WARNING

Causes skin irritation. Do not get in eyes, on skin or clothing. In case of contact, wash at once with plenty of soap and warm water. If irritation persists, get medical attention. Do not take internally. Biocide Q is not a food-stuff and should not come in contact with food. In case of accidental swallowing induce vomiting by administering warm salt water (one tbsp. per glass) or other emetic. Call physician.

#### **KEEP OUT OF REACH OF CHILDREN**

#### DIRECTIONS FOR USE OF BIOCIDE Q:

**INITIAL DOSE:** 10.5 lbs. per 50,000 gallons water in the system. (Shock treatment) (Approximately 25 ppm of product).

**MAINTENANCE DOSE: 1. Continuous Feed** (generally for open systems) 0.25-0.50 Ib. per 1,000 gallons of make-up to maintain about 4-6 ppm product in the system.

**2. Intermittent Shot Feed** 0.25-0.50 lb. per 1,000 gallons water in the system every 3 or 4 days or as needed to maintain 4-6 ppm in the system.

ALL QUANTITIES REFER TO BIOCIDE Q—When Blocide Q is used as directed it will aid in controlling and/or preventing the development of unsanitary bacterial slime conditions.



CHEMICALS WITH ENGINEERING SERVICE

# a. Active/ Alkenyl (30%

Dimethyl Et Bromide b. Inactive: NET WT.: TOTAL WT.