

ACCEPTED

FEB 5 1964

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENT ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 8249-2

B I O C I D E - T

An organo-metallic complex with antifoaming agent

Directions for Use of Biocide T:

Initial Dose: 1.62 gals. per 1,000
gallons water in the
system. (Shock treat-
ment)

Maintenance Dose: 1. Continuous Feed (gen-
erally for open systems)
1.0-1.5 pts. per 1,000
gallons of make-up to
maintain about 50-100
ppm in the system.

2. Intermittent Shot Feed
1.0-1.5 pts. per 1,000
gallons water in the
systems every 3 or 4
days or as needed.

ALL QUANTITIES REFER TO BIOCID T
When Biocide T is used as directed it will
control the growth of algae and bacterial
slime commonly found in cooling towers.

NET WT: (GAL.) TOTAL WT. LOT NO.

M A I N T E N A N C E E N G I N E E R I N G C O R P .
P. O. BOX 1729 PHONE: CA 2-2351
HOUSTON, TEXAS

CHEMICALS WITH ENGINEERING SERVICE

(Color of Label: Black with red lettering.)

WARNING

Causes skin irritation. Avoid breathing spray
mist. Do not get in eyes, on skin or on cloth-
ing. May be absorbed through skin. In case of
contact, wash at once with plenty of soap and
warm water. Remove contacted clothing. Wash
clothing before reuse. If irritation persists,
get medical attention. Do not take internally.
Biocide T is not a food-stuff and should not
come in contact with food. Avoid storage near
food and feed products. In case of accidental
swallowing or continued irritation after contact
with skin, call a physician.

INGREDIENTS:

- a. Active: N-alkyl (60% C₁₄, 30% C₁₆, 5%
C₁₂, 5% C₁₈) dimethyl benzyl
ammonium chlorides 2.5%
Bis(tri-n-butyltin) oxide .5%
- b. Inactive: 97%

8249-2
1/1
10/05/64