

4 the Birds® TRANSPARENT Bird Repellent

Liquid

ACCEPTED
AUG 25 2004
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 8254-3

DISCOURAGE STARLINGS FROM ROOSTING OR PERCHING ON INSIDE SUPPORTS AND OUTSIDE VEGETATION.

ACTIVE INGREDIENTS	
Polybutene	49.0%
OTHER INGREDIENTS	51.0%
TOTAL	100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
See additional PRECAUTIONARY STATEMENTS on Back Panel

EPA REG. NO. 8254-3
EPA EST. NO. 8254-OH-1

**BIRD CONTROL
INTERNATIONAL**
1393 E. Highland Road
Twinsburg, OH 44087
U.S.A.

Net Contents: 1 Gallon (U.S.) (3.785 Liters)

SHAKE WELL BEFORE USING

FIRST AID

Have label with you when obtaining treatment advice.

- If inhaled • Move person to fresh air
• If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
• Call a poison control center, doctor or 1-800-858-7378 immediately for treatment advice.
- If on skin • Take off contaminated clothing or clothing • Rinse skin immediately with plenty of water for 15 - 20 minutes.
• Call a poison control center, doctor or 1-800-858-7378 immediately for treatment advice.
- If in eyes • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
• Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin, clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Small birds may become fatally entrapped by this tacky repellent. To reduce hazards to legally protected species, and to avoid noncompliance with the Federal Migratory Bird Treaty Act, follow all instructions in the Directions For Use.

PHYSICAL HAZARD

DO NOT APPLY TO ANY SURFACES WHERE WORKERS, OR OTHERS, MAY STEP ON THE MATERIAL, AS IT MAY BE SLIPPERY, ESPECIALLY IF WET.

IMPORTANT NOTICE. Seller makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container, in a cool, dry place inaccessible to children or pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by burning, if allowed by state and local authorities. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its label.

USE RESTRICTIONS:

This product may be used to discourage starlings, from roosting or perching on the surfaces listed below FOR INTERIOR USE and FOR EXTERIOR USE. *4 the Birds® Bird Repellent Liquid is a transparent, sticky product that remains tacky at 15° F and will not run at temperatures up to 200° F after initial application has set.

Do not use this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

NOTE: Do not apply this product directly to trees, bushes or vines that are in bloom or bearing fruit. DO NOT APPLY AT LOCATIONS WHERE DESIRABLE SPECIES OF BIRDS MIGHT BECOME ENTANGLED IN THE REPELLENT. Do not contaminate food or livestock feed with this product.

APPLICATION DIRECTIONS:

Surface Preparation: Clean surfaces to be treated to promote adhesion of repellent. Wipe or scrape all dust, dirt, droppings, and other loose debris from surfaces. Seal porous surfaces prior to treatment by brushing on one coat of shellac or a 50% solution of white glue in water, and allow to dry.

For interior use:

Beams, girders, struts, supports, and other places where birds can sit and roost.

1. Prior to application, cover machinery, floors, and other important items and surfaces to prevent *4 the Birds® Transparent Bird Repellent Liquid from falling on them.

2. Do not dilute *4 the Birds® Bird Repellent Liquid with water or other solvents. Use as is.
3. Spray to the point of runoff. Spray in such a way that the top surfaces of beams, girders, etc. are coated. This would necessitate the operator to be level with or above the surfaces during application. Apply with any hand or pressure spray gun which has a discharge pressure of more than 40 and less than 150 p.s.i.
4. Apply product using a paint brush to surfaces that are difficult to cover by spraying.

For exterior use:

Trees, bushes and vines. (Do not apply to the exterior of buildings or structures).

1. Prior to application, cover walkways and other surfaces that should be kept clean of repellent which might fall on them.
2. Apply *4 the Birds® Transparent Bird Repellent Liquid to the point of runoff to the top sides of all branches in the plants to be treated that are large enough to support a bird.
3. Do not dilute *4 the Birds® Bird Repellent Liquid with water or other solvents. Use as is.
4. Applications can only be made with hand or pressure spray guns which can generate sufficient pressure, up to 150 p.s.i., to move the material to the desired treatment site. Keep material agitated. Do not apply this product from aircraft.
5. It is recommended that treatment to trees, bushes, and shrubs be made in the fall or early spring when limbs are bare and easily accessible.
6. Spraying should be done when temperatures are 40° F or above. Drift can be minimized or eliminated by applying during calm conditions.
7. The amount of coverage you can expect is dependent on type of tree, bush or shrub you are treating, spray equipment, and number of and size of branches treated. Generally, one gallon of *4 the Birds® Bird Repellent Liquid is sufficient to treat an average tree with a 5" diameter trunk, after foliage has fallen, or approximately six (6) three-foot high shrubs. These coverage approximations should be used only as a guideline.

Product Clean-up: *4 the Birds® Repellent can be removed from interior surfaces, such as metal beams, wood, laminates and painted surfaces, with mineral spirits. Repellent can be removed from sealed concrete, tile or stone surfaces by hosing with water if this is done within a very short time after the area was coated. Application equipment should be cleaned with mineral spirits after each use.

Liquid
4 the Birds®
TRANSPARENT
Bird Repellent



Label Unit 2 of 2

2/2