PM 19 8278-6

Page 1 9 3

METRO

TESTED

SOILDRIN-D

FIELD TESTED **KILLS**

CUTWORM **CHINCH BUG** PILLBUGS * FLEA BEETLES * ANTS * CRICKETS * EARWIGS BROWN DOG TICKS * WEEVILS * SOWBUGS * SODWEB WORMS FLEAS * INFESTING ORNAMENTAL TURF

ACTIVE INGREDIENT: E Chlorpyrifos (0 0-dimethyl 0-(3,4,6-trichloro-2-pyridyl) phosphorothioate *	By Wt. 6.0%
	94.0%
Chlorpyrifos: Trademark of <u>DowElanco</u> . U.S. Patent No. 3,244,586	

** Contains Xylene

KEEP OUT OF REACH OF CHILDREN WARNING


BEST AVAILABLE COPY


See side panel for additional warnings.

EPA Reg. No. 8278-8

EPA Est. No. 8278-CA-1

NET CONTENTS





PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

WARNING

Keep out of reach of children. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. <u>Crauses eye irritation</u>. <u>Du not get in eyes</u>. <u>Avoid contact</u> <u>with skin or clothing</u>. Wash thoroughly after handling and before eating or smoking. Avoid contamination of feed and food stuffs. Do not apply to food crops. Do not permit children or pets to go on treated areas until the spray is completely dried. Do not contaminate omamental fish pond. Food utensils such as teaspoons or measuring cups should not be used for food purposed after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

<u>If Swallowed</u>: Call a Physician or Poison Control Center immediately. Do not induce vomiting unless under Medical supervision. Product contains petroleum distillates which may cause aspiration pneumonia.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If in Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

If on Skin: Remove contaminated clothing. Wash affected area with soap and water. Wash contaminated clothing before re-use.

Note to Physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of waste. This pesticide is highly toxic to bees exposed to direct treatment or the residues remaining on the treated area. Avoid use when bees are actively foraging.

PHYSICAL OR CHEMICAL HAZARDS

Flammable: Do not use, pour, spill or store near open flame. Keep in a cool place our of direct sunlight.

STORAGE AND DISPOSAL

STORAGE: Store this product in its original container and keep in a locked storage area out of reach of children and domestic animals. Do not reuse container.

DISPOSAL: Rinse thoroughly before discarding. Securely wrap original container in several layers of newspaper and discard in trash.

WARRANTY: The manufacturer or seller makes no warranties, expressed or implied, concerning this product or its use, which extends beyond the description off-tift label. All statements made concerning this product apply only when used as directed.

Manufactured by METRO BIOLOGICAL LABORATORY P.O. Box 423, Cypress, CA 90630

BEST AVAILABLE COPY

DIRECTIONS FOR USE

q 3

3

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake Well Before Using: Read entire label. Always prepare fresh solution at time of use. Do not store diluted spray. One pint treats 1200 square feet.

Established Turf: Water first to bring the pest near the surface. After leaves on the lawn have dried.

Direct Application: Put 2 tablespoons of Solidrin D in 2 gallons of water and apply to 75 square feet area (1 pint covers 1200 sq. ft.). Apply with a pressure tank sprayer or a sprinkling can.

Hose End Sprayer: Place 8 ounces (16 tablespoons) of Solidrin D into a quart jar of a fertilizer hose end sprayer, fill with water, and apply evenly over 600 square feet of turf (20x30 feet).

lab6-2

