

8300-9

PM 21

1064

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460  <b>NOTICE OF PESTICIDE:</b> <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 8300-9	DATE OF ISSUANCE APR 22 1986
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Woodcare Wood Preservative #251	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Atlas Chemical Company  
4801 NW. 77th Avenue  
Miami, FL 33166

16/ 167009  
18 / 1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 8300-9."
- b. This confirms the telephone conversation between Mr. Donald Peterson and Mr. LeCoast Mack of my office on March 19, 1986, at which time Mr. Mack informed Mr. Peterson that the claim for repelling termites must be deleted from the labels. This issue was addressed in our letter of October 11, 1985 (comment #7).


3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL <i>Henry M. Jacoby</i>	DATE 4/22/86
---	-----------------

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

  
Henry M. Jacoby  
Product Manager (21)  
Fungicide-Herbicide Branch  
Registration Division (TS-757C)

Enclosures

# WOOD PRESERVATION

WITH ZINC NAPHTENATE

- WATER-REPELLENT
- REPELS TERMITE ATTACK
- PREVENTS MOLD AND ROT
- LONG LASTING
- DRY-CLEAR • PAINTABLE

### ACTIVE INGREDIENTS:

Zinc Naphtenate .....	15.7
(2% Zinc as metal)	
INERT INGREDIENTS .....	84.3
TOTAL .....	100.00%

CA  
K  
REA  
See other pr

251 CLEAR  
ONE GALLON  
(3.785 Liters)

EPA REG. NO. 8300  
EPA EST. NO. 8300

ACCEPTED  
with COMMENCEMENT  
in EPA Letter

APR 22 1989

Under the Federal  
Fungicide, and Rodenticide  
Act, this product is  
registered, for the  
purpose of use under EPA  
8300-9

**PRECAUTIONARY STATEMENTS**  
**HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**  
**FIRST AID PROCEDURE**

Harmful if swallowed or absorbed through skin. Avoid contact with eyes, on skin or on clothing. Wash thoroughly after handling.

IF SWALLOWED, Do not induce vomiting. CALL PHYSICIAN IMMEDIATELY. — IF ABSORBED THROUGH SKIN, Wash thoroughly with soap and water. — IF IN EYES, Flush with plenty of water and get immediate medical attention. — CONTAMINATED CLOTHING should be removed and washed thoroughly before reusing.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

**PHYSICAL OR CHEMICAL HAZARDS**

Use only with adequate ventilation. Close container after each use.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Protect from freezing. Close container after each use. Do not reuse container. Rinse thoroughly before discarding.

**NOTES TO USER**

Do not apply over painted or varnished surfaces. Do not apply over bark.

Do not use on wood intended for food, feed, potable water, livestock or dairy animals contact surfaces.

May injure living plants during application. Cover plants to protect against direct contact.

**WOODCARE**  
**WATER BASE WOOD PRESERVATIVE**

WOODCARE with Zinc Naphthenate is a water-repellent, penetrating wood preservative with unusual protective qualities. Treat wood with WOODCARE to repel termites and to prevent mold and rot. WOODCARE keeps wood drier to make it a long-life building material. It is an excellent base for paint, varnish and enamel, and is clear when dry.

**WOOD PRESERVATIVE USES**

Protects the following types of wood: shingles, millwork, windows, outdoor furniture, fence posts, pilings, block flooring, staking material, decks, spars, house siding. Protects wood in all the above applications including nursery lumber, slats, and beehive crates.

**DIRECTIONS**

Prepare surface to be treated by having it clean, dry and unpainted. Existing paint or coatings must be removed so WOODCARE can penetrate. Apply at least 2 coats with brush or spray, applying succeeding coats before first coat is completely dry. Thoroughly soak end-grain of wood. Do not apply when temperature is below 40° F.

In new construction, lumber should be treated before it is in position. Surfaces that are broken or cut after treatment should be treated again. Wood intended for use in contact with the soil should be dipped in WOODCARE for a minimum of 3 minutes per inch of thickness.

Fence posts, poles, foundations, timbers and heavy wooden members should be free of bark, dry and well seasoned and immersed in the product for a period of 12 to 48 hours to be an effective wood preservative.

FINISHING: WOODCARE may be used as a prime coat for paint or varnish. Treated surfaces should be completely dry before applying paint or varnish or before glazing. Drying time in well ventilated area with warm temperature is usually 24 hours for Latex paints. Allow 2-4 weeks before top coating with oil or alkyd base paints or stains.

**COVERAGE**

100-300 square feet - depending on porosity of wood and method of application. Clean hands and brushes with soap and water.

**PROTECT PRODUCT FROM FREEZING**  
**KEEP OUT OF REACH OF CHILDREN**

ANOTHER FINE PRODUCT SOLD BY

ATLAS CHEMICAL CO., Miami, Florida 33166, USA

Miami, Florida 33166

Products from Chemistry for Home and Industry ... Since 1919

**ACCEPTED**  
**with COMMENTS**  
**to EPA Letter Dated**

**APR 22 1986**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended by the pesticide  
regime of the EPA Reg. No.

8300-9

