

CLARKE SKEETER SLUGS

Contains Dursban® Insecticide FOR CONTROL OF MOSQUITO LARVAE
To Be Applied Only by Trained Personnel of Public Health Organization, Mosquito Abatement Districts, Public Mosquito Control Program and Professional Pest Control Operators

ACTIVE INGREDIENT
Chlorpyrifos [0-O-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]
INERT INGREDIENTS
EPA Reg No 8329-10 EPA Est. No. 08329 0L01
*Dursban trademark of The Dow Chemical Company
U.S. Patent No 3,244,586

ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, this product is registered under EPA Reg. No. 8329-10

CAUTION

KEEP OUT OF REACH OF CHILDREN, MAY BE HARMFUL IF SWALLOWED.

USE DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage and disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pelletized pesticide, that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

GENERAL: Consult federal, state, or local disposal authorities for approved alternative procedures such as limited open burning.

Use SKEETER SLUGS to control mosquito larvae in non-crop areas that serve as breeding sites for these pests. Apply by hand or sling shots, to provide uniform distribution of SKEETER SLUGS. Approximately 50 SKEETER SLUGS weigh one pound.

FLOODED AREA TREATMENT: Apply uniformly over flood water impoundments whenever mosquito larvae are present. Use SKEETER SLUGS at the rate of 2.5 to 5 pounds per acre. This rate is equivalent to 0.025 to 0.05 pounds of chlorpyrifos per acre.

Keep out of lakes, streams, of ponds. Use only in intermittently flooded areas, standing water, temporary rain ponds, and log ponds.

DITCHES: Apply one SKEETER SLUG every 3 feet along length of ditch. Repeat application if mosquito breeding recurs.

OPEN STREET CATCH BASIN TREATMENT: Apply one SKEETER SLUG to each catch-basin at two week intervals during the breeding season.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Wear protective gloves when handling SKEETER SLUGS.

Do not take internally. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Flush contaminated eyes with plenty of water and seek medical attention if irritation develops or persists.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply to water used for irrigational, recreational and domestic purposes.

Notice: Seller warrants that the product conforms to its chemical description and is reasonable for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseen by seller, and buyer assumes the risk of any such use.

BEST DOCUMENT AVAILABLE

Manufactured by
Clarke Outdoor Spraying Co., Inc.
159 Garden Avenue - Roselle, IL 60172
EPA Est. 8329-IL-1

NET WEIGHT

27

CLARKE

SKEETER SLUGS

2

Contains Dursban[®] Insecticide FOR CONTROL OF MOSQUITO LARVAE
 To Be Applied Only by Trained Personnel of Public Health Organization, Mosquito Abatement Districts, Public Mosquito Control Program and Professional Pest Control Operators

ACTIVE INGREDIENT
 Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate)
 INERT INGREDIENTS
 EPA Reg No 8329-10 EPA Est No 08329 QL01
 *Dursban trademark of The Dow Chemical Company
 U.S. Patent No 3,244,586

ACCEPTED
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, Registration No. 8329-10
 FEB 25 1980

CAUTION

KEEP OUT OF REACH OF CHILDREN, MAY BE HARMFUL IF SWALLOWED.

USE DIRECTIONS

Read and follow all directions of Federal Law to use this product in a manner consistent with its labeling.

DRAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

DISPOSAL: Pelletized pesticide, that cannot be used or reprocessed should be disposed of in a landfill with other pesticides or buried in a safe place away from water.

DISPOSAL: Dispose of in an incinerator or landfill with other pesticide containers, or bury in a safe place.

Follow all applicable federal, state, or local disposal authorities for alternative procedures such as limited open burning.

USE: SLUGS to control mosquito larvae in non-cropland areas as breeding sites for these pests. Apply by hand to provide uniform distribution of SKEETER SLUGS. One SKEETER SLUG weighs one pound.

TREATMENT: Apply uniformly over flood water whenever mosquito larvae are present. Use at the rate of 2.5 to 5 pounds per acre. This rate provides 0.025 to 0.05 pounds of chlorpyrifos per acre.

USE: SLUGS on streams or ponds. Use only in intermittently standing water, temporary rain ponds, and log

Apply one SKEETER SLUG every 3 feet along length of stream if mosquito breeding recurs.

CATCH BASIN TREATMENT: Apply one SKEETER SLUG to each catch basin at two week intervals during the breed-

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Wear protective gloves when handling SKEETER SLUGS.

Do not take internally. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Flush contaminated eyes with plenty of water and get medical attention if irritation develops or persists.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply to water used for irrigation, recreational and domestic purposes.

Notice: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

BEST DOCUMENT AVAILABLE

Manufactured by
Clarke Outdoor Spraying Co., Inc.
 159 Garden Avenue - Roselle, IL 60172
 EPA Est. 8329-IL-1

CC 27-A

NET WEIGHT

27