



CLARKE

MALATHION E-5

Precautionary Statements

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic organisms and aquatic life stages of amphibians. Do not apply directly to water except as specified on this label. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For Medical Emergencies, call the International Poison Control Center at 1-800-214-7753.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: This product may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR MORE INFORMATION CALL:

1-800-323-5727

ACTIVE INGREDIENTS:

Malathion* 57.0%
INERT INGREDIENTS 43.0%
100.00%

Contains petroleum distillates

*(0,0—dimethyl phosphorodithioate of diethyl mercaptosuccinate)

EPA REGISTRATION #8329-11

EPA EST. #08329IL01

CONTAINS 5 LBS PER GALLON OF MALATHION

**CAUTION
KEEP OUT OF REACH
OF CHILDREN**

ACCEPTED

DEC 17 2003

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 8329-11

MANUFACTURED BY

**CLARKE MOSQUITO CONTROL
PRODUCTS, INC.**

159 N. GARDEN AVENUE
ROSELLE, ILLINOIS 60172

NET CONTENTS _____

NOTICE: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

MOSQUITO CONTROL IN POPULATED AND RURAL AREAS GROUND APPLICATION

OUTDOORS - Mosquitoes and Small Flying Insects - Use 2% MALATHION E-5 fog, aerosol or space spray. Dilute MALATHION E-5 1 to 28 parts with water, fuel oil, diesel oil, mineral oil, other suitable solvent for 2% spray. Treat shrubbery and vegetation where mosquitoes may rest. Shrubby and vegetation around stagnant pools, marshy areas, ponds, and shore lines may be treated. Repeat applications as necessary. Avoid applying oil based spray to ornamental plants.

Nonthermal Aerosols—Undiluted:

Over a 300-foot swath can be produced using the nonthermal ultra low volume aerosol method with MALATHION E-5. Use the following rates at the indicated vehicle speeds:

Vehicle Speed Miles per Hour	Flow Rate of MALATHION E-5 Fluid Ounces per Minute	Maximum Flow Rate per Hour
5	1.8 to 4 fluid ounces	1.9 gallon
10	3.7 to 8 fluid ounces	3.7 gallons
15	5.4 to 12 fluid ounces	5.7 gallons
20	7.4 to 16 fluid ounces	6.5 gallons

AERIAL APPLICATION

MALATHION E-5 may be applied aerially by suitable ULV equipment at a rate of 4.15 to 4.80 fluid ounces per acre. It may also be applied by diluting in water at a rate of to 4.8 fluid ounces of MALATHION E-5 per acre. Dilute the MALATHION E-5 in sufficient water or a suitable oil to give good coverage. Repeat application as necessary.

STORAGE & DISPOSAL

DO NOT STORE IN ANY PREMISE OCCUPIED BY HUMANS OR ANIMALS.

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Before using, read the directions contained in this label for the proper methods and procedures which must be followed to achieve effective insect control and avoid permanent damage to automobile and other paint finishes.

8329-11

12/17/2003

Page 1 of 1