




UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Lori Kohler Sharda USA LLC c/o Wagner Regulatory Associates, Inc. P.O. Box 640 7217 Lancaster Pike, Suite A Hockessin, DE 19707



Subject:

Notification per PR Notice 98-10

Product Name: Sharda Diguat Dibromide 37.3% SL Ag

EPA Reg. No.: 83529-13

Application Dated: August 14, 2012

Dear Ms. Kohler:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product. The Registration Division (RD) has conducted a review of this request finds that the action falls within the scope of PRN 98-10. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Elizabeth Fertich at (703)347-8560 or at fertich.elizabeth@epa.gov.


Sincerely,

Kathryn V. Montague Product Manager 23

Herbicide Branch

Registration Division (7505P)

Please read instructions on rever	se before cor				() T	Registrat		oval expires 05-31-98 lentifier Number
AFDA	United	States					1	
⊗EPA ■	nvironmental P	rotectio	n Agen	су		Amendm	ent	· .
	Washington	, DC 2046	0		X	Other	i	
	Appl	ication f	or Pest	icide	- Section	on I	<u> </u>	
1. Company/Product Number		,	2. E	PA Proc	luct Mana	ger	3. Proposed	Classification
83529-13			Kath	ryn Mon	itague			
Company/Product (Name)			PM#					Restricted
Sharda USA LLC / Sharda Did	quat Dibromide 37.3%	SL Ag	23	•			IA INOIC	restricted
5. Name and Address of App	licant (Include Zip Cod	de)				. In accordance		
Sharda USA LLC		,	to:					
c/o Wagner Regulatory As P.O. Box 640	ssociates, Inc.	•	EPA	EPA Reg. No. NOTIFICATION				
Hockessin, DE 19707			Prod	uct Nam	ne:·	FE	B 0 6 2013	
L Check	if this is a new addres						·	
Amendment - Explain be	Now	<u>S</u>	ection		nrinted lah	els in response to		
· · · · · · · · · · · · · · · · · · ·		•	닏	Agen	cy letter da	ted		
Resubmission in respons Notification -	se to Agency letter dated		— <u>—</u>		Too" Applica			
<u> </u>		/F 0 11-	<u> </u>		- Explain t	below.		
Explanation: Use additional Notification of labeling correct						the provisions	of PR Notice 98	-10 and EPA
regulations at 40 CFR 152.4	6, and no other chang	es have be	en made t	to the lal	beling or t	the confidential	statement of for	mula of this
product. I understand that it in this notification is not consist								
may be subject to enforceme	ent action and penaltie	es under sec	ctions 12	and 14 c	of FIFRA.			·
		S	ection	- III				
1. Material This Product Wil		··	10/-1 C	-1b1- D)	I 0 Thin 247	Na ma a ta a ta	
Child-Resistant Packaging Yes*	Unit Packaging Yes	•	waters	oluble P Yes	ackaging		Jontainer Metal	
X No	X No		X	No			Plastic	
	If "Yes"	No. per	If "Yes"		No. per		Glass	
* Certification must	Unit Packaging wgt.	container	Package	wgt	containe	r	Paper	
be submitted							Other (Specify)	HDPE lined bags
Location of Net Contents Ir	oformation	4. Size(s)	Retail Co	ntainer	<u> </u>	5. Location of L	abel Directions	·
X Label Container			riolan oc	X On Label				
2.5 gallons			s	On Labeling accompanying product				
	A.C		'41 1-			04		
6. Manner in Which Label is Affixed to Product Lithograph Otheradhesive backed label X Paper glued						Del		
Stenciled								
		S	ection	- IV				
1. Contact Point (Complete it	ems directly below for				be contac	cted, if necessar	y, to process th	is application.)
Name Lori Kohler	Title	e nt for Share	11 4211 c	<u></u>		Telephoi (302) 63	ne No. (Include	Area Code)
	Certifi	cation					6. Date Applic	ation
I certify that the statements I have acknowledge that any knowing							Received	
both under applicable law.	y labe of melodaling eld	tomoin may	o parmana				(Sta	mped)
2. Signature 3. Title								
Sauchhu Agent for Si			r Sharda I	harda USA LLC				
4. Typed Name 5. Date								
Lori Kohler		August 1						
This is a reproduction of EPA	Form 8570-1 (Rev. 8-	94) Previou	s editions	are obs	solete.			



Wagner Regulatory Associates, Inc. P.O. Box 640 7217 Lancaster Pike, Suite A Hockessin, Delaware 19707

August 14, 2012

Document Processing Desk (NOTIF)
ATTN: Kathryn Montague, PM Team 23
Registration Division
U.S. Environmental Protection Agency
Office of Pesticide Programs (7504P)
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, Virginia 22202-4501

Dear Ms. Montague,

Subject:

Sharda Diquat Dibromide 37.3% SL Ag (EPA Reg. No. 83529-13)

Notification per PR Notice 98-10

Wagner Regulatory Associates, Inc., as agent for Sharda USA LLC, submits the enclosed notification per PR Notice 98-10 for the above referenced product. The crop section 'Tree, Vine, Small Fruit Vegetable Crops – Nonbearing', approved in the EPA Notice of Registration dated December 14, 2007 (copy enclosed), was inadvertently omitted from the latest EPA approved notification dated April 3, 2009 due to a printing error. This notification is to reinstate the already approved crop section. The enclosed label now includes this crop section as approved. No other changes were made to this label.

In support of this notification, the following documents are attached:

- Letter from Sharda USA LLC appointing Wagner Regulatory Associates, Inc. as its agent
- Application for Pesticide Notification (8570-1)
- Label with indicated changes and CD
- Certification with Respect to Label Integrity
- Copy of EPA Notice of Registration dated December 14, 2007

If you have any questions about this submission, please contact the undersigned at lori@wagnerreg.com or (302) 635-7281.

Respectfully submitted,

Lori Kohler

Agent for Sharda USA LLC

NOTIFICATION FEB 0 6 2013

DIQUASH™ Ag Desiccant and Herbicide

TO PREVENT ACCIDENTAL POISONING, NEVER PUT INTO FOOD, DRINK OR OTHER CONTAINERS AND USE STRICTLY IN ACCORDANCE WITH ENTIRE LABEL. DO NOT USE THIS PRODUCT FOR REFORMULATION

Contains 2 lbs. diquat cation per gal. as 3.73 lbs. salt per gal.

EPA Reg. No. 83529-13 EPA Establishment No. ☐ 1386-OH-1 ☐ 70815-GA-001

See additional precautionary statements and directions for use inside booklet.

Net Contents: 2.5 Gallons

Manufactured for:

Sharda USA LLC



7217 Lancaster Pike, Suite A Hockessin, Delaware 19707

83529-13-B-070109

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- · Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF INHALED:

- · Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- · Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: To be effective, treatment for diquat poisoning must begin IMMEDIATELY. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination, and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

EMERGENCY NUMBERS

For 24-hour medical emergency assistance (human or animal) call 1-800-222-1222.

For chemical emergency assistance (spill, leak, fire, or accident) call CHEMTREC at 1-800-424-9300.

Job #55145

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if inhaled. Harmful if swallowed. Causes moderate eye irritation. Avoid breathing spray mist. Avoid contact with eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some of the materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category A on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear:

- · Coveralls over long-sleeved shirt and long pants.
- · Chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride.
- · Chemical-resistant footwear plus socks.
- Protective evewear.
- · Chemical-resistant headgear for overhead exposure.
- Chemical-resistant apron when cleaning equipment, mixing, or loading.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exists, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS

Mixers and loaders supporting aerial applications are required to use closed systems. The closed system must be used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4)]. When using the closed system, the mixers' and loaders' PPE requirements may be reduced or modified as specified in the WPS. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SHARDA USA LLC or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold SHARDA USA LLC and Seller harmless for any claims relating to such factors.

SHARDA USA LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or SHARDA USA LLC, and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SHARDA USA LLC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, in no event shall SHARDA USA LLC or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SHARDA USA LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SHARDA USA LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SHARDA USA LLC and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SHARDA USA LLC.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift.

Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- · Coveralls over long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material
- · Chemical-resistant footwear plus socks
- Protective eyewear
- · Chemical-resistant headgear for overhead exposure

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Keep all unprotected persons out of operating areas or vicinity where there may be drift.

Do not allow people or pets to touch treated plants until the sprays have dried. Do not allow entry of maintenance workers into treated areas, or allow contact with treated vegetation wet with spray, dew, or rain, without appropriate protective clothing until spray has dried.

STORAGE AND DISPOSAL

Prohibitions

Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Open dumping is prohibited.

Pesticide Storage: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not contaminate feed, foodstuffs, or drinking water. Do not store or transport near feed or food. Store at temperatures above 32°F.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

Container Disposal: Non-refillable container. Do not refill or reuse container. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER

GENERAL PRODUCT INFORMATION

DIQUASH Ag is a nonvolatile herbicide for use as a preharvest aid to desiccate certain crops in order to facilitate harvesting. DIQUASH Ag is also directed for use as a general herbicide to control weeds in noncrop areas and nonbearing crops. DIQUASH Ag is a contact-type herbicide and requires actively growing green plant tissue to function. Thorough coverage of all green plant tissue is essential for effective control. DIQUASH Ag is rapidly absorbed by green plant tissue and interacts with the phytosynthetic process to produce compounds which destroy plant cells. Herbicidal activity is usually quite rapid with effects visible in a few days.

AGRICULTURAL USE DIRECTIONS

APPLICATION

Since DIQUASH Ag is a contact-type herbicide, it is essential to obtain complete coverage of the target weed or crop to achieve effective results. Improper application technique and/or application to large, stressed, or mowed weeds will generally result in unacceptable control. Complete coverage is also essential for effective performance in harvest aid applications. See details below for additional information.

Nozzle Selection

The use of flat fan nozzles will result in the most effective application of DIQUASH Ag. The use of nozzles other than flat fans may result in reduced performance due to inadequate coverage.

Spray Volume

Follow minimum spray volumes listed for each use of DIQUASH Ag. These are minimum volumes only, and spray volumes should be increased as necessary to obtain complete coverage of the target weed or plant without runoff from the foliage. When spraying less than 20 gals, of spray carrier per acre, target weeds should not exceed 6 inches in height.

SPRAY ADJUVANTS

Always Add One of the Following:

Nonionic Surfactant (NIS)

Add a NIS containing 75% or greater surface active agent at 0.06-0.5% v/v (1/2-4 pts. per 100 gals.) of the finished spray volume.

Other Adjuvants

Adjuvants other than NIS may be used provided the product meets the following criteria:

- Contains only EPA exempt ingredients.
- Is compatible in mixture. Compatibility may be established through a jar test.
- Is supported locally for use with DIQUASH Ag through proven field trials and through university and extension recommendations.

RATES

Follow rates listed with each use of DIQUASH Ag. Use the higher label rates when weeds are large or dense. Also, use higher labeled rates for harvest aid when crop vegetation is dense.

APPLICATION TIMING

DIQUASH Ag should be applied to emerged weeds when they are small. Weeds 1 inch to 6 inches in height are the easiest to control. When weeds have been grazed or mowed, thus removing much of the green foliage, allow the weeds to regrow to a height of 2-4 inches before spraying. For proper application timing of harvest aid applications, refer to each crop for directions. Weeds emerging after application of DIQUASH Ag will not be controlled or suppressed.

RAINFASTNESS

Because DIQUASH Ag is rapidly absorbed by green plant tissue, rain occurring 30 minutes after application will have no effect on the activity of DIQUASH Ag.

ENVIRONMENTAL CONDITIONS

DIQUASH Ag is active over a wide range of environmental conditions. Cool weather (below 55°F) will slow the activity of DIQUASH Ag, as will cloudy, overcast weather, but will not affect performance. In dry areas, dust stirred up by high winds or equipment tires can coat target surface and reduce DIQUASH Ag activity. Avoid applying DIQUASH Ag in extremely dusty conditions.

SPRAY DRIFT MANAGEMENT

AVOIDING SPRAY DRIFT AT THE APPLICATION SITE IS THE RESPONSIBILITY OF THE APPLICATOR AND THE GROWER.

The interaction of many equipment and weather related factors determine the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making decisions.

The following drift management requirements must be followed to avoid off-target movement from aerial applications to agricultural field crops. These requirements do not apply to forestry applications, public health uses, or to applications using dry formulations.

- 1) The distance of the outer most nozzles on the boom must not exceed 3/4 the length of the wingspan or rotor.
- 2) Nozzles must always point backward parallel with the air stream and never be pointed downwards more than 45 degrees.

Where states have more stringent regulations, they should be observed.

Droplet Size

The most effective way to reduce drift potential is to apply large droplets. The best drift management strategy is to apply the largest droplets that provide sufficient coverage and control. Applying larger droplets reduces drift potential, but will not prevent drift if applications are made improperly, or under unfavorable environmental conditions (See Wind, Temperature and Humidity, and Temperature Inversions).

Controlling Droplet Size:

Volume - Use high flow rate nozzles to apply the highest practical spray volume. Nozzles with higher rated flows produce larger droplets.

Pressure - Do not exceed the nozzle manufacturer's specified pressures. For many nozzle types, lower pressure produces large droplets. When higher flow rates are needed, use higher flow rate nozzles instead of increasing pressure.

Number of Nozzles - Use the minimum number of nozzles that provide uniform coverage.

Nozzle Orientation - Orienting nozzles so that the spray is released parallel to the airstream produces larger droplets than other orientations and is the recommended practice. Significant deflection from horizontal will reduce droplet size and increase drift potential.

Nozzle Type - Use a nozzle type that is designed for the intended application. With most nozzle types, narrower spray angles produce larger droplets. Consider using low-drift nozzles. Solid stream nozzles oriented straight back produce the largest droplets and the lowest drift.

Boom Length

For some use patterns, reducing the effective boom length to less than 3/4 of the wingspan or rotor length may further reduce drift without reducing swath width.

Application Height

Applications should not be made at a height greater than 10 ft. above the top of the target plants unless a greater height is required for aircraft safety. Making applications at the lowest height that is safe reduces exposure of droplets to evaporation and wind.

Swath Adjustment

When applications are made with a crosswind, the swath will be displaced downwind. Therefore, on the up and downwind edges of the field, the applicator must compensate for this displacement by adjusting the path of the aircraft upwind. Swath adjustment distance should increase, with increasing drift potential (higher wind, smaller drops, etc.).

Wind

Drift potential is lowest between wind speeds of 2-10 mph. However, many factors, including droplet size and equipment type, determine drift potential at any given speed. Application should be avoided below 2 mph due to variable wind direction and high inversion potential. Note: Local terrain can influence wind patterns. Every applicator should be familiar with local wind patterns and how they affect spray drift.

Temperature and Humidity

When making applications in low relative humidity, set up equipment to produce larger droplets to compensate for evaporation. Droplet evaporation is most severe when conditions are both hot and dry.

Temperature Inversions

Applications should not occur during a temperature inversion because drift potential is high. Temperature inversions restrict vertical air mixing, which causes small suspended droplets to remain in a concentrated cloud. This cloud can move in unpredictable directions due to the light variable winds common during inversions. Temperature inversions are characterized by increasing temperatures with altitude and are common on nights with limited cloud cover and light to no wind. They begin to form as the sun sets and often continue into the morning. Their presence can be indicated by ground fog; however, if fog is not present, inversions can also be identified by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing.

Sensitive Areas

The herbicide should only be applied when the wind is blowing away from adjacent sensitive areas (e.g. residential areas, bodies of water, known habitat for threatened or endangered species, and nontarget crops).

SPECIFIC USE DIRECTIONS

The following table indicates use pattern, rates, minimum spray volumes, and preharvest interval for specific uses.

Crop	Use Pattern	DIQUASH Ag Rate Per Acre	Minimum Total Spray Volume Per Acre	Preharvest Interval (Days)	Precautions, Restrictions and Comments
Alfalfa (seed crop only)	Preharvest desiccation broadcast	1 1/2-2pts. (see precautions section for additional rate information)	Ground: 15 gal. Air: 5 gal.	3	On thin stands of seed alfalfa use 1 pt. per acre. Desiccation is complete in 3-10 days. Do not graze or feed treated forage to livestock. Do not use seed from treated plants for food, feed, or oil purposes.
Clover (seed crop only)	Preharvest desiccation broadcast	1 1/2-2 pts.	Ground: 15 gal. Air: 5 gal.	3	Desiccation is complete in 3-10 days. Do not graze or feed treated forage to livestock. Do not use seed from treated plants for food, feed, or oil purposes.

(continued)

SPECIFIC USE DIRECTIONS (cont.)

Crop	Use Pattern	DIQUASH Ag Rate Per Acre	Minimum Total Spray Volume Per Acre	Preharvest Interval (Days)	Precautions, Restrictions and Comments
Potato	Preharvest desiccation broadcast	1-2 pts.	Ground: 20 gal. Air: 5 gal.	. 7	Do not apply to drought stressed potatoes. Make a second application if necessary to obtain additional desiccation where vine growth is dense. For improved vine coverage, use a 5 day interval between applications. Do not exceed a total of 4 pts. per acre.
Tree, Vine, Small Fruit. Vegetable Crops. Nonbearing Acerola (West Indian Cherry), Almonds, Apple, Apricots, Artichokes, Asparagus, Avocados, Bananas, Blackberry, Blueberry, Boysenberry, (Chernes, Coffee, Conifers, Crabapple, Cranberry, Dates, Dewberry, Elderberry, Figs, Filberts, Ginseng, Gooseberry, Grapes, Graperruit, Guava, (Huckleberry, Jojoba, Kiwi, Lemons, Limes, Loganberry, Macadamia, Mango, Nectarines, Olives, Oranges, Papayas, Passion Fruit, Peaches, Pears, Pecans, Persimmons, Plans, Pums, Pomegrandates, Prunes, Raspberry, Tangelos, Tangerines, Walnuts	(Directed spray,	(1 1/2-2 pts.	Ground: 15 gals	Do not use for food or feed for one year after application	© DIQUASH Ag can be used during site preparation prior to planting and up to 1 year of harvest. Retreatment may be necessary for complete control of grasses and older established weeds. Do not allow spray to contact green stems, foliage or fruit as injury can occur. Use a shield of wrapppant when spraying around young trees and vines. Do not graze treated areas.

The following table indicates the use pattern and rates for noncrop or nonplanted areas.

Other Uses	Use Pattern	DIQUASH Ag Rate	Precautions, Restrictions and Comments
Noncrop or Nonplanted Areas on Farms Fence Lines, Farmyards, Farm Buildings, Fuel Storage Areas, Barrier Strips, Equipment Areas, and Dry (non-flooded) Areas around ponds, lakes, and drainage ditches on farms	Broadcast Spot Treatment	1-2 pts. in a minimum of 15 gals. water per acre 1-2 qts. plus the labeled rate of a 75% or greater nonionic surfactant per 100 gals. water or 0.75 oz. (22 ml) plus the labeled rate of a 75% or greater nonionic surfactant per 1 gal. of water	Apply for full coverage and thorough weed contact. Retreatment may be necessary to control grasses and established weeds. Avoid spray contact with foliage of food crops or ornamental plants or other desirable vegetation. Add the labeled rate of 75% or greater nonionic surfactant to the finished spray volume.

LIMITATIONS AND PRECAUTIONS

Direct spray contact or drift of DIQUASH Ag will cause severe plant injury or death. Avoid contact of desirable vegetation. Weeds emerging after application of DIQUASH Ag will not be controlled or suppressed. Retreatment may be necessary to control large weeds or established weeds. Use of dirty or muddy water for DIQUASH Ag dilution may result in reduced control. Do not apply this product through any type of irrigation system. Rinse all spray equipment thoroughly with water after use.