

8329-18

2/4/2009

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

FEB 4 2009

Karen J. Larson, M.S.  
Regulatory Affairs Specialist  
Clarke Mosquito Control Products, Inc.  
159 N. Garden Avenue  
Roselle, IL 60172

Subject: Label Amendment: Revision of the maximum rate of a.i. per acre not to exceed  
0.01 pounds per acre per 24 hour period.  
Mosquitomist Two U.L.V (Chlorpyrifos)  
EPA Reg. No. 8329-18  
Submission dated January 28, 2009  
Decision 843882

Dear Ms. Larson:

The Agency determined that the revised labeling referenced to the above product, submitted in connection with the registration under the Federal Insecticide, fungicide, and Rodenticide Act (FIFRA) as amended, is acceptable.

A copy of the stamped accepted label is enclosed for your records.

Please submit two (2) copies of the final printed label before shipment. If you have any questions please call me at (703) 308-8328.

Sincerely yours,

Akiva Abramovitch, Ph.D. Chemist  
Insecticide-Rodenticide Branch  
Registration Division (7505P)

[Labeling for rigid, non-refillable containers with capacities greater than 5 gallons]


# MOSQUITOMIST TWO U.L.V.

For Use Outdoors to Control Adult Mosquitoes in Residential and Recreational Areas.

|   |        |
|---|--------|
| Active Ingredient   |        |
| Chlorpyrifos  |        |
| [0.0-diethyl 0-(3,5,6,-trichloro-2-pyridyl) phosphorothioate..... | 24.6%  |
| Other Ingredients .....   | 75.4%  |
|   | 100.0% |
| Contains petroleum distillates                                    |        |
| Contains 1.98 pounds chlorpyrifos per gallon.                     |        |

## KEEP OUT OF REACH OF CHILDREN CAUTION

Manufactured By  
**CLARKE MOSQUITO CONTROL PRODUCTS, INC.**  
 159 N. GARDEN AVENUE  
 ROSELLE, ILLINOIS 60172



EPA Reg. No.: 8329-18  
 EPA Est. No.: 8329-IL-01

NET CONTENTS: 55 GAL.  
 LOT NO.: \_\_\_\_\_

| FIRST AID  |   |
|--|---|
| <b>Have product container or label with you when calling a poison control center or doctor, or going for treatment. For Medical Emergencies, call the International Poison Control Center at 1-800-214-7753.</b>   |   |
| <b>IF SWALLOWED:</b>   | Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. |
| <b>IF ON SKIN OR CLOTHING:</b>   | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.   |
| <b>IF IN EYES:</b>   | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice.   |
| <b>IF INHALED:</b>   | Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.                   |
| <b>NOTE TO PHYSICIAN:</b> Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine. This product contains petroleum distillate. Vomiting may cause aspiration pneumonia. |   |

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION.** Harmful if swallowed. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**Personal Protective Equipment (PPE):** Mixers and loaders involved in ground application must wear coveralls over long-sleeved shirt and long pants, shoes plus socks, chemical-resistant gloves, and a NIOSH approved dust mist

filtering respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH approved respirator with any R, P, or HE filter. Applicators involved in ground ULV application must use an enclosed cab as described in the Engineering Controls section of this label and must wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves. Aerial applicators and pilots must use an enclosed cockpit and wear long-sleeved shirt, long pants, shoes, and socks.

**Engineering Controls:** Ground applicators must use an enclosed cab that has a nonporous barrier that totally surrounds the occupants and prevents contact with pesticides outside the cab. Applicators must be provided and have immediately available for use in an emergency when they must exit the cab in the treated area: coveralls, chemical-resistant gloves, and a respirator of the type specified in the PPE section of this labeling. Take off any PPE that was worn in the treated area before reentering the cab and store all such PPE in a chemical-resistant container, such as a plastic bag, to prevent contamination of the inside of the cab.

Mixers and loaders involved in aerial application must use a closed system designed by the manufacturer to enclose the pesticide to prevent it from contacting handlers or other people and which is used and maintained in accordance with the manufacturer's written operating instructions. Mixers and loaders using a closed system must wear protective eyewear if the system operates under pressure, and must have immediately available for use in an emergency, such as a broken package, spill, or equipment breakdown coveralls, chemical-resistant gloves, chemical-resistant footwear, chemical-resistant apron and a respirator of the type specified in the PPE section of this labeling.

**User Safety Requirements:** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

**USER SAFETY RECOMMENDATIONS:** Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish, aquatic invertebrates, small mammals and birds. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material beyond the body of water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or wash waters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes, or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

**PHYSICAL OR CHEMICAL HAZARDS**

**Combustible.** Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.**

For use only by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

MOSQUITOMIST TWO ULV is formulated for adult mosquito control in outdoor residential, recreational and other non-cropland areas. For best results treat when mosquitoes are most active and weather conditions are conducive to keeping the spray cloud close to the ground. An inversion of air temperatures and a light breeze are preferable. Application in calm air conditions is to be avoided. Apply only when ground wind speed is greater than 1 mph. Air temperatures should be greater than 50 F when conducting applications.

This product may be applied undiluted or diluted with a suitable diluent such as a high grade mineral oil and applied accordingly by air or ground as long as the maximum rate of active ingredient per acre does not exceed 0.01 pounds.

Do not treat a site with more than 0.01 pounds of chlorpyrifos per acre in a twenty-four hour period. Do not exceed 0.26 pounds of chlorpyrifos per acre per year. More frequent applications may be made to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

Do not contaminate food or feed products. Do not allow spray treatment to drift onto pastureland, cropland, poultry ranges or potable water supplies. Do not use on crops for food forage or pasture. In treatment of corrals, feed lots, swine lots, and zoos, cover any exposed drinking water, drinking water fountains and animal feed before application.

**SPRAY DROPLET SIZE DETERMINATION**

**Ground-based Application:** For application as an ultra low volume (ULV) nonthermal aerosol (cold fog), spray equipment must be adjusted so that the volume median diameter (VMD) is between 8 and 30 microns ( $8 \leq D_v 0.5 \leq 30 \text{ um}$ ) and that 90% of the spray is contained in droplets smaller than 50 microns ( $D_v 0.9 < 50 \text{ um}$ ). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

**Aerial Application:** Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns ( $D_v 0.5 < 60 \text{ um}$ ) and that 90% of the spray is contained in droplets smaller than 115 microns ( $D_v 0.9 < 115 \text{ um}$ ). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

**GROUND ULV APPLICATION**

**ULV Nonthermal Aerosol (Cold Fog) Application:** Apply MOSQUITOMIST TWO ULV through standard ULV cold aerosol or non-thermal aerosol (Cold Fog) generators undiluted at a flow rate of 2.0 to 4.3 fluid ounces per minute at an average vehicle speed of 10 mph. This is equivalent to 0.005 to 0.01 pounds of chlorpyrifos per acre based on an effective swath width of 300 feet. If a different vehicle speed is used, adjust rate accordingly. An accurate flow meter must be used to ensure the proper flow rate.

| Chlorpyrifos<br>pounds/acre | Application Rate (Fl.oz./Minute) |        |        |        | Fl. oz. per acre |
|-----------------------------|----------------------------------|--------|--------|--------|------------------|
|                             | 5 mph                            | 10 mph | 15 mph | 20 mph |                  |
| 0.01                        | 2.15                             | 4.30   | 6.45   | 8.60   | 0.71             |
| 0.005                       | 1.00                             | 2.00   | 3.00   | 4.00   | 0.33             |

For proper application, mount the applicator so that the nozzle is at least 4 ½ feet above ground level and directed out the back of the vehicle. Failure to follow the above directions may result in reduced effectiveness.

5/2

### AERIAL APPLICATION

MOSQUITOMIST TWO ULV may be applied undiluted at rates up to 0.71 fluid ounces MOSQUITOMIST TWO ULV per acre (0.01 pounds of chlorpyrifos per acre) by fixed wing or rotary aircraft equipped with suitable ULV application equipment. Aerial application shall be made at altitudes ranging from 75 to 300 feet.

**IN FLORIDA:** Not for aerial application in Florida unless specifically authorized by the Bureau of Entomology, Florida Department of Agriculture and Consumer Services.

### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a dry and cool place away from food and feed.

**Pesticide Disposal:** Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local guidelines.

**Container Reuse:** Nonrefillable container. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Offer for reconditioning, if appropriate.

**Residue Removal:** Triple rinse container (or equivalent) promptly after emptying. **Triple rinse** as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container  $\frac{1}{4}$  full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

IN CASE OF MEDICAL EMERGENCY,  
CALL THE INTERNATIONAL POISON CONTROL CENTER  
1-800-214-7753

IN CASE OF TRANSPORTATION EMERGENCY,  
CALL INFO-TRAC 1-800-553-5053

**FOR MORE INFORMATION CALL: 1-800-323-5727**

**NOTICE:** To the extent provided by law, seller makes no warranty, expressed or implied concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.

[Labeling for rigid, refillable containers with capacities greater than 5 gallons]

# MOSQUITOMIST TWO U.L.V.

For Use Outdoors to Control Adult Mosquitoes in Residential and Recreational Areas.

|   |        |
|---|--------|
| Active Ingredient   |        |
| Chlorpyrifos<br>[0.0-diethyl 0-(3,5,6,-trichloro-2-pyridyl) phosphorothioate..... | 24.6%  |
| Other Ingredients .....   | 75.4%  |
|   | 100.0% |
| Contains petroleum distillates  |        |
| Contains 1.98 pounds chlorpyrifos per gallon.                                     |        |

## KEEP OUT OF REACH OF CHILDREN CAUTION

Manufactured By  
**CLARKE MOSQUITO CONTROL PRODUCTS, INC.**  
159 N. GARDEN AVENUE  
ROSELLE, ILLINOIS 60172

EPA Reg. No.: 8329-18  
EPA Est. No.: 8329-IL-01

NET CONTENTS: 55 GAL.  
LOT NO.: \_\_\_\_\_

| FIRST AID  |   |
|--|---|
| <b>Have product container or label with you when calling a poison control center or doctor, or going for treatment. For Medical Emergencies, call the International Poison Control Center at 1-800-214-7753.</b>   |   |
| <b>IF SWALLOWED:</b>   | Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. |
| <b>IF ON SKIN OR CLOTHING:</b>   | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.   |
| <b>IF IN EYES:</b>   | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice.   |
| <b>IF INHALED:</b>   | Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.                   |
| <b>NOTE TO PHYSICIAN:</b> Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine. This product contains petroleum distillate. Vomiting may cause aspiration pneumonia. |   |

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION.** Harmful if swallowed. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**Personal Protective Equipment (PPE):** Mixers and loaders involved in ground application must wear coveralls over long-sleeved shirt and long pants, shoes plus socks, chemical-resistant gloves, and a NIOSH approved dust mist

7/9

filtering respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH approved respirator with any R, P, or HE filter. Applicators involved in ground ULV application must use an enclosed cab as described in the Engineering Controls section of this label and must wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves. Aerial applicators and pilots must use an enclosed cockpit and wear long-sleeved shirt, long pants, shoes, and socks.

**Engineering Controls:** Ground applicators must use an enclosed cab that has a nonporous barrier that totally surrounds the occupants and prevents contact with pesticides outside the cab. Applicators must be provided and have immediately available for use in an emergency when they must exit the cab in the treated area: coveralls, chemical-resistant gloves, and a respirator of the type specified in the PPE section of this labeling. Take off any PPE that was worn in the treated area before reentering the cab and store all such PPE in a chemical-resistant container, such as a plastic bag, to prevent contamination of the inside of the cab.

Mixers and loaders involved in aerial application must use a closed system designed by the manufacturer to enclose the pesticide to prevent it from contacting handlers or other people and which is used and maintained in accordance with the manufacturer's written operating instructions. Mixers and loaders using a closed system must wear protective eyewear if the system operates under pressure, and must have immediately available for use in an emergency, such as a broken package, spill, or equipment breakdown coveralls, chemical-resistant gloves, chemical-resistant footwear, chemical-resistant apron and a respirator of the type specified in the PPE section of this labeling.

**User Safety Requirements:** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

**USER SAFETY RECOMMENDATIONS:** Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, small mammals and birds. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material beyond the body of water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or wash waters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes, or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

#### PHYSICAL OR CHEMICAL HAZARDS

**Combustible.** Do not use or store near heat or open flame.

#### DIRECTIONS FOR USE

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.**

For use only by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

MOSQUITOMIST TWO ULV is formulated for adult mosquito control in outdoor residential, recreational and other non-cropland areas. For best results treat when mosquitoes are most active and weather conditions are conducive to keeping the spray cloud close to the ground. An inversion of air temperatures and a light breeze are preferable. Application in calm air conditions is to be avoided. Apply only when ground wind speed is greater than 1 mph. Air temperatures should be greater than 50 F when conducting applications.

This product may be applied undiluted or diluted with a suitable diluent such as a high grade mineral oil and applied accordingly by air or ground as long as the maximum rate of active ingredient per acre does not exceed 0.01 pounds.

Do not treat a site with more than 0.01 pounds of chlorpyrifos per acre in a twenty-four hour period. Do not exceed 0.26 pounds of chlorpyrifos per acre per year. More frequent applications may be made to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

Do not contaminate food or feed products. Do not allow spray treatment to drift onto pastureland, cropland, poultry ranges or potable water supplies. Do not use on crops for food forage or pasture. In treatment of corrals, feed lots, swine lots, and zoos, cover any exposed drinking water, drinking water fountains and animal feed before application.

**SPRAY DROPLET SIZE DETERMINATION**

**Ground-based Application:** For application as an ultra low volume (ULV) nonthermal aerosol (cold fog), spray equipment must be adjusted so that the volume median diameter (VMD) is between 8 and 30 microns ( $8 \leq D_v 0.5 \leq 30$  um) and that 90% of the spray is contained in droplets smaller than 50 microns ( $D_v 0.9 < 50$  um). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

**Aerial Application:** Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns ( $D_v 0.5 < 60$  um) and that 90% of the spray is contained in droplets smaller than 115 microns ( $D_v 0.9 < 115$  um). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

**GROUND ULV APPLICATION**

**ULV Nonthermal Aerosol (Cold Fog) Application:** Apply MOSQUITOMIST TWO ULV through standard ULV cold aerosol or non-thermal aerosol (Cold Fog) generators undiluted at a flow rate of 2.0 to 4.3 fluid ounces per minute at an average vehicle speed of 10 mph. This is equivalent to 0.005 to 0.01 pounds of chlorpyrifos per acre based on an effective swath width of 300 feet. If a different vehicle speed is used, adjust rate accordingly. An accurate flow meter must be used to ensure the proper flow rate.

| Chlorpyrifos<br>pounds/acre | Application Rate (Fl.oz./Minute) |        |        |        | Fl. oz. per acre |
|-----------------------------|----------------------------------|--------|--------|--------|------------------|
|                             | 5 mph                            | 10 mph | 15 mph | 20 mph |                  |
| 0.01                        | 2.15                             | 4.30   | 6.45   | 8.60   | 0.71             |
| 0.005                       | 1.00                             | 2.00   | 3.00   | 4.00   | 0.33             |

For proper application, mount the applicator so that the nozzle is at least 4 ½ feet above ground level and directed out the back of the vehicle. Failure to follow the above directions may result in reduced effectiveness.



9/9

### AERIAL APPLICATION

MOSQUITOMIST TWO ULV may be applied undiluted at rates up to 0.71 fluid ounces MOSQUITOMIST TWO ULV per acre (0.01 pounds of chlorpyrifos per acre) by fixed wing or rotary aircraft equipped with suitable ULV application equipment. Aerial application shall be made at altitudes ranging from 75 to 300 feet.

**IN FLORIDA:** Not for aerial application in Florida unless specifically authorized by the Bureau of Entomology, Florida Department of Agriculture and Consumer Services.

### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a dry and cool place away from food and feed.

**Pesticide Disposal:** Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local guidelines.

**Container Reuse:** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

IN CASE OF MEDICAL EMERGENCY,  
CALL THE INTERNATIONAL POISON CONTROL CENTER  
1-800-214-7753  
IN CASE OF TRANSPORTATION EMERGENCY,  
CALL INFO-TRAC 1-800-553-5053

**FOR MORE INFORMATION CALL: 1-800-323-5727**

**NOTICE:** To the extent provided by law, seller makes no warranty, expressed or implied concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.