

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Use in food processing plants only when plant is not in operation. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation. Do not breathe spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR, Part H. Wash hands arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

PHYSICAL & CHEMICAL HAZARDS

Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL: This concentrate is designed for use undiluted in mechanical sprayers which give particle sizes of aerosol size.

SPACE SPRAY: Use undiluted in aerosol generators to kill German cockroaches, flies, mosquitoes, small flying moths, and gnats. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 0.3 ounces of undiluted concentrate per 1000 cubic feet of space. Direct output from aerosol generator upward toward upper corners of room and ceiling. Leave room closed for one hour. Ventilate room thoroughly before re-entry. Repeat as necessary.

NET CONTENTS

E.P.A. REG. NO. 8329-32

ACTIVE INGREDIENTS:

*† Resmethrin[5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate	4.000%w/w
Related Compounds	0.545%
Pyrethrins	1.000%
**Piperonyl butoxide technical	5.000%
Aromatic petroleum hydrocarbons	5.260%
Petroleum distillate	84.000%
INERT INGREDIENTS	0.195%

100.000%w/w

*Cis/trans isomers ratio: max. 30%(±)cis and min. 70%(±)trans

†U.S. Patent Nos. 3,465,007 and 3,542,928

•Penick-Bio UCLAF® SBP-1382™ brand of resmethrin insecticide. Penick-Bio UCLAF Corp., 400 Sylvan Avenue, Englewood Cliffs, NJ 07632

**Equivalent to 4.0%(Butylcarbityl)(6-Propylpiperonyl)ether and 1.0% related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

ACCEPTED

with COMMENTS

EPA Letter Date

APR 01 1990

MANUFACTURED BY

CLARKE OUTDOOR SPRAYING CO., INC.

159 N. GARDEN AVENUE, ROSELLE, ILLINOIS 60172

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide under EPA Reg. No.

8329-32
FOR MORE INFORMATION CALL
1 800 323-5727 (Outside Illinois)
1 800 912-2555 (Inside Illinois)

FOR USE IN POULTRY HOUSES, DAIRY AND BEEF FARMS, SWINE HOUSING—To Control Flies and Other Airborn Insects: Close room or warehouse and shut off all ventilating systems. Use undiluted in ULV aerosol equipment to dispense this product. It is not necessary to remove birds or other animals during application. Direct spray into areas of the room frequented by these insects, hitting as many insects as possible. Then spray into the air at a rate of up to ½ gallon of spray per 50,000 cu. ft. of space. Repeat application as needed as indicated by the Clarke Fly Spotter or Fly Jug. Leave room closed for up to 30 minutes after application. Do not remain in treated areas and ventilate before re-entry. Repeat as necessary.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not store near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibilities, including injury or damage, resulting from its misuse as such, or in combination with other materials.