- PM 03

OCT 1 4 1997

A. Kevin Magro Clarke Mosquito Control Products, Inc. 159 North Garden Avenue Roselle, IL 60172

Subject:

Biomist® 1.5+7.5 ULV

EPA Registration No. 8329-40 Amendment dated June 27, 1997

Dear Mr. Magro:

The Confidential Statement of Formula (CSF), referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is not acceptable for the reasons given below.

1. The amounts in columns 13.a. and 13.b. do not add up to 100. Please submit a corrected CSF within 30 days of receipt of this letter.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

- 1. Make the following change to your label:
 - a. Add the following statement to the ENVIRONMENTAL HAZARDS:

"This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area."

2. Submit two copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. A stamped copy of the labeling is enclosed for vour records.

Sincerely yours,

George T. LaRocca Product Manager 13 Insecticide Branch Registration Division (7505C)

Enclosure

Bedwards A: 18329 40.1 10/14/97



BIOMIST® 1.5+7.5 U

For Application Only By Public Health Officials and Trained Personnel of Mosquito Abatement Districts and Other Mosquito Control Programs. An All Temperature, Quick Knockdown, Low Odor, Non-Corrosive, Synthetic Pyrethroid for Control of Adult Mosquitoes in Residential and Recreational Areas. Also For Use Against Biting and Non-Biting Midges and Blackflies.

Precautionary Statements HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

If Inhaled: Remove victim to fresh air. If not breathing give artificial respiration. preferably mouth to mouth. Get medical attention,

If On Skin: Wash with plenty of water and soap, Get medical attention,

If Swallowed: Call a physician or Poison Control Center immediately. Gastric lavage Is indicated if material was taken internally, DO NOT INDUCE VOMITING, Vomiting may cause aspiration pneumonia.

If In Eyes: Flush eyes with plenty of water, Get medical attention if irritation persists. Note To Physician: Product contains a petroleum distillate. Gastric lavage is indicated If material was taken internally. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas, Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not allow spray treatment to drift on pastureland, cropland, poultry ranges or water supplies. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

* DIRECTIONS FOR USE

It is a violation of Federal Law to use-this product in a manner inconsistent with its' labeling.

| Permethrin/PBO pounds/acre | Application Rates Fl. oz./Min. | | Fl. oz. finished spray per acre |
|----------------------------|--------------------------------|----------|------------------------------------|
| | ^ SMPH | 16MPH | |
| 0.007/0.03\$ 🔩 | 24.0 | હેશ.0 | 8.0 |
| 0.0035/0.0175 | - 12.0 | ^ ^24.0 | 4.0 |
| 0.00175/0.00875 | 6.0 | ^ ^ î2.0 | 2.0 |
| 0.0013/0.00656 | 4,5 | 9.0 | 1.5 |
| 0,00087/0.00437 | 3.0 | 6.0 | 1.0 |

E.P.A. EST, No. 8329IL01 E.P.A. Reg. No. 8329-40

2.5 GALS. **NET CONTENTS**

| ACTIVE INGREDIENTS: Permethrin (3-Phenoxyphenyl)methyl (*) cis, trans-3-(2,2-dichlorethenyl)-2,2-dimethyl- cyclopropanecarboxylate | 1.50% |
|--|---------|
| 20% related compounds | 7.50% |
| INERT INGREDIENTS | 91.00% |
| | 100.00% |

Contains petroleum distillates.

Contains 0.11 pounds of Permethrin and 0.55 pounds of Piperonyl Butoxide per gallon

CAUTION

KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

CONDITIONS and RATES to USE for MOSQUITO CONTROL

Do not apply this product within 100 feet (30 meters) of lakes and streams, BIOMIST® 1.5+7.5 ULV is recommended for application as an ultra low volume (U.L.V.) nonthermal aerosol (cold fog) to control adult mosquitoes in residential and recreational areas where these insects are a problem. For best results treat when mosquitoes are most active and weather conditions are conducive to keeping the log close to the ground, e.g. cool temperatures and wind speed not greater than 10 mph. Application during the cool hours of the night or early morning is usually preferable. Repeat treatment as needed.

MANUFACTURED BY

CLARKE MOSQUITO CONTROL PRODUCTS, INC.

159 N GARDEN AVENUE • ROSELLE, ILLINOIS 64772

NOTICE: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the telephone. Buyer Federal Insecticide, assumes all risk of use and/or handling of this materials there usend Rodenticide Act and/or handling is contrary to label instructions. as amended, for the

U.L.V. Nonthermal Aerosol (Cold Fog) Application: To control Mosquitoes, Midges and Blackflies, apply BIOMIST® 1.5+7.5 ULV using any standard U.L.V. ground applicator capable of producing a nonthermal aerosol spray with droplets. ranging in size from 5 to 30 microns and a mass median diameter (MMD) of 10 to microns. Apply the product undiluted at a flow rate of 6,0 to 54.00 fluid ounces minute at an average vehicle speed of 10 mph (see chart above). If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.00087 to 0.007 pounds of Permethrin and 0.00437 to 0.035 pounds of Piperonyl Butoxide per acre. Vary flow rate according to vegetation density and mosquito population. Use higher flow rate in heavy vegetation or when populations are high. An accurate flow meter must be

used to ensure the proper flow rate. For proper application, mount the fog applicator so that the nozzle is at least 4% feet above ground level and directed out the back of the vehicle. Failure to follow the above directions may result in reduced effectiveness. Aerial applications should be done by suitable aerial U.L.V. equipment capable of producing droplets with an MMD of 50 microns or less with no more than 2.5% exceeding 100 microns. Flow rate and swath width should be set so as to achieve 9.0 fluid ounces of BIOMIST® 1.5+7.5 ULV per acre.

IN FLORIDA: Do not apply by alreraft except in emergency situations and with the approval of the Florida Department of Agriculture and Consumer Services.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage. soak up with an absorbent material such as sand, sawdust, earth, fuller's earth. etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container, Wrap containers in several layers of newspaper and discard in trash.

CONTAINERS LARGER THAN ONE GALLON: Metal Containers-Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic Containers-Triple rinse or equivalent. Then offer for recycling Repeat or reconditioning, or puncture and dispose of in a sanitary landfill, or by ACCPLIFFIGATION, or fi allowed by state and lodal authorities, by burning, if burned, stay with CCMLIFFIGEA procedures.

IN CASE OF EMERGENCY, CALL INFO TRAC 1-800-535-5053

FOR MORE INFORMATION CALL:
-800-323-5727 (OUTSIDE ILLINOIS)