



BIOMIST® 12+60 ULV

For Application Only By Public Health Officials and Trained Personnel of Mosquito Abatement Other Mosquito Control Programs. An All Temperature, Quick Knockdown, Low Odor Synthetic Pyrethroid for Control of Adult Mosquitoes in Residential, and Recreational Areas Against Biting and Non-Biting Midges and Blackflies.

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not contaminate food or feed products.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration hazard.

If Inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

If On Skin: Remove contaminated clothing. Wash with plenty of soap and water. Get medical attention if irritation persists.

Note to Physician: Product contains a petroleum distillate. Gastric lavage is indicated if material was taken internally. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Flashpoint minimum of 300°F.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CONDITIONS and RATES to USE for MOSQUITO CONTROL

Permethrin/PBO pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. Biomist® 12+60 per acre
	5MPH	10MPH	15MPH	
0.0021/0.105	9.0	18.0	27.0	3.0
0.0105/0.0525	4.5	9.0	13.5	1.5
0.0035/0.0175	1.5	3.0	4.5	0.5

ACTIVE INGREDIENTS:

Permethrin (3-Phenoxyphenyl)methyl (±) cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethyl- cyclopropanecarboxylate	12.00%
Piperonyl Butoxide, Technical Equivalent to 80% (butylcarbityl) (6-propylpiperonyl) ether and 20% related compounds	60.00%
INERT INGREDIENTS	28.00%
	100.00%

Contains petroleum distillates.

Contains 1.0 pounds of Permethrin and 5.0 pounds
of Piperonyl Butoxide per gallon.

CAUTION

KEEP OUT OF REACH OF
CHILDREN

MANUFACTURED BY

**CLARKE MOSQUITO CONTROL
PRODUCTS, INC.**

159 N. GARDEN AVENUE
ROSELLE, ILLINOIS 60172

E.P.A. EST. No. 83291L01

EPA Reg. No. 8329-41

NET CONTENTS

NOTICE: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.

BIOMIST® 12+60 ULV is recommended for application as an ultra low volume (U.L.V.) nonthermal aerosol (cold fog) to control adult mosquitoes in residential and recreational areas where these insects are a problem, such as but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas and municipalities, gardens, playgrounds, recreational areas and overgrown waste areas. Do not apply this product within 100 feet (30 Meters) of lakes and streams. Do not allow spray treatment to drift on pastureland, cropland, poultry ranges, or water supplies. For best results treat when mosquitoes are most active and weather conditions are conducive to keeping the fog close to the ground, e.g. cool temperatures and wind speed not greater than 10 mph. Applications during the cool hours of the night or early morning is usually preferable. Repeat treatment as needed.

U.L.V. Nonthermal Aerosol (Cold Fog) Application: To control Mosquitoes, Midges and Blackflies, apply BIOMIST® 12+60 ULV using any standard U.L.V. ground applicator capable of producing a nonthermal aerosol spray with droplets ranging in size from 5 to 30 microns and a mass median diameter (MMD) of 10 to 20 microns. Apply the product undiluted at a flow rate of 3.0 to 18.00 fluid ounces per minute at an average vehicle speed of 10 mph. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.0035 to 0.021 pounds of Permethrin and 0.0175 to 0.105 pounds of Piperonyl Butoxide per acre. Vary flow rate according to vegetation density and mosquito population. Use higher flow rate in heavy vegetation or when populations are high. An accurate flow meter must be used to ensure the proper flow rate. Biomist® 12+60 ULV may also be applied by diluting with a suitable solvent such as mineral oil and applying so as not to exceed the maximum pounds of active ingredient per acre as shown in first column of the previous table. The following charts represent some suggested dilution and application rates for ground U.L.V. applications. If an alternate dilution rate is used, adjust flow rate accordingly.

FOR A 1:2 BIOMIST® 12+60 ULV/SOLVENT DILUTION RATIO
Mix one (1) part BIOMIST® 12+60 with two (2) parts solvent and apply at the following rates.

Permethrin/PBO pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.007/0.035	9.0	18.0	27.0	3.0
0.0035/0.0175	4.5	9.0	13.5	1.5
0.00175/0.00875	2.25	4.5	6.75	0.75

FOR A 1:3 BIOMIST® 12+60 ULV/SOLVENT DILUTION RATIO
Mix one (1) part BIOMIST® 12+60 with three (3) parts solvent and apply at the following rates.

Permethrin/PBO pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.007/0.035	12.0	24.0	36.0	4.0
0.0035/0.0175	6.0	12.0	18.0	2.0
0.00175/0.00875	3.0	6.0	9.0	1.0

FOR A 1:7 BIOMIST® 12+60 ULV/SOLVENT DILUTION RATIO
Mix one (1) part BIOMIST® 12+60 with seven (7) parts solvent and apply at the following rates.

Permethrin/PBO pounds/acre	Application Rates Fl. oz./Min.		Fl. oz. finished spray per acre
	5MPH	10MPH	
0.0035/0.0175	12.0	24.0	4.0
0.00175/0.00875	6.0	12.0	2.0
0.0013/0.00656	4.5	9.0	1.5
0.00087/0.00437	3.0	6.0	1.0

For proper application follow the above applications producing droplets exceeding 100 microns. To achieve 1.0 to 12+60 ULV may be applied by ae BIOMIST® 12+60 should be made

IN FLORIDA:
with the appropriate Services

Do not contain PESTICIDE at room temperature spill or leak sawdust, ear PESTICIDE may be disposed CONTAINING recycling or landfill, or b CONTAINING tainer. Wrap trash. CONTAINING Triple rinse puncture and approved by equivalent. dispose of it and local a dispose of product.

Under the Fungicide as an EPA Reg. 8329-41

BEST AVAILABLE COPY

ACTIVE INGREDIENTS:

Permethrin (3-Phenoxyphenyl)methyl (±) cis- trans-3-(2,2-dichloroethenyl)-2,2-dimethyl- cyclopropanecarboxylate	12.00%
Piperonyl Butoxide, Technical Equivalent to 80% (butylcarbityl) (6-propylpiperonyl) ether and 20% related compounds	60.00%
INERT INGREDIENTS	28.00%
	100.00%

Contains petroleum distillates.
Contains 1.0 pounds of Permethrin and 5.0 pounds
of Piperonyl Butoxide per gallon.

CAUTION
KEEP OUT OF REACH OF
CHILDREN

MANUFACTURED BY

CLARKE MOSQUITO CONTROL
PRODUCTS, INC.

159 N. GARDEN AVENUE
ROSELLE, ILLINOIS 60172

E.P.A. EST. No. 8329IL01
EPA Reg. No. 8329-41

NET CONTENTS

NOTICE: Seller makes no warranty, expressed or implied concern-
ing the use of this product other than indicated on the label. Buyer
assumes all risk of use and/or handling of this material when use
and/or handling is contrary to label instructions.

BIOMIST® 12+60 ULV is recommended for application as an ultra low volume
(U.L.V.) nonthermal aerosol (cold fog) to control adult mosquitoes in residen-
tial and recreational areas where these insects are a problem, such as but not
limited to parks, campsites, woodlands, athletic fields, golf courses, residential
areas and municipalities, gardens, playgrounds, recreational areas and
overgrown waste areas. Do not apply this product within 100 feet (30 Meters) of
lakes and streams. Do not allow spray treatment to drift on pastureland,
cropland, poultry ranges, or water supplies. For best results treat when
mosquitoes are most active and weather conditions are conducive to keeping
the fog close to the ground, e.g. cool temperatures and wind speed not greater
than 10 mph. Applications during the cool hours of the night or early morning is
usually preferable. Repeat treatment as needed.

U.L.V. Nonthermal Aerosol (Cold Fog) Application: To control Mosqui-
toes, Midges and Blackflies, apply BIOMIST® 12+60 ULV using any standard
U.L.V. ground applicator capable of producing a nonthermal aerosol spray
with droplets ranging in size from 5 to 30 microns and a mass median diameter
(MMD) of 10 to 20 microns. Apply the product undiluted at a flow rate of 3.0 to
18.00 fluid ounces per minute at an average vehicle speed of 10 mph. If a
different vehicle speed is used, adjust rate accordingly. These rates are
equivalent to 0.0035 to 0.021 pounds of Permethrin and 0.0175 to 0.105 pounds
of Piperonyl Butoxide per acre. Vary flow rate according to vegetation density
and mosquito population. Use higher flow rate in heavy vegetation or when
populations are high. An accurate flow meter must be used to ensure the proper
flow rate. Biomist® 12+60 ULV may also be applied by diluting with a suitable
solvent such as mineral oil and applying so as not to exceed the maximum
pounds of active ingredient per acre as shown in first column of the previous
table. The following charts represent some suggested dilution and application
rates for ground U.L.V. applications. If an alternate dilution rate is used, adjust
flow rate accordingly.

FOR A 1:2 BIOMIST® 12+60 ULV/SOLVENT DILUTION RATIO
Mix one (1) part BIOMIST® 12+60 with two (2) parts solvent and apply at the
following rates.

Permethrin/PBO pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.007/0.035	9.0	18.0	27.0	3.0
0.0035/0.0175	4.5	9.0	13.5	1.5
0.00175/0.00875	2.25	4.5	6.75	0.75

FOR A 1:3 BIOMIST® 12+60 ULV/SOLVENT DILUTION RATIO
Mix one (1) part BIOMIST® 12+60 with three (3) parts solvent and apply at the
following rates.

Permethrin/PBO pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.007/0.035	12.0	24.0	36.0	4.0
0.0035/0.0175	6.0	12.0	18.0	2.0
0.00175/0.00875	3.0	6.0	9.0	1.0

FOR A 1:7 BIOMIST® 12+60 ULV/SOLVENT DILUTION RATIO
Mix one (1) part BIOMIST® 12+60 with seven (7) parts solvent and apply at the
following rates.

Permethrin/PBO pounds/acre	Application Rates Fl. oz./Min.		Fl. oz. finished spray per acre
	5MPH	10MPH	
0.0035/0.0175	12.0	24.0	4.0
0.00175/0.00875	6.0	12.0	2.0
0.0013/0.00656	4.5	9.0	1.5
0.00087/0.00437	3.0	6.0	1.0

For proper application, mount the fog applicator so that the nozzle is at least
4 1/2 feet above ground level and directed out the back of the vehicle. Failure to
follow the above directions may result in reduced effectiveness. Aerial
applications should be done by suitable aerial U.L.V. equipment capable of
producing droplets with an MMD of 50 microns or less with no more than 2.5%
exceeding 100 microns. Flow rate and swath width should be set so as to
achieve 1.0 to 3.0 fluid ounces of BIOMIST® 12+60 ULV per acre. BIOMIST®
12+60 ULV may also be diluted with a suitable solvent such as mineral oil and
applied by aerial ULV equipment so long as 3.0 fluid ounces per acre of
BIOMIST® 12+60 ULV is not exceeded. Both aerial and ground applications
should be made when wind is less than 10 MPH.

IN FLORIDA: Do not apply by aircraft except in emergency situations and
with the approval of the Florida Department of Agriculture and Consumer
Services.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright
at room temperature. Avoid exposure to extreme temperatures. In case of
spill or leakage, soak up with an absorbent material such as sand,
sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product
may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for
recycling or reconditioning, or puncture and dispose of in a sanitary
landfill, or by other approved state and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse con-
tainer. Wrap containers in several layers of newspaper and discard in
trash.

CONTAINERS LARGER THAN ONE GALLON: Metal Containers—
Triple rinse or equivalent. Then offer for recycling or reconditioning, or
puncture and dispose of in a sanitary landfill, or by other procedures
approved by state and local authorities. Plastic Containers—Triple rinse or
equivalent. Then offer for recycling or reconditioning, or puncture and
dispose of in a sanitary landfill, or by incineration, or if allowed by state
and local authorities, by burning. If burned, stay out of smoke. Then
dispose of in a sanitary landfill, or by other approved state and local
procedures.

ACCEPTED

Under the
Fungicide,
Insecticide,
and
Plant
Regulator
Act,
EPA Reg.
No. 8329-41

FOR MORE INFORMATION CALL:
1-800-323-5727

BEST AVAILABLE COPY