

BEST COPY AVAILABLE

BIOMIST® 30+30 ULV



For Application Only By Public Health Officials and Trained Personnel of Mosquito Abatement Other Mosquito Control Programs. An All Temperature, Quick Knockdown, Low Odor Synthetic Pyrethroid for Control of Adult Mosquitoes in Residential, and Recreational Areas Against Biting and Non-Biting Midges and Blackflies.

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye damage injury. Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If Inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

If In Eyes: Flush with plenty of water. Get medical attention immediately.

If On Skin: Remove contaminated clothing and wash affected areas with soap and water. Get medical attention if necessary.

Note to Physician: Product contains a petroleum distillate. Gastric lavage is indicated if material was taken internally. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not allow spray treatment to drift on pastureland, cropland, poultry ranges or water supplies. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Flashpoint minimum of 300°F.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CONDITIONS and RATES to USE for MOSQUITO CONTROL

Permethrin pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. Biomist® 30+30 per acre
	5MPH	10MPH	15MPH	
0.0185	3.0	6.0	9.0	1.0
0.0092	1.5	3.0	4.5	0.5
0.0031	0.5	1.0	1.5	0.16

Reg # 8329-42

ACTIVE INGREDIENTS

Permethrin (3-Phenoxyphenyl)methyl (±) cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate	30.00%
Piperonyl Butoxide, Technical Equivalent to 80% (butylcarbityl) (6-propylpiperonyl) ether and 20% related compounds	30.00%
INERT INGREDIENTS	40.00%
	100.00%

Contains petroleum distillates.

Contains 2.52 pounds of Permethrin and 2.52 pounds of Piperonyl Butoxide per gallon.

CAUTION

KEEP OUT OF REACH OF CHILDREN

MANUFACTURED BY

CLARKE MOSQUITO CONTROL PRODUCTS, INC.

159 N GARDEN AVENUE
ROSELLE, ILLINOIS 60172

EPA EST No 8329IL01

EPA Reg No 8329-42

NET CONTENTS

NOTICE: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.

PM-13

BIOMIST® 30+30 ULV is recommended for application as an ultra low volume (U.L.V.) nonthermal aerosol (cold fog) to control adult mosquitoes in residential and recreational areas where these insects are a problem, such as but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas and municipalities, gardens, playgrounds, recreational areas and overgrown waste areas. Do not apply this product within 100 feet (30 meters) of lakes and streams. Do not allow spray treatment to drift on pastureland, cropland, poultry ranges, or water supplies. For best results treat when mosquitoes are most active and weather conditions are conducive to keeping the fog close to the ground, e.g. cool temperatures and wind speed not greater than 10 mph. Applications during the cool hours of the night or early morning is usually preferable. Repeat treatment as needed.

U.L.V. Nonthermal Aerosol (Cold Fog) Application: To control Mosquitoes, Midges and Blackflies, apply BIOMIST® 30+30 ULV using any standard U.L.V. ground applicator capable of producing a nonthermal aerosol spray with droplets ranging in size from 5 to 30 microns and a mass median diameter (MMD) of 10 to 20 microns. Apply the product at a flow rate of 1.0 to 6.00 fluid ounces per minute at an average vehicle speed of 10 mph. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.0031 to 0.0185 pounds of Permethrin and 0.0031 to 0.0185 pounds of Piperonyl Butoxide per acre. Vary flow rate according to vegetation density and mosquito population. Use higher flow rate in heavy vegetation or when populations are high. An accurate flow meter must be used to ensure the proper flow rate. Biomist® 30+30 ULV may also be applied by diluting with a suitable solvent such as mineral oil and applying so as not to exceed the maximum pounds of active ingredient per acre as shown in the first column of the previous table. The following charts represent some suggested dilution and application rates for ground U.L.V. applications. If an alternate dilution rate is used, adjust flow rate accordingly.

FOR A 1:2 BIOMIST® 30+30 ULV/SOLVENT DILUTION RATIO
Mix one (1) part BIOMIST® 30+30 with two (2) parts solvent and apply at the following rates:

Permethrin pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.007	3.0	6.0	9.0	1.0
0.0035	1.5	3.0	4.5	0.5
0.00175	0.75	1.5	2.25	0.25

FOR A 1:4 BIOMIST® 30+30 ULV/SOLVENT DILUTION RATIO
Mix one (1) part BIOMIST® 30+30 with four (4) parts solvent and apply at the following rates:

Permethrin pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.0062	5.0	10.0	15.0	1.6
0.0031	2.5	5.0	7.5	0.8
0.0015	1.25	2.5	3.5	0.4

FOR A 1:8 BIOMIST® 30+30 ULV/SOLVENT DILUTION RATIO
Mix one (1) part BIOMIST® 30+30 with eight (8) parts solvent and apply at the following rates:

Permethrin pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.0062	9.0	18.0	27.0	3.0
0.0031	4.5	9.0	13.5	1.5
0.0015	2.25	4.5	6.75	0.75

182

For proper application follow the instructions producing drift exceeding 10 feet. To achieve 33% knockdown with 30+30 ULV m applied by BIOMIST® 30+30 ULV should be m

Do not cor PESTICID at room le spill or le sawdust.

PESTICI may be dr:

CONTAI recycling landfill, or

CONTAI tainer Wr trash.

CONTAI Triple rim: puncture approved equivalent dispose o and local dispose c procedure

ACC

MAY -

Under the Fe-Fungicide, as amended, registered un-EPA Reg. No.

ACTIVE INGREDIENTS:

Permethrin (3-Phenoxyphenyl)methyl (±) cis, trans-3-(2,2-dichloroethyl)-2,2-dimethyl- cyclopropanecarboxylate	30.00%
Piperonyl Butoxide, Technical Equivalent to 80% (butylcarbityl) (6-propylpiperonyl) ether and 20% related compounds	30.00%
INERT INGREDIENTS	40.00%
	100.00%

Contains petroleum distillates.

Contains 2.52 pounds of Permethrin and 2.52 pounds
of Piperonyl Butoxide per gallon.

CAUTION

**KEEP OUT OF REACH OF
CHILDREN**

MANUFACTURED BY

**CLARKE MOSQUITO CONTROL
PRODUCTS, INC.**

159 N. GARDEN AVENUE
ROSELLE, ILLINOIS 60172

E.P.A. EST. No. 83291L01
EPA Reg. No. 8329-42

NET CONTENTS _____

NOTICE: Seller makes no warranty, expressed or implied concern-
ing the use of this product other than indicated on the label. Buyer
assumes all risk of use and/or handling of this material when use
and/or handling is contrary to label instructions.

BEST COPY AVAILABLE

BIOMIST® 30+30 ULV is recommended for application as an ultra low volume (U.L.V.) nonthermal aerosol (cold fog) to control adult mosquitoes in residen-
tial and recreational areas where these insects are a problem, such as but not
limited to parks, campsites, woodlands, athletic fields, golf courses, residential
areas and municipalities, gardens, playgrounds, recreational areas and
overgrown waste areas. Do not apply this product within 100 feet (30 Meters) of
lakes and streams. Do not allow spray treatment to drift on pastureland,
cropland, poultry ranges, or water supplies. For best results treat when
mosquitoes are most active and weather conditions are conducive to keeping
the fog close to the ground, e.g. cool temperatures and wind speed not greater
than 10 mph. Applications during the cool hours of the night or early morning is
usually preferable. Repeat treatment as needed.

U.L.V. Nonthermal Aerosol (Cold Fog) Application: To control Mosqui-
toes, Midges and Blackflies, apply BIOMIST® 30+30 ULV using any standard
U.L.V. ground applicator capable of producing a nonthermal aerosol spray
with droplets ranging in size from 5 to 30 microns and a mass median diameter
(MMD) of 10 to 20 microns. Apply the product undiluted at a flow rate of 1.0 to
6.00 fluid ounces per minute at an average vehicle speed of 10 mph. If a
different vehicle speed is used, adjust rate accordingly. These rates are
equivalent to 0.0031 to 0.0185 pounds of Permethrin and 0.0031 to 0.0185
pounds of Piperonyl Butoxide per acre. Vary flow rate according to vegetation
density and mosquito population. Use higher flow rate in heavy vegetation or
when populations are high. An accurate flow meter must be used to ensure the
proper flow rate. Biomist® 30+30 ULV may also be applied by diluting with a
suitable solvent such as mineral oil and applying so as not to exceed the
maximum pounds of active ingredient per acre as shown in the first column of
the previous table. The following charts represent some suggested dilution and
application rates for ground U.L.V. applications. If an alternate dilution rate is
used, adjust flow rate accordingly.

FOR A 1:2 BIOMIST® 30+30 ULV/SOLVENT DILUTION RATIO
Mix one (1) part BIOMIST® 30+30 with two (2) parts solvent and apply at the
following rates.

Permethrin pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.007	3.0	6.0	9.0	1.0
0.0035	1.5	3.0	4.5	0.5
0.00175	0.75	1.5	2.25	0.25

FOR A 1:4 BIOMIST® 30+30 ULV/SOLVENT DILUTION RATIO
Mix one (1) part BIOMIST® 30+30 with four (4) parts solvent and apply at the
following rates.

Permethrin pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.0062	5.0	10.0	15.0	1.6
0.0031	2.5	5.0	7.5	0.8
0.0015	1.25	2.5	3.5	0.4

FOR A 1:8 BIOMIST® 30+30 ULV/SOLVENT DILUTION RATIO
Mix one (1) part BIOMIST® 30+30 with eight (8) parts solvent and apply at the
following rates.

Permethrin pounds/acre	Application Rates Fl. oz./Min.			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.0062	9.0	18.0	27.0	3.0
0.0031	4.5	9.0	13.5	1.5
0.0015	2.25	4.5	6.75	0.75

For proper application, mount the fog applicator so that the nozzle is at least
4½ feet above ground level and directed out the back of the vehicle. Failure to
follow the above directions may result in reduced effectiveness. Aerial
applications should be done by suitable aerial U.L.V. equipment capable of
producing droplets with an MMD of 50 microns or less with no more than 2.5%
exceeding 100 microns. Flow rate and swath width should be set so as to
achieve .33 to 1.0 fluid ounces of BIOMIST® 30+30 ULV per acre. BIOMIST®
30+30 ULV may also be diluted with a suitable solvent such as mineral oil and
applied by aerial ULV equipment so long as 1.0 fluid ounces per acre of
BIOMIST® 30+30 ULV is not exceeded. Both aerial and ground applications
should be made when wind is less than 10 MPH.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright
at room temperature. Avoid exposure to extreme temperatures. In case of
spill or leakage, soak up with an absorbent material such as sand,
sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product
may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for
recycling or reconditioning, or puncture and dispose of in a sanitary
landfill, or by other approved state and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse con-
tainer. Wrap containers in several layers of newspaper and discard in
trash.

CONTAINERS LARGER THAN ONE GALLON: Metal Containers—
Triple rinse or equivalent. Then offer for recycling or reconditioning, or
puncture and dispose of in a sanitary landfill, or by other procedures
approved by state and local authorities. Plastic Containers—Triple rinse or
equivalent. Then offer for recycling or reconditioning, or puncture and
dispose of in a sanitary landfill, or by incineration, or if allowed by state
and local authorities, by burning. If burned, stay out of smoke. Then
dispose of in a sanitary landfill or by other approved state and local
procedures.

ACCEPTED

MAY - 3 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 8329-42

**FOR MORE INFORMATION CALL:
1-800-323-5727**